


# Ecophon Akusto™ Wall C Extra Bass

Ecophon Akusto<sup>TM</sup> Wall C Extra Bass has a concealed grid and bevelled edge to create a narrow groove between each panel. Available in a variety

of surface options. The wall absorber has excellent sound absorption qualities from low to high sound frequencies. Best room acoustic properties are achieved when used together with a sound absorbing ceiling.



#### **SYSTEM RANGE**



Size, mm	2700x600
Akusto Extra Bass (40mm)	•
Thickness	40
Inst. Diagr.	M535, M547







Akusto Wall C Extra Bass system from



Akusto Wall C


#### **Acoustic**



# **Sound Absorption:**

Test results according to EN ISO 354. Classification according to EN ISO 11654, and the single value ratings for Noise Reduction Coefficient, NRC and Sound Absorption Average, SAA according to ASTM C 423.

 $lpha_{\scriptscriptstyle D}$ , Practical sound absorption coefficient



Frequency Hz

- Akusto Wall C Extra Bass 80 mm, 80 mm o.d.s. o.d.s = overall depth of system

	THK		$lpha_{ m p}$ , Practical sound absorption coefficient					α,,,	Sound absorption class	
	mm	o.d.s. mm		250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	∞ <sub>w</sub>	Sound absorption class
Extra Bass	80	80	0.65	1.00	0.95	1.00	1.00	1.00	1.00	A

THK mm	o.d.s. mm	NRC	SAA
80	80	1.00	1.00



# **Indoor Air Quality**











# Circularity

Minimum post-consumer recycled content	60%
Recyclability	Fully recyclable



# **Environmental Footprint**

	kg CO2 equiv/m²
Akusto Wall C Extra Bass/Texona	10,8
Akusto Wall C Extra Bass/Akutex FT	10,4

Life-cycle stages A 1 to C4 from EPD, in conformity with ISO  $\,$ 14025 / EN 15804



#### Fire safety

Country	Standard	Class	The glass wool core of the tiles is tested and classified as non-combustible according to EN ISO 1182.
Europe	EN 13501-1	A2-s1,d0	non-combustible according to LTV 130-1 162.



# **Humidity Resistance**

Class C, relative humidity 95% and 30°C, according to EN 13964:2014



## Visual appearance

Akusto Wall in white has high light reflectance. Light reflectance and nearest NCS colour sample for all the different colours: See Ecophon Colours and surfaces.



## Cleanability

Daily dusting, vacuum cleaning and weekly wet wiping (Akutex FT surface). Weekly dusting and vacuum cleaning (Texona) as required.



#### Accessibility

The tiles are non-demountable.



## Installation

Installed according to installation diagrams, installation guides and drawing aid.



## System weight

The weight of the system depends on the dimensions of the installation.  $2700 \times 2700$  mm installations has a system weight of approximately  $7 \text{ kg/m}^2$  (including profile system).




## **Mechanical properties**

No additional live load is allowed.




## CE


Ecophon ceiling systems are CE marked according to the European harmonized standard EN 13964:2014. CE marked construction products are covered by a Declaration of Performance (DOP) which enables customers and users to easily compare performance of products available on the European market.




# QUANTITY SPECIFICATION (EXCL. WASTAGE)

		Size, mm
		2700×600
1	Akusto Wall C	0,62/m²
2	Akusto Extra Bass	1,25/m²
3	Connect Shadow Profile	as required
4	Connect Shadow Corner (Incl., washer for leveling)	as required
5	Connect Ambit fixing installed at 1000 mm centres	as required
6	Connect Spline	as required
7	Installation screw, installed at 200 mm centres (select fastener according to wall material)	as required
8	Connect Shadow Splice. Used to extend profiles where needed.	as required










Detail of panel with Thinline frame





Live load/load bearing capacity



QUANTITY SPECIFICATION (EXCL. WASTAGE)

		Size, mm
		2700×600
1	Akusto Wall C	0,62/m²
2	Akusto Extra Bass	1,25/m²
3	Connect Shadow Profile	as required
4	Connect Shadow Corner (Incl. washer for leveling)	as required
5	Connect Ambit fixing installed at 1000 mm centres	as required
6	Installation screw, installed at 200 mm centres (select fastener according to wall material)	as required
7	Connect Spline	as required
8	Connect Shadow Splice. Used to extend profiles where needed.	as required





Detail of panel with Thinline frame



Live load/load bearing capacity