







Technical Guide

Issue 08

spectus

n. look, appearance, aspect



1. Product

Window Styles



Casement Window - Page 6 Tilt & Turn Window - Page 24 Fully Reversible - Page 39 Vertical Slider - Page 44

Door Styles



Residential Door - Page 47
French Door - Page 51
Doors with Side Screens - Page 55
Emergency Exit Doors - Page 61
Bi-Folding Door - Page 65
Composite Door - Page 76
Ride Over Patio Door - Page 79

Curtain Wall



Curtain Wall - Page 85

Cavity Closer



Cavity Closer - Page 87

2 Product Characteristics

Performance



Building Regulations



Glass



Maximum Size Limits



Product Care



3. Reference

Product Charts



General Information



Glossary of Standards



Building Details

Contents



1. Product

Window Styles **Casement Window** 6 - Elite 70 (70mm Bevelled) 7-12 - Elite 70 (70mm Ovolo) 13-18 - Elite 63 (63mm Chamfered) 19-22 - Flush Casement (70mm Chamfered/Sculptured) 23 Tilt & Turn Window 24 - Elite 70 (70mm Bevelled) 25-28 - Elite 70 (70mm Ovolo) 29-32 - Elite 63 (63mm Chamfered) 33-35 - Fush Tilt & Turn (70mm Shallow Bevelled) 36-38 Fully Reversible Window 39 - Elite 70 (70mm Bevelled) 40-43 Vertical Sliding Window 44 - Vertical Slider Ovolo 45-46 **Door Styles** Residential Door 47 - Elite 70 (70mm Bevelled) 48 - Elite 70 (70mm Ovolo) 49 - Elite 63 (63mm Chamfered) 50 French Door 51 - Elite 70 (70mm Bevelled) 52 - Elite 70 (70mm Ovolo) 53 - Elite 63 (63mm Chamfered) 54 Doors with Side Screens 55 - Elite 70 Side Screens 56-58 - Elite 63 Side Screens 59-60 **Emergency Exit Doors** 61 - Elite 70 (70mm Bevelled) 62 - Elite 70 (70mm Ovolo) 63 - Elite 63 (63mm Chamfered) 64 Bi-Folding Door 65 - Elite 70 (70mm Bevelled) 66-67 - Elite 70 (70mm Ovolo) 68-69 - Elite 63 (63mm Chamfered) 70-73 - Elite 63 & 70 Door Configurations 74-75

Door Styles Continued

,	
Composite Door	76
- Elite 70	77-78
	'
Ride Over Patio Door	79
- Vertical Sections	80-81
- 2 Pane Horizontal Section	82
- 3 Pane Horizontal Section	83
- 4 Pane Horizontal Section	84
	,
Curtain Wall	
Curtain Wall	85
- Curtain Wall with Elite 70	86
Cavity Closer	
Cavity Closer	87
- Winfit Flush Reveal	88
- Winfit Check Reveal	89
- Winfit Outside Window Fit	90
- Winfit Inside Window Fit	91
- Winfast Inside Window Fit	92
- Additional Cavity Widths	93
·	

2. Product Characteristics

Performance

Weather Performance	96
Load comparison Chart	97
PVC-U & Fire	98
Summary of PVC Combustion Properties	99
Condensation Cause & Effect	100
Condensation Combatting	101
Condensation	102
Guide to Sound Reduction	103-105
Thermal Performance	106-108
_	

Contents



2. Product Characteristics

Building Regulations Relevant Building Regulations 110 **Glass** Maximum Glass Sizes 112 Safety Glass & Safe Breakage 113 Impact Performance & Breakage Characteristics 114 Manifestation of Glazing 115 **Maximum Size Limits** Maximum Window & Door Sizes 117-119 **Product Care** General Maintenance - Open Out Windows 121 General Maintenance - Tilt & Turn Windows 122 General Maintenance - Reversible Windows 123 General Maintenance - Residential Doors 124

3. Reference

Product Charts	
Elite 70 - Main Profiles - Bevelled	127
Elite 70 - Main Profiles - Ovolo	128
Elite 70 - Fully Reversible	129
Elite 70 - Accessories	130
Flush Casement	131
Flush Tilt & Turn	132
70mm Accessories	133
Elite 63 - Main Profiles	134
Elite 63 - Reinforcement & Ancillaries	135
Vertical Slider	136
Ride Over Patio	137
Winfit / Winfast - Cavity Closer	138
Curtain Wall	139
Cills	140
General Information	
Glossary of Standards	142-143
Building Details	144-147

1 Product




Window Styles
Door Styles
Curtain Walling
Cavity Closer

1 Product



Window Styles Casement Windows







Internal Glazing




CATEGORY DESCRIPTION STYLE
PRODUCT ASSEMBLIES CASEMENT WINDOW






Note: All reinforcements are shown for diagramatical purposes only. For applications, please refer to the Elite 70 Technical Manuals.




Internal Glazing




CATEGORY DESCRIPTION STYLE
PRODUCT ASSEMBLIES CASEMENT WINDOW






Note: All reinforcements are shown for diagramatical purposes only. For applications, please refer to the Elite 70 Technical Manuals.




Internal Glazing








Note: All reinforcements are shown for diagramatical purposes only. For applications, please refer to the Elite 70 Technical Manuals.




Internal Glazing












Note: All reinforcements are shown for diagramatical purposes only. For applications, please refer to the Elite 70 Technical Manuals.




Internal Glazing








Note: All reinforcements are shown for diagramatical purposes only. For applications, please refer to the Elite 70 Technical Manuals.




External Glazing








Note: All reinforcements are shown for diagramatical purposes only. For applications, please refer to the Elite 70 Technical Manuals.




Internal Glazino




CATEGORY DESCRIPTION STYLE
PRODUCT ASSEMBLIES CASEMENT WINDOW







Note: All reinforcements are shown for diagramatical purposes only. For applications, please refer to the Elite 70 Technical Manuals.




Internal Glazino








Note: All reinforcements are shown for diagramatical purposes only. For applications, please refer to the Elite 70 Technical Manuals.




Internal Glazino




CATEGORY DESCRIPTION STYLE
PRODUCT ASSEMBLIES CASEMENT WINDOW






Note: All reinforcements are shown for diagramatical purposes only. For applications, please refer to the Elite 70 Technical Manuals.




Internal Glazino












Note: All reinforcements are shown for diagramatical purposes only. For applications, please refer to the Elite 70 Technical Manuals.




Internal Glazing








Note: All reinforcements are shown for diagramatical purposes only. For applications, please refer to the Elite 70 Technical Manuals.




External Glazing




CATEGORY DESCRIPTION STYLE
PRODUCT ASSEMBLIES CASEMENT WINDOW






Note: All reinforcements are shown for diagramatical purposes only. For applications, please refer to the Elite 70 Technical Manuals.




Internally Glazed




CATEGORY DESCRIPTION STYLE
PRODUCT ASSEMBLIES CASEMENT WINDOW






Note: All reinforcements are shown for diagramatical purposes only. For applications, please refer to the Elite 63 Technical Manuals.




Internal Glazing




CATEGORY DESCRIPTION STYLE
PRODUCT ASSEMBLIES CASEMENT WINDOW






Note: All reinforcements are shown for diagramatical purposes only. For applications, please refer to the Elite 63 Technical Manuals.




Internal Glazino








Note: All reinforcements are shown for diagramatical purposes only. For applications, please refer to the Elite 63 Technical Manuals.




External Glazing







Note: All reinforcements are shown for diagramatical purposes only. For applications, please refer to the Elite 63 Technical Manuals.




Chamfered / Sculptured 70mm Open-out Window


Internal Glazing



CATEGORY	DESCRIPTION	STYLE
PRODUCT	ASSEMBLIES	FLUSH CASEMENT WINDOW


Flush Casement Chamfered / Sculptured






Note: All reinforcements are shown for diagramatical purposes only. For applications, please refer to the Flush Casement Technical Manual.

Sash Corner Options






1 Product



Window Styles Tilt & Turn Windows






Internal Glazing











Note: All reinforcements are shown for diagramatical purposes only. For applications, please refer to the Elite 70 Technical Manuals.




Internal Glazing












Note: All reinforcements are shown for diagramatical purposes only. For applications, please refer to the Elite 70 Technical Manuals.




Internal Glazing








Note: All reinforcements are shown for diagramatical purposes only. For applications, please refer to the Elite 70 Technical Manuals.




Internal Glazing












Note: All reinforcements are shown for diagramatical purposes only. For applications, please refer to the Elite 70 Technical Manuals.




Internal Glazing








Note: All reinforcements are shown for diagramatical purposes only. For applications, please refer to the Elite 70 Technical Manuals.




Internal Glazino










Note: All reinforcements are shown for diagramatical purposes only. For applications, please refer to the Elite 70 Technical Manuals.




Ovolo 70mm Open-in Window Internal Glazing




CATEGORY	DESCRIPTION	STYLE
PRODUCT	ASSEMBLIES	TILT & TURN WINDOW








Note: All reinforcements are shown for diagramatical purposes only. For applications, please refer to the Elite 70 Technical Manuals.




Internal Glazing











Note: All reinforcements are shown for diagramatical purposes only. For applications, please refer to the Elite 70 Technical Manuals.




Internal Glazino











Note: All reinforcements are shown for diagramatical purposes only. For applications, please refer to the Elite 63 Technical Manuals.




Internal Glazino











Note: All reinforcements are shown for diagramatical purposes only. For applications, please refer to the Elite 63 Technical Manuals.




Internal Glazing










Note: All reinforcements are shown for diagramatical purposes only. For applications, please refer to the Elite 63 Technical Manuals.




Shallow Bevelled 70mm Open-in Window


Internal Glazing




CATEGORY	DESCRIPTION	STYLE
PRODUCT	ASSEMBLIES	FLUSH TILT & TURN WINDOW

Flush Tilt & Turn Shallow Bevelled





Note: All reinforcements are shown for diagramatical purposes only. For applications, please refer to the Flush Tilt & Turn Technical Manual.




Shallow Bevelled 70mm Open-in Window


Internal Glazing




CATEGORY	DESCRIPTION	STYLE
PRODUCT	ASSEMBLIES	FLUSH TILT & TURN WINDOW

Flush Tilt & Turn Shallow Bevelled





Note: All reinforcements are shown for diagramatical purposes only. For applications, please refer to the Flush Tilt & Turn Technical Manual.




Shallow Bevelled 70mm Open-in Window


Internal Glazing




CATEGORY	DESCRIPTION	STYLE
PRODUCT	ASSEMBLIES	FLUSH TILT & TURN WINDOW

Flush Tilt & Turn Shallow Bevelled





Note: All reinforcements are shown for diagramatical purposes only. For applications, please refer to the Flush Tilt & Turn Technical Manual.



1 Product



Window Styles Fully Reversible Window







Internal Glazing




CATEGORY DESCRIPTION STYLE
PRODUCT ASSEMBLIES FULLY REVERSIBLE WINDOW



ELITE 70



Note: All reinforcements are shown for diagramatical purposes only. For applications, please refer to the Elite 70 Technical Manuals.




Internal Glazing




CATEGORY DESCRIPTION STYLE
PRODUCT ASSEMBLIES FULLY REVERSIBLE WINDOW





Note: All reinforcements are shown for diagramatical purposes only. For applications, please refer to the Elite 70 Technical Manuals.





Internal Glazing




CATEGORY DESCRIPTION STYLE
PRODUCT ASSEMBLIES FULLY REVERSIBLE WINDOW







Note: All reinforcements are shown for diagramatical purposes only. For applications, please refer to the Elite 70 Technical Manuals.




Internal Glazing




CATEGORY DESCRIPTION STYLE
PRODUCT ASSEMBLIES FULLY REVERSIBLE WINDOW







Note: All reinforcements are shown for diagramatical purposes only. For applications, please refer to the Elite 70 Technical Manuals.





Window Styles Vertical Sliding Window



Vertical Slider


Vertical Sliding Window


Internal Glazing




CATEGORY	DESCRIPTION	STYLE
PRODUCT	ASSEMBLIES	VERTICAL SLIDING WINDOW

Vertical Slider





Note: All reinforcements are shown for diagramatical purposes only. For applications, please refer to the Vertical Slider Manual.




Vertical Sliding Window


Internal Glazing




CATEGORY	DESCRIPTION	STYLE
PRODUCT	ASSEMBLIES	VERTICAL SLIDING WINDOW

Vertical Slider





Note: All reinforcements are shown for diagramatical purposes only. For applications, please refer to the Vertical Slider Manual.



1 Product



Door Styles Residential Doors






Bevelled 70mm Single Door (Open-in)


Internal Glazino




CATEGORY	DESCRIPTION	STYLE
PRODUCT	ASSEMBLIES	RESIDENTIAL DOOR











Note: All reinforcements are shown for diagramatical purposes only. For applications, please refer to the Elite 70 Technical Manuals.




Ovolo 70mm Single Door (Open-in) Internal Glazing




CATEGORY	DESCRIPTION	STYLE
PRODUCT	ASSEMBLIES	RESIDENTIAL DOOR










All reinforcements are shown for Note: diagramatical purposes only. For applications, please refer to the Elite 70 Technical Manuals.




Chamfered 63mm Single Door (Open-in)


Internal Glazing




CATEGORY	DESCRIPTION	STYLE
PRODUCT	ASSEMBLIES	RESIDENTIAL DOOR










Note: All reinforcements are shown for diagramatical purposes only. For applications, please refer to the Elite 63 Technical Manuals.



1 Product



Door Styles French Doors







Bevelled 70mm Double Door (Open-out)


Internal Glazing













Note: All reinforcements are shown for diagramatical purposes only. For applications, please refer to the Elite 70 Technical Manuals.



Threshold Options





Ovolo 70mm Double Door (Open-out)


Internal Glazino













Note: All reinforcements are shown for diagramatical purposes only. For applications, please refer to the Elite 70 Technical Manuals.



Threshold Options





Chamfered 63mm Double Door (Open-out)


Internal Glazing



CATEGORY	DESCRIPTION	STYLE
PRODUCT	ASSEMBLIES	FRENCH DOOR







A41


A03 Outer

Frame

AR03S

Steel

Note: All reinforcements are shown for diagramatical purposes only. For applications, please refer to the Elite 63 Technical Manuals.



Section 'C-C'

Threshold Options

AS5 Bead AR40S Steel AR10S A01 Outer Frame

AM5EX Document 'M' Threshold

1 Product



Door Styles Side Screens






Doors with Side Screens (Open-in) Single Frame (not coupled)




CATEGORY	DESCRIPTION	STYLE
PRODUCT	ASSEMBLIES	DOORS WITH SIDE SCREENS







All reinforcements are shown for diagramatical purposes only. For applications, please refer to the Elite 70 Technical Manuals.



Elite 70 Bevelled (90mm Mullion)



Elite 70 Bevelled (110mm Mullion)




Elite 70 Ovolo (110mm Mullion)

Doors with Side Screens (Open-out) Single Frame (not coupled)




CATEGORY	DESCRIPTION	STYLE
PRODUCT	ASSEMBLIES	DOORS WITH SIDE SCREENS







All reinforcements are shown for diagramatical purposes only. For applications, please refer to the Elite 70 Technical Manuals.



Elite 70 Bevelled (90mm Mullion)



Elite 70 Bevelled (110mm Mullion)




Elite 70 Ovolo (110mm Mullion)

Doors with Side Screens




CATEGORY DESCRIPTION STYLE **PRODUCT ASSEMBLIES DOORS WITH SIDE SCREENS**






All reinforcements are shown for diagramatical purposes only. For applications, please refer to the Elite 70 Technical Manuals.




Elite 70 PVC-U **Coupling Mullion** *NOT RECOMMENDED FOR FULL HEIGHT FRAMES. **FOR FLAG LIGHTS ONLY***


Elite 70 Aluminium **Coupling Mullion**









Elite 70 Steel **Coupling Mullion**



Elite 70 29mm PVC-U **Coupling Mullion**



Elite 70 Aluminium **Expansion Mullion**




Doors with Side Screens

Single Frame (not coupled)




CATEGORY	DESCRIPTION	STYLE
PRODUCT	ASSEMBLIES	DOORS WITH SIDE SCREENS






Note: All reinforcements are shown for diagramatical purposes only. For applications, please refer to the Elite 63 Technical Manuals.



Elite 63 Open-in (110mm Mullion)



Elite 63 Open-out (110mm Mullion)


Doors with Side Screens

Coupled




CATEGORY	DESCRIPTION	STYLE
PRODUCT	ASSEMBLIES	DOORS WITH SIDE SCREENS








Note: All reinforcements are shown for diagramatical purposes only. For applications, please refer to the Elite 63 Technical Manuals.



Elite 63 PVC-U
Coupling Mullion
*NOT RECOMMENDED FOR
FULL HEIGHT FRAMES,
FOR FLAG LIGHTS ONLY*







1 Product



Door Styles Emergency Exit Doors






Bevelled 70mm Emergency Exit Door (Open-out)


Internal Glazing




CATEGORY DESCRIPTION STYLE
PRODUCT ASSEMBLIES EMERGENCY EXIT DOOR










Note: All reinforcements are shown for diagramatical purposes only. For applications, please refer to the Elite 70 Technical Manuals.




Section 'B-B'

Ovolo 70mm Emergency Exit Door (Open-out)


Internal Glazing




CATEGORY DESCRIPTION STYLE
PRODUCT ASSEMBLIES EMERGENCY EXIT DOOR










Note: All reinforcements are shown for diagramatical purposes only. For applications, please refer to the Elite 70 Technical Manuals.




Section 'B-B'

Chamfered 63mm Emergency Exit Door (Open-out)


Internal Glazino




CATEGORY DESCRIPTION STYLE
PRODUCT ASSEMBLIES EMERGENCY EXIT DOOR










Note: All reinforcements are shown for diagramatical purposes only. For applications, please refer to the Elite 63 Technical Manuals.




Section 'B-B'

1 Product



Door Styles Bi-Folding Doors






Bevelled 70mm Bi-Folding Door (Open-in) Internal Glazing - Vertical Section




CATEGORY	DESCRIPTION	STYLE
PRODUCT	ASSEMBLIES	BI-FOLDING DOOR





All reinforcements are shown for diagramatical purposes only. For applications, please refer to the Elite 70 Technical Manuals.




Section 'A-A'

Bevelled 70mm Bi-Folding Door (Open-in) Internal Glazing - Horizontal Section





CATEGORY	DESCRIPTION	STYLE
PRODUCT	ASSEMBLIES	BI-FOLDING DOOR






Note: All reinforcements are shown for diagramatical purposes only. For applications, please refer to the Elite 70 Technical Manuals.








Ovolo 70mm Bi-Folding Door (Open-out) Internal Glazing - Vertical Section




CATEGORY	DESCRIPTION	STYLE
PRODUCT	ASSEMBLIES	BI-FOLDING DOOR







All reinforcements are shown for diagramatical purposes only. For applications, please refer to the Elite 70 Technical Manuals.




Section 'A-A'


Ovolo 70mm Bi-Folding Door (Open-out) Internal Glazing - Horizontal Section




CATEGORY	DESCRIPTION	STYLE
PRODUCT	ASSEMBLIES	BI-FOLDING DOOR










Note: All reinforcements are shown for diagramatical purposes only. For applications, please refer to the Elite 70 Technical Manuals.

Section 'C-C'





Chamfered 63mm Bi-Folding Door (Open-in) Internal Glazing - Vertical Section

ELITE 63




CATEGORY	DESCRIPTION	STYLE
PRODUCT	ASSEMBLIES	BI-FOLDING DOOR





All reinforcements are shown for diagramatical purposes only. For applications, please refer to the Elite 63 Technical Manuals.




Section 'A-A'

Chamfered 63mm Bi-Folding Door (Open-in) Internal Glazing - Horizontal Section




CATEGORY	DESCRIPTION	STYLE
PRODUCT	ASSEMBLIES	BI-FOLDING DOOR






Note: All reinforcements are shown for diagramatical purposes only. For applications, please refer to the Elite 63 Technical Manuals.



Section 'B-B'




10mm 110mm 110mm 110mm 42mm A55 A55 A55 Bead Bead Bead AR40S AR40S AR40S Steel Steel Steel **AR41** AR03S Steel A40 'Z' Sash A40 'Z' Sash A40 'Z' Sash A03 Outer Frame A10 Meeting Rail Section 'D-D'


Chamfered 63mm Bi-Folding Door (Open-out) Internal Glazing - Vertical Section




CATEGORY	DESCRIPTION	STYLE
PRODUCT	ASSEMBLIES	BI-FOLDING DOOR







All reinforcements are shown for diagramatical purposes only. For applications, please refer to the Elite 63 Technical Manuals.




Section 'A-A'

Chamfered 63mm Bi-Folding Door (Open-out) Internal Glazing - Horizontal Section




CATEGORY DESCRIPTION STYLE **PRODUCT ASSEMBLIES BI-FOLDING DOOR**







Note: All reinforcements are shown for diagramatical purposes only. For applications, please refer to the Elite 63 Technical Manuals.



Section 'B-B'



Section 'C-C'




Bi-Folding Door Configurations





CATEGORY	DESCRIPTION	STYLE
PRODUCT	ASSEMBLIES	BI-FOLDING DOOR





Plans shown as open out, the same styles can be manufactured open in. Schemes may also be manufactured opposite hand.





















Bi-Folding Door Configurations





CATEGORY	DESCRIPTION	STYLE
PRODUCT	ASSEMBLIES	BI-FOLDING DOOR





Plans shown as open out, the same styles can be manufactured open in. Schemes may also be manufactured opposite hand.














1 Product



Door Styles Composite Doors






Bevelled 70mm Composite Door (Open-in) With 44mm Panel




CATEGORY	DESCRIPTION	STYLE
PRODUCT	ASSEMBLIES	COMPOSITE DOOR






All reinforcements are shown for diagramatical purposes only. For applications, please refer to the Elite 70 Technical Manuals.

Note: Coupling mullion options shown on page 58.



Section 'A-A'




Ovolo 70mm Composite Door (Open-in) With 44mm Panel




CATEGORY **DESCRIPTION** STYLE **PRODUCT ASSEMBLIES COMPOSITE DOOR**






All reinforcements are shown for diagramatical purposes only. For applications, please refer to the Elite 70 Technical Manuals.

Note: Coupling mullion options shown on page 58.




Section 'A-A'



1 Product



Door Styles Ride Over Patio Door




Ride Over Patio


Internal Glazing - Vertical Section




CATEGORY	DESCRIPTION	STYLE
PRODUCT	ASSEMBLIES	SLIDING PATIO DOOR

Ride Over Patio





Note: All reinforcements are shown for diagramatical purposes only. For applications, please refer to the Ride Over Patio Technical Manual.





Internal Glazing - Vertical Section




CATEGORY	DESCRIPTION	STYLE
PRODUCT	ASSEMBLIES	SLIDING PATIO DOOR

Ride Over Patio





Note: All reinforcements are shown for diagramatical purposes only. For applications, please refer to the Ride Over Patio Technical Manual.




Internal Glazing - Horizontal Section




CATEGORY	DESCRIPTION	STYLE
PRODUCT	ASSEMBLIES	SLIDING PATIO DOOR


Ride Over Patio






Note: All reinforcements are shown for diagramatical purposes only. For applications, please refer to the Ride Over Patio Technical Manual.









Internal Glazing - Horizontal Section




CATEGORY	DESCRIPTION	STYLE
PRODUCT	ASSEMBLIES	SLIDING PATIO DOOR


Ride Over Patio






Note: All reinforcements are shown for diagramatical purposes only. For applications, please refer to the Ride Over Patio Technical Manual.









Internal Glazing - Horizontal Section




CATEGORY	DESCRIPTION	STYLE
PRODUCT	ASSEMBLIES	SLIDING PATIO DOOR

Ride Over Patio







Note: All reinforcements are shown for diagramatical purposes only. For applications, please refer to the Ride Over Patio Technical Manual.



Section 'J-J'






Section 'L-L'

172mm

1 Product



Curtain Wall





Curtain Wall




CATEGORY	DESCRIPTION	STYLE
PRODUCT	ASSEMBLIES	CURTAIN WALL

Curtain Wall









Cavity Closer




WINFIT / WINFAST


100mm Cavity Closer - Flush Reveal




CATEGORY	DESCRIPTION	STYLE
PRODUCT	ASSEMBLIES	CAVITY CLOSER



Note: 100mm Cavity width shown, additional cavity sizes are shown on page 93.







100mm Cavity Closer - Check Reveal




CATEGORY	DESCRIPTION	STYLE
PRODUCT	ASSEMBLIES	CAVITY CLOSER



Note: 100mm Cavity width shown, additional cavity sizes are shown on page 93.







100mm Cavity Closer - Outside Window Fit




CATEGORY	DESCRIPTION	STYLE
PRODUCT	ASSEMBLIES	CAVITY CLOSER



Note: 100mm Cavity width shown, additional cavity sizes are shown on page 93.







100mm Cavity Closer - Inside Window Fit




CATEGORY	DESCRIPTION	STYLE			
PRODUCT	ASSEMBLIES	CAVITY CLOSER			



Note: 100mm Cavity width shown, additional cavity sizes are shown on page 93.






125mm Cavity Closer - Inside Window Fit





CATEGORY	DESCRIPTION	STYLE			
PRODUCT	ASSEMBLIES	CAVITY CLOSER			

WINFAST



Note: 125mm Cavity width shown, additional cavity sizes are shown on page 93.






Cavity Closer - Cavity Widths




CATEGORY	DESCRIPTION	STYLE			
PRODUCT	ASSEMBLIES	CAVITY CLOSER			

WINFIT


75mm Insulated Box




75mm Insulated Box with 19mm x 19mm EPS




100mm Insulated Box




100mm Insulated Box with 19mm x 19mm EPS




100mm Insulated Box with 34mm x 19mm EPS




100mm Insulated Box with 19mm x 19mm EPS and 34mm x 19mm EPS



WINFAST



100mm Insulated Box with F150 Extension and 76mm x 17mm EPS



2 Product Characteristics




Performance
Building Regulations
Glass
Maximum Size Limits
Product Care

2 Product Characteristics



Performance



Weather Performance



CATEGORY	DESCRIPTION
PRODUCT CHARACTERISTICS	PERFORMANCE

Acceptable levels of window performance are vital to achieve required standards, eliminate costly corrective action, maintain customer confidence and uphold the reputation of the manufacturing company.

Profile and reinforcement choice, window size and configuration will all effect window performance.

Standards require that doors and windows meet the specification of BS 6375-1, for air permeability, watertightness and wind resistance, as shown in the table below.

For the exposure category specified, the units tested shall achieve at least the values indicated for air permeability and water tightness. The resistance to windload values are:

- P1 applied pressure to measure deflection
- P2 pulsating pressure applied for 50 cycles to assess performance under repeated windloads
- P3 applied pressure to assess the safety of the specimen under extreme conditions

To select the apropriate exposure category, the windload must be known. Once the windload is known, the exposure category is selected from the table below, equal to or exceeding the determined windload.

To calculate the windload, the following standards may be used:

BS 6375-1 may be used to determine wind loads for low rise buildings (below 15m).

For any building height, the more detailed method in BS EN 1991-1-4 should be used.

Note: Page 97 has a useful comparison table showing values in pascals, against a number of more familiar units.

Exposure categories and classifications to BS 6375-1

Exposure	Air	Watertightness		Resistanc	e to Windload	
Category	Permeability	Watertighthess	Class	P1	P2	Р3
Doorsets						
800 U	Class 0 No test	Class 0 No test	Class A2	800 Pa	400 Pa	1200 Pa
800 X	Class 1 150 Pa	Class 2A 50 Pa	Class A2	800 Pa	400 Pa	1200 Pa
800	Class 2 300 Pa	Class 3A 100 Pa	Class A2	800 Pa	400 Pa	1200 Pa
1200	Class 2 300 Pa	Class 3A 100 Pa	Class A3	1200 Pa	600 Pa	1800 Pa
Windows						
800	Class 2 300 Pa	Class 3A 100 Pa	Class A2	800 Pa	400 Pa	1200 Pa
1200	Class 2 300 Pa	Class 3A 100 Pa	Class A3	1200 Pa	600 Pa	1800 Pa
1600	Class 2 300 Pa	Class 5A 200 Pa	Class A4	1600 Pa	800 Pa	2400 Pa
2000	Class 2 300 Pa	Class 5A 200 Pa	Class A5	2000 Pa	1000 Pa	3000 Pa
2000+	Class 2 300 Pa	Class 7A 300 Pa	Class AE	(xxxx)	(xxxx) x 0.5	(xxxx) x 1.5


Note: Specimens tested above 2000, are classified Class Exxxx - where xxxx is the actual test pressure (P1)


Doorsets designed to meet the disabled access requirements of approved document m, are unlikely to exceed 800 X


Weather Performance - Load Comparison Chart





CATEGORY DESCRIPTION
PRODUCT CHARACTERISTICS PERFORMANCE











PVC-U & Fire



CATEGORY	DESCRIPTION
PRODUCT CHARACTERISTICS	PERFORMANCE

In recent years the media have projected the image that all plastics ignite readily and then burn furiously. Whilst this carries some degree of truth it is clearly not true for all plastics materials. Burning PVC, for example rapidly forms a surface char that inhibits further combustion.

It is also claimed, quite correctly, that burning plastics generate toxic gases and fumes. However almost any material which burns will give off toxic gases and fumes similar in nature to those arising from plastics materials, of greater significance is the rate at which they are generated.

The major toxic constituent of the gases, and the one causing most fire deaths, is carbon monoxide. This is produced not only when most plastics burn but also when wood, wool, cotton and practically every other naturally occurring combustible material is alight, particularly when the oxygen supply is restricted as it so often is in fully developed fire situations.

A fundamental misunderstanding surrounding the subject of toxicity and fire is the belief that toxicity equates to toxic hazard. Many hold that just because a material gives off toxic fumes when burning then it must present a serious hazard. This is not necessarily true. Fire safety experts agree that the toxicity of the combustion products alone is insufficient to define the toxic hazard associated with a burning material. Obviously the presence of a material which is difficult to ignite will reduce the probability of a fire starting and hence present a lower risk of toxic emission than one which ignites easily. Similarly the relative toxicity of the combustion products of each material may become of little importance once relative burning rates are taken into account.

The best way to reduce the toxic hazard in fires, as well, as the general hazard, is to reduce the risk of the fire starting in the first place and, if it has already commenced, to reduce its rate of growth.

This objective can be achieved by several means. Reducing the number of potential ignition sources is an obvious first step, but more directly the ignitability of a building's contents can be reduced as can their rate of combustion if a fire does start. If there is no fire then there is no toxic hazard. If a fire starts but then burns slowly, its slow spread and slow build-up of toxic fumes permits a longer escape time and reduces both the toxic hazard and the overall fire hazard.

PVC, its compounds and the products made from them, in general score highly on both counts. Unplasticised PVC, as for example used in window frames, is extremely difficult to ignite. Even in a large fire situation it will burn very slowly and will not sustain combustion once the ignition source has been removed or has gone out.

Window Frames - The use of PVC-U in window frame construction has long since been well established in Germany and is now a rapidly growing application in Britain. UK Building Regulations do not stipulate any fire performance standards for the materials used in window frames. Whilst no degree of fire resistance as defined by BS476 Parts 20 - 23 can be achieved by PVC-U window units, work carried out at the Fire Research Station has shown the fire performance of PVC is equivalent to that of traditional wood frames under the conditions of test (BS476-7 and BS476-12).

Summary of PVC Combustion Properties



CATEGORY		DESCRIPTION
	PRODUCT CHARACTERISTICS	PERFORMANCE

IGNITABILITY	PVC is very difficult to ignite using common ignition sources.
HEAT RELEASE	Burning materials release heat and the rate of release affects the severity of the fire; this, in association with ignitability, largely determines the rate of frame spread. Both the rate of heat release and the total heat of combustion of PVC are significantly lower than those of other common thermoplastics.
SPREAD OF FLAME AND RESISTANCE TO STANDARD COMBUSTION	PVC has limited spread of flame characteristics and achieves high classification in national building fire tests. PVC tends to form a protective carbonaceous layer (or char). This insulates the material below and excludes the oxygen necessary for combustion. The hydrogen chloride emitted acts as a combustion inhibitor.
SMOKE DENSITY	Smoke densities are similar to wood under smouldering conditions but greater under flaming conditions.
CORROSIVITY OF COMBUSTION GASES	Metallic materials may suffer from some corrosion by hydrogen chloride but restoration is normally possible. Fears of the effects on structural elements of buildings have been shown to be unfounded.
TOXICITY OF COMBUSTION GASES	Although hydrogen chloride is a main gaseous product of the combustion of PVC the toxic potency of the combustion gases of PVC is similar to and certainly not significantly worse than those from many natural and synthetic materials. The build up of toxic fumes will be slow when compared with rapidly burning materials of a similar toxic potency.
OVERALL	Resistance to ignition and how well flame is supported and spread are the most significant properties which contribute to fire safety. PVC is particularly good in this respect and this is recognised in the UK Building Regulations. The toxic potency of PVC decomposition products is similar to that of most other materials. Overall therefore PVC is a widely acceptable material which does not represent a greater fire hazard than other synthetic or natural organic materials.

Condensation - Cause & Effect



CATEGORY	DESCRIPTION
PRODUCT CHARACTERISTICS	PERFORMANCE

Condensation is a relatively new phenomenon resulting mainly from changes in lifestyle and our desire to keep heating costs as low as possible.

Condensation is related to the way we heat, ventilate and insulate our homes. In days gone by, most homes had one or two chimneys; allowing up to four air changes per hour. Doors and windows were generally less well fitting than they are today. This natural ventilation was the very process which prevented condensation.

To cope with increased fuel costs came the trend to insulate. This resulted in loft insulation, cavity wall insulation and double glazing.

However, it is also a fact that energy-efficient homes are more likely to suffer condensation because

anything that keeps warm air in will also keep fresh air out, creating the ideal conditions for condensation to form.

Before we tackle the problem, we have to understand exactly what condensation is, then find the best way to deal with it.

Condensation is merely the air's natural moisture content settling on cool surfaces. The amount of moisture in the air is called relative humidity. If the humidity level rises above 70% mould and mildew will be encouraged to grow.

Astonishingly, the average family created up to 20 pints of moisture every day, simply by washing, cooking and breathing. This moisture must go somewhere and be dealt with to avoid condensation.

WHAT IS CONDENSATION? WHERE DOES MOST WATER VAPOUR COME FROM?

Condensation is water vapour suspended in air.

The most common sources of water vapour are cooking, drying clothes on radiators, washing up, in-house plants, moisture in newly-built properties and extensions and from the breath we exhale.

Due to the thermal currents within a house, condensation can occur in a number of places, usually at cold spots, i.e. an unheated room or a conservatory without any form of adequate heating.

WHERE CAN CONDENSATION OCCUR?

Condensation forming on the room side surface of a sealed unit indicated a high water vapour content present and that the temperature of the room side glass surface is inadequate. Condensation within the airspace of the sealed unit indicated the unit has broken down.

STATEMENT:

'I did not have condensation before my new windows were installed. There must be something wrong with them.'

This is a common assumption but, unfortunately, it is also incorrect. Windows cannot and will not produce any water. This 'water' is produced by our normal living activities. Therefore we, the householder, have created the problem.

HOW DO I KNOW IF I HAVE CONDENSATION?

Condensation will take many forms, the most common being steaming windows and puddles of water on the windowsills. In extreme cases, dark spots of mould will appear around the windows, wall coverings and mastic seals throughout the house.

If you have a non-condensing tumble dryer, make sure it is properly vented to the outside of your home. Remember, tumble dryers can create 16 pints of water vapour during one cycle.

HOW CAN DOUBLE GLAZING HELP?

Sealed unit replacement windows act as an insulator which will reduce heat loss which under normal circumstances, would be conducted from the inside of the room to the outside. Please remember that sealed units act as an insulator and are not a source of heat, therefore all rooms should be adequately heated – especially conservatories. The likelihood of condensation forming on a warm surface is therefore reduced.

Condensation - Combatting



CATEGORY	DESCRIPTION
PRODUCT CHARACTERISTICS	PERFORMANCE

HOW DO I REDUCE CONDENSATION?

Condensation can be controlled by providing natural ventilation to change air on a regular basis and by maintaining an even temperature. This is achieved through ventilation units which are controlled by humidistats, an airbrick, or by opening a window. Please remember that an airbrick must be open to achieve good results. An effective way of controlling condensation would be to install a dehumidifier. This cost would be avoided if the problem is one of ventilation, by installing an airbrick thereby creating ventilation or controlling those causes of moisture, that result in a build-up of moisture in the air.

BREATHING

Two sleeping adults exude two pints of moisture in eight hours, which is absorbed as water vapour by the atmosphere.

NEW PROPERTY

The bricks, timber, concrete and other materials in an average three bedroom house absorb 1,500 gallons of water. The same principle will apply to a conservatory base and the construction materials used. As with any new building work, please allow a period of drying out to ensure problems are not encountered in the future.

DOUBLE GLAZING CANNOT CAUSE CONDENSATION

CONCLUSION

By acting as a heat barrier and providing an inner pane which is considerably warmer that the outer pane, the likelihood of condensation forming is reduced.

Condensation is a result of the build-up of moisture caused by our normal lifestyle and the continual improvement and modernisation of our homes.

Replacement windows cannot produce condensation. Double glazing will act as an insulator if there is sufficient heat within the house in the beginning. Therefore it is wise to attempt to control the amount of water vapour displaced within the household and to provide controlled ventilation to dispel this moisture before the problem arises.

BATHROOMS & KITCHENS

Prevent water vapour finding its way into the other rooms of your house by closing the adjoining door and leaving a window open after cooking or showering to allow a change of air. Extractor fans and cooker hoods work well for this purpose.

If you find dark mould spots forming, treat the affected areas immediately with a solution of household bleach or Milton fluid. This will kill the mould spores and prevent them from spreading to other areas. All new houses with improved insulation and replacement windows are likely to trap moisture build-up. This can be identified and dealt with, as long as all the rooms are heated throughout the house, and the air is changed on a regular basis.

REMEMBER IT IS FAR EASIER TO TREAT THE CAUSE THAN THE EFFECT

Condensation



CATEGORY DESCRIPTION
PRODUCT CHARACTERISTICS PERFORMANCE

Moisture proofing serves the general comfort of human beings and provides protection against structural damage. Apart from the fact that dampness from the outside must be prevented, the actual use of a building can cause condensation to occur on the inner surfaces or in the interior of a structure. When thermally insulating a structure, one must always take care that moisture proof materials on the warm side and moisture-pervious materials on the cold side are fitted.

RELATIVE AIR HUMIDITY is the ratio expressed as a percentage of the quantity of evaporated water in kilogrammes contained in the air at temperature, to the maximum possible quantity of evaporation at the same temperature. For example at 20°C atmospheric temperature, the air is saturated at - 17.3g/m³ absolute humidity (= 100% relative humidity)

TEMPERATURE OF DEW POINT t. If the point of absolute humidity reaches saturation point while the temperature is falling, the dew-fall begins to take place. The following factors influence the formation of condensation on the inner surface on aluminium or PVC-U windows.

- 1) The Inner Surface temperature this is dependent on the difference between the outside temperature and room temperature, the thermal resistance of the profiles fitted, and of the glass pane and wall connection, the shape of the profile, the actual interior and exterior heat transmission coefficients (movements of air, surface design, thermal radiation).
- 2) The relative air humidity on the room.

	Max. Permissible cooling of the air in degrees up to the formation of dew at a								,						
Room Air Temperature	Max. Humidity	Permis	ssible co	ooling o	f the air	in degr	ees up 1	to the fo	ormation	of dew	at a rel		humidi	ty in pe	rcent
°C	g/m ³	30%	35%	40%	45%	50%	55%	60%	65%	70%	75%	80%	85%	90%	95%
-20	0.90	-	10.70	9.10	8.00	7.00	6.00	5.20	4.40	3.70	3.00	2.40	1.70	1.10	0.60
-15	1.40	12.40	10.90	9.60	8.40	7.40	6.40	5.50	4.60	3.80	3.10	2.40	1.80	1.10	0.60
-10	2.14	12.90	11.30	9.90	8.70	7.60	6.50	5.60	4.70	3.90	3.20	2.50	1.80	1.20	0.60
-8	2.54	13.10	11.50	10.10	8.80	7.70	6.60	5.70	4.80	4.00	3.20	2.50	1.90	1.20	0.60
-6	2.99	13.30	11.70	10.20	8.90	7.80	6.80	5.80	4.90	4.10	3.30	2.60	1.90	1.20	0.60
-4	3.51	13.50	11.80	10.40	9.10	7.90	6.90	5.90	5.00	4.20	3.40	2.60	1.90	1.20	0.60
-2	4.13	13.70	12.00	10.50	9.20	8.10	7.00	6.00	5.10	4.20	3.40	2.60	1.90	1.30	0.60
0	4.80	13.80	12.20	10.70	9.40	8.20	7.10	6.00	5.10	4.30	3.40	2.70	2.00	1.30	0.70
2	5.60	14.30	12.60	11.10	9.70	8.50	7.40	6.40	5.40	4.60	3.70	3.00	2.20	1.50	0.70
4	6.40	14.70	13.00	11.50	10.10	8.80	7.70	6.70	5.80	4.90	4.00	3.20	2.30	1.50	0.70
6	7.30	15.10	13.40	11.80	10.40	9.20	8.10	7.10	6.10	5.10	4.10	3.20	2.30	1.50	0.70
8	8.30	15.60	13.80	12.20	10.80	9.60	8.40	7.30	6.20	5.10	4.20	3.20	2.40	1.60	0.80
10	9.40	16.00	14.20	12.60	11.20	9.90	8.60	7.40	6.30	5.20	4.20	3.30	2.40	1.60	0.80
12	10.70	16.40	14.60	13.10	11.60	10.10	8.80	7.50	6.40	5.30	4.30	3.40	2.50	1.60	0.80
14	12.10	16.90	15.10	13.40	11.70	10.30	8.90	7.60	6.50	5.40	4.40	3.40	2.50	1.60	0.80
16	13.90	17.40	15.50	13.60	11.90	10.40	9.00	7.80	6.60	5.50	4.40	3.50	2.50	1.70	0.80
18	15.40	17.80	15.70	13.80	12.10	10.60	9.20	7.90	6.70	5.60	4.50	3.50	2.60	1.70	0.80
20	17.30	18.10	15.90	14.00	12.30	10.70	9.30	8.00	6.80	5.60	4.60	3.60	2.60	1.70	0.80
22	19.40	18.40	16.20	14.20	12.50	10.90	9.50	8.10	6.90	5.70	4.60	3.60	2.60	1.70	0.90
24	21.80	18.60	16.40	14.40	12.70	11.10	9.60	8.30	7.00	5.80	4.70	3.70	2.70	1.80	0.90
26	24.40	18.90	16.70	14.70	12.90	11.20	9.70	8.40	7.10	5.90	4.80	3.70	2.70	1.80	0.90
28	27.20	19.20	16.90	14.90	13.00	11.40	9.90	8.50	7.20	6.00	4.90	3.80	2.80	1.80	0.90
30	30.30	19.50	17.10	15.10	13.20	11.60	10.00	8.60	7.30	6.10	4.90	3.80	2.80	1.80	0.90
35	39.40	20.20	17.80	15.60	13.70	12.00	10.40	8.90	7.60	6.30	5.10	4.00	2.90	1.90	0.90
40	50.70	20.90	18.40	16.20	14.20	12.40	10.80	9.30	7.90	6.50	5.30	4.10	3.00	2.00	1.00
45	64.50	21.60	19.60	16.80	14.70	12.90	11.20	9.60	8.10	6.80	5.50	4.30	3.10	2.00	1.00
50	82.30	22.40	19.70	17.40	15.20	13.30	11.60	9.90	8.40	7.00	5.70	4.40	3.20	2.10	1.00

Guide to Sound Reduction




CATEGORY	DESCRIPTION
PRODUCT CHARACTERISTICS	PERFORMANCE

TYPICAL OUTSIDE NOISE LEVEL	INSIDE NOISE LE NOT TO BE EXCEI		RECOMMENDED dBA VALUE OF WINDOW	SUGGESTED GLAZING
60 dBA = Normal living and	Bedroom, children's room.	25-30 dBA	30-34 dBA	Standard DG unit
	Living room, play room.	30-35 dBA	25-29 dBA	Standard DG unit
environment noise. Conversation at 1m	Kitchen, utility room.	35-40 dBA	Up to 24 dBA	Standard DG unit
distance.	Office, hall, reception.	40-50 dBA	Up to 24 dBA	Standard DG unit
70 dBA = Noisy environment	Bedroom, children's room.	25-30 dBA	40-44 dBA	44-47 dBA unit
	Living room, play room.	30-35 dBA	36-29 dBA	40-42 dBA unit
and traffic sound. Cars at 5m distance.	Kitchen, utility room.	35-40 dBA	30-34 dBA	Standard DG unit
	Office, hall, reception.	40-50 dBA	25-29 dBA	Standard DG unit
80 dBA =	Bedroom, children's room.	25-30 dBA	45-49 dBA	Double window
Street noise during	Living room, play room.	30-35 dBA	45-49 dBA	Double window
heavy traffic. Main road continuos	Kitchen, utility room.	35-40 dBA	40-44 dBA	44-47 dBA unit
traffic.	Office, hall, reception.	40-50 dBA	30-34 dBA	Standard DG unit
Over 80 dBA =	Bedroom, children's room.	25-30 dBA	Over 50 dBA	Double window
Very heavy traffic	Living room, play room.	30-35 dBA	Over 50 dBA	Double window
noise, car horns, factory noise.	Kitchen, utility room.	35-40 dBA	45-49 dBA	Double window
	Office, hall, reception.	40-50 dBA	35-39 dBA	40-42 dBA unit

Testing

Results of sound insulation tests carried out on Spectus casement windows (to BS EN ISO 140 Part 3) are shown below.


Rw is the weighted sound reduction index value calculated in accordance with BS EN ISO 717-1.



Glass specification 4/20/4 (28mm)

Rw = 30dB

---:R ---:Shifted ref. curve (ISO 717)



Glass specification 4/17/7 Audioscreen (28mm)

Rw = 33dB

Guide to Sound Reduction




CATEGORY	DESCRIPTION
PRODUCT CHARACTERISTICS	PERFORMANCE

Testing

Results of sound insulation tests carried out on Spectus casement windows are shown below.


Rw is the weighted sound reduction index value calculated in accordance with BS EN ISO 717-1

----:R ----:Shifted ref. curve (ISO 717-1)




Glass specification 4/20/4 (28mm)

Rw = 31dB




Glass specification 4/17/7 Audioscreen (28mm)

Rw = 35dB



Glass specification 10/20/6.4 Laminated (28.4mm)

Rw = 38dB



Glass specification 10/20/8.8 44.2-Stratophone (38.8mm)

Rw = 40dB

Guide to Sound Reduction



CATEGORY	DESCRIPTION
PRODUCT CHARACTERISTICS	PERFORMANCE

Testing


Results of sound insulation tests carried out on Spectus casement, fully reversible and vertical sliding windows are shown below.

Rw is the weighted sound reduction index value calculated in accordance with BS EN ISO 717-1

---:R


--: Shifted ref. curve (ISO 717-1)

Elite 70 Casement 1230mm x 1450mm Side Hung next to a Fixed Light.




Glass specification 12.8 Laminated Optiphon/12/4 (28.8mm) Rw = 38dB

Elite 70 Fully Reversible 1230mm x 1450mm Opener next to a Fixed Light.




Glass specification 12.8 Laminated Optiphon/12/4 (28.8mm) Rw = 40dB



Glass specification 4/16/4 (24mm)

Rw = 32dB



Glass specification 4/14/6.4 Stadip Silence (24.4mm)

Rw = 37dB

Thermal - Window u Values & CO₂ Emissions



CATEGORY	DESCRIPTION
PRODUCT CHARACTERISTICS	PERFORMANCE

Approved Document L of the building regulations for England and Wales

The regulations allow for different methods of proving compliance. This depends upon whether the building is a dwelling or not, and whether the building is new or existing.

The four methods of compliance are :-

- Whole Window U Value
- CO₂ emissions
- Window Energy Rating (WER)
- Glass centre pane U value


Whole Window U Values

The thermal transmission of the whole window can be derived using the simplified calculation method in BS EN 10077.1 as shown below:-

$$Uw = \frac{Ag.Ug + Af.Uf + Ig.\Psig}{Ag + Af}$$

Example: Elite 70

(Intermediate Outer Frame, Soft Coat & Argon)



Where :-

Ag = 1.252 (area of glass)

Ug = 1.219 (thermal transmittance of glass)

Af = 0.568 (area of frame)

Uf = 1.440 (thermal transmittance of frame)

lg = 7.151 (Total perimeter of glazing)

Ψg = 0.06 (linear thermal transmittance of frame/ glazing junction)

 $Uw = 1.5 W/(m^2 K)$

The simplified method is generally used to provide U-value calculations for specific windows.

Whole window U-values are affected by:-

Size and configuration of window

The example shown uses the standard window size and configuration (1230mm x 1480mm sash next to fixed). This is from Annex E of BS EN 14351-1. Different windows will produce a different whole window U-value.

Ug - Thermal transmittance of glass

The example shown uses a thermal transmittance of glass (Ug) of 1.2. This figure varies according to the make-up of the double glazed unit (glass type, argon fill, etc) This information should be available from glass suppliers.

Uf - Thermal transmittance of frame

The example shown uses a thermal transmittance of frame (Uf) of 1.440. This figure is typical for the Elite 70 window system and has been extrapolated from testing carried out at the National Physics Laboratory.

Ψg - Thermal transmittance of frame/glazing

The example shown uses a linear thermal transmittance of frame/glazing junction (Ψg) of 0.06. This is a typical figure for an aluminium spacer bar. Using warm edge spacer bars will produce a different figure.

• CO₂ emissions

These will be calculated for the whole building by the architect/engineer. The CO₂ emissions calculation methods are :-

- Target CO₂ Emissions Rating (TER)
- Standard Assessment Procedure (SAP)
- Standard Buildings Emission Method (SBEM)

Target CO₂ Emissions Rating (TER)

This only applies to new dwellings and the maximum U-value allowed is 2.0 for windows & doors.

Standard Assessment Procedure (SAP)

This is the governments standard assessment procedure for energy rating of dwellings.

Standard Buildings Emission Method (SBEM)

This only applies to non-dwellings and for most projects a U-value of 2.0 will be assumed for windows.

106

Thermal - Window Energy Rating (WER)



CATEGORY	DESCRIPTION
PRODUCT CHARACTERISTICS	PERFORMANCE

Window Energy Rating (WER)

Windows lose heat through the various parts of the window and through a range of heat transfer methods. Window energy rating is a method of assessing the complete window and producing a single number to rate the energy efficiency of a specific type of window.

Windows are rated by three types of energy flow:

- Solar gain (g-value) Positive
- Thermal Transmittance (U-value) Negative
- Air Leakage (L-value) Negative

Each type of energy flow has an affect on the overall energy efficiency of the product.

Solar gain (g-value)

Solar heat is reflected, absorbed and transmitted through the glass. The solar gain (g-value) measures the amount of solar heat gained by the inside as a percentage of the solar heat from outside. E.g. If the solar radiation outside is taken as 100%, and the solar radiation inside measures 40%, then g = 0.40

Thermal transmittance (U-value)


The U-value measures the amount of thermal transmittance lost through the window through convection, conduction and radiation. Lower U-values are better than higher U-values. E.g. Typical single glazing gives a U-value of 6.0 W/m²k, whereas typical double glazing with a low-E coating gives a U-value of 1.7 W/m²k.

Air Leakage (L-value)

The L-value measures the warm air loss from inside to outside. This occurs at the joint between the opening sashes and frame members and the joint between the frame/bead and the glass.

WER Modelling Process

Specific window cross section drawings are imported into modelling software along with the known thermal conductivity The each element. software then calculates the WER and can also generate graphical representations of temperature gradients of the cross-section drawing.



British Fenestration Rating Council (BFRC)

The British Fenestration Rating Council (BFRC) is an independent body that controls energy rating of windows in the UK, as part of the European Window Energy Rating scheme.

BFRC Labelling

Windows can now carry energy ratings or labels, similar to those already seen on household appliances such as refridgerators and washing machines. Windows are rated using a familiar A to G scale on the basis of their total energy efficiency, where an A-rated window is more energy efficient than a G-rated window. When windows have the same letter, the Energy Index (kWh/m²/year) can be used for comparison. This gives details of the energy consumption or gain for the sample window.



Note: Example label only

Thermal - Door Set Energy Rating (DSER)



CATEGORY	DESCRIPTION
PRODUCT CHARACTERISTICS	PERFORMANCE

Door Set Energy Rating (DSER)

In September 2011 the BFRC extended the current Window Energy Rating scheme to cover doorsets of various types.

Doorsets are rated by three types of energy flow:

- · Solar gain (g-value) Positive
- Thermal Transmittance (U-value) Negative
- Air Leakage (L-value) Negative

Each type of energy flow has an affect on the overall energy efficiency of the product.

Unlike the Window Energy Rating scheme, doors are split into different classifications for the purpose of rating them. This is due to the different requirements with regard to the inclusion of solar gain as part of the rating equation.

Classifications

1. External Pedestrian Doorsets:

These are basic entrance/exit doors. There are three categories dependant on glass area. No solar gain is applicable to this door type and so the formula & band cut-offs, for calculating the Energy Rating, are different to that for windows.

2. Sliding Patio & French Doorsets:

Both of these types of doorset will include solar gain and will use the Window Energy Rating formula and band cut-offs to calculate the Energy Rating.

3. Sliding Folding (Bi-Fold) Doorsets:

This type of doorset will include solar gain and will use the Window Energy Rating formula and band cut-offs to calculate the Energy Rating.



U-COMPLY

The U-Comply N calculator allows you to demonstrate compliance on any number of window and door specifications. As well as eliminating the significant costs in testing different specifications of windows and doors, you can also use U-Comply N to demonstrate compliance with the new regulations. U-Comply N has been independently audited by BSI, BFRC and CERTASS therefore allowing fabricators to show compliance with Document 'L' of the Building Regulations using either U-values or WERs/DSERs.

BSI have also given U-Comply N its European Notified Body Approval, therefore Window/Door U Values can be used by Fabricators/Installers for their CE Marking Declaration of Thermal Transmittance.

2 Product Characteristics



Building Regulations



Building Regulations



CATEGORY	DESCRIPTION
PRODUCT CHARACTERISTICS	BUILDING REGULATIONS

Approved Documents and Building Regulations publications.

Practical guidance on ways to comply with the functional requirements in the Building Regulations is outlined in a series of 'Approved Documents' published by the Department for Communities and Local Government. Each Document contains:

- general guidance on the performance expected of materials and building work in order to comply with each of the requirements of the building regulations; and
- practical examples and solutions on how to achieve compliance for some of the more common building situations.

All of the latest 'Approved Documents' can be downloaded free on the Planning Portal at:

www.planningportal.gov.uk/approveddocuments

Due to the rate of change of the requirements of the Building Regulations it is recommended that the current version is referred to in all instances.

Relevant Approved Documents

Part B (Fire safety)

This section covers the technical guidance contained in Part B of schedule 1 of the Building Regulations concerned with the requirements with respect to fire safety.

The main area of interest with regard to windows and doors is ensuring that there are a sufficient number of adequate escape routes suitably located to enable persons to escape to a place of safety in the event of a fire.

Part E (Resistance to sound)

This section covers the technical guidance contained in Part E of schedule 1 of the Building Regulations, with the requirements with respect to resistance to sound.

Part F (Ventilation)

This section covers the technical guidance contained in Part F of schedule 1 of the Building Regulations concerned with the requirements with respect to ventilation.

Part K (Protection from falling, collision and impact)

This section covers the technical guidance that supports Part K of schedule 1 of the Building Regulations, with the requirements with respect to protection from falling.

Part L (Conservation of fuel and power)

This section covers the technical guidance contained in Part L of schedule 1 of the Building Regulations concerned with the requirements with respect to Conservation of fuel and power.

Approved Document is split into four parts:

Approved Document L1A: This covers New Dwellings.

Approved Document L1B: This covers Existing Dwellings.

Approved Document L2A:

This covers New Buildings other than Dwellings.

Approved Document L2B:

This covers Existing Buildings other than Dwellings.

The main area of interest with regard to windows and doors is the performance with regard to thermal transmittance (U value) and/or Energy Rating. The actual performance criteria required will depend on the building type and the calculation method being used.

Part M (Access to and use of buildings)

This section covers the technical guidance contained in Part M of schedule 1 of the Building Regulations concerned with the requirements with respect to access to and use of buildings.

Part Q (Security - Dwellings)

This section covers the technical guidance contained in Part Q of schedule 1 of the Building Regulations concerned with the security requirements for windows and doors.

Compliance

All Spectus Window Systems products are able to meet the relevant requirements of the Building Regulations.

2 Product Characteristics



Glass



Glass - Maximum Glass Sizes



CATEGORY	DESCRIPTION
PRODUCT CHARACTERISTICS	GLASS

CLEAR GLASS

(Annealed, Toughened or Laminated) is obtainable in very large sizes, but the maximum width or height should not exceed 2500mm.

The maximum glass area is dependent on the type of glazing and the situation of the installation:-

The table below is extracted from BS6262 and is based on a Design Wind Pressure of 1200 pa

SAFETY GLASS

All glazing must conform to BS6262 'British Standard Code of Practice for Glazing for buildings'.

The following basic information on safety glazing is provided for general guidance only.

Annealed Glass = Float, polished plate and patterned glass.

Safety Glass = Toughened or laminated glass.

GLAZING OPTIONS					
THICKNESS	ANNEALED	LAMINATED	TOUGHENED		
4mm	2m²	N/A	3m ²		
6mm	5m ²	4.5m ²	7m²		
4+4	4m²	N/A	6m²		
6+6	10m ²	9m²	7m²		

PATTERNED GLASS

Should not exceed a maximum size of 1320mm x 2140mm

Glass Weight

Single Glaze 4mm thick = 10 Kg/m²

6mm thick = 15 Kg/m^2

Double Glaze $4-20-4 = 20 \text{ Kg/m}^2$

 $6-16-6 = 30 \text{ Kg/m}^2$

Triple Glaze $4-16-4-16-4 = 30 \text{ Kg/m}^2$

Glass pane weights can be calculated at 2.5kg/m² per mm thickness.

HANDLING

It should be noted that large units are more prone to damage, due to the difficulty of handling and access limitations (size and weight), probably requiring additional personnel, both in factory and on site.

Glass - Safety Glass & Safe Breakage



CATEGORY	DESCRIPTION
PRODUCT CHARACTERISTICS	GLASS

TOUGHENED GLASS is produced by subjecting annealed glass to a process of heating and rapid cooling which can increase its strength to four or five times that of annealed glass. However, the wind loading (deflection) will be identical to that of annealed glass.

It should be pointed out that toughened glass is a finished product, and as such cannot be cut or drilled. All such work on the glass must be carried out prior to toughening.

On fracturing, toughened glass will disintegrate into small particles which are unlikely to cause cutting and piercing injuries, which could occur with fractured annealed glass.

LAMINATED GLASS is produced by combining two or more panes of glass with layers of polyvinylbutyral (p.v.b.), or with resin interlayers.

The performance varies with the number and types of glass and interlayers to achieve safety, security, bullet, blast and fire resistance etc.

Laminated glass can be cut to size and supplied from stock by the supplier.

When fractured, the pieces of glass are held together by the interlayers and the danger of injuries are minimised.

Windows

Safety glass must be used for glazing windows that are wholly or partially within 800mm from floor level and other risk areas, such as stairways and landings etc.

In domestic applications, provided the area of the double glazed unit does not exceed 2.5m², then annealed glass may be used. If the area of the glass exceeds 2.5m² then safety glass must be specified.

Doors

It is recommended that safety glass, either toughened or laminated, is used in Residential and Patio doors and side panels.

The information provided is the minimum standard recommended, based on a domestic situation where

few people use the area. These standards are not applicable for public or commercial buildings. When choosing the glazing of risk areas, the following criteria should be considered. These include the type of people using the building and its function. For example, special consideration should be given to areas where young children play or where elderly or infirm people could fall against a window (landing, bottom of stairs etc). Under these circumstances safety glass should be specified.

Where safety glass is required, it is recommended that toughened glass is used as the standard safety glass and laminated glass only supplied when specified.

If any doubt is experienced when considering glass choice for a particular application, you are strongly advised to seek advice from your glass supplier.

Safe breakage is defined in:-

BS 6206 Specification for impact performance requirements for flat safety glass and safety plastics for use in buildings: clause 5.3

And is based on an impact test which requires the result of the impact to be limited to creating:

- 1. Small clear opening only, with a limit to the size of the detached particles.
- 2. Disintegration with small detached particles.
- 3. Breakage resulting in separate pieces that are not sharp or pointed.

Glass - Impact Performance & Breakage Characteristics



CATEGORY	DESCRIPTION
PRODUCT CHARACTERISTICS	GLASS

Impact Performance

Glass and plastic materials, which are intended for use as safety glazing materials in critical locations in buildings where human impact can occur, should be classified according to their performance when subjected to a series of pendulum tests.

The impact test utilises a lead shot-filled leather bag weighing 45kg dropped like a pendulum from different heights.

Details of the impact tests are given in BS 6206 'Specification for impact performance requirements for flat safety glass and safety plastics for use in buildings'.

There are three safety glazing classifications: A (the highest), B, and C (the lowest).

- Toughened Glass would always obtain a Class A classification.
- Laminated Glass with a PVB (polyvinylbutyral) or CIP (cast-in-place) interlayer would normally achieve at least a Class B classification depending on the glass and interlayer thickness.
- Wired glass will obtain a Class C classification.

Glasses meeting these requirements and intended for use as safety glasses must be permanently marked as conforming to BS 6206.

Please contact your glass supplier for clarification of glass classification.

Breakage Characteristics

To assist designers and specifiers in selecting the most appropriate glazing, the breakage characteristics of the following materials are described.

ANNEALED GLASS

Annealed glass is the basic glass (e.g. float, patterned) from which the other glasses referred to in this annex are processed. If the annealed glass is broken and pieces are displaced, the resulting glass edges will be sharp.

WIRED GLASS

If wired glass is broken and the pieces are held together by wires, penetration is unlikely. However, if the wires are broken and the material is penetrated, the resulting glass edges will be sharp.

LAMINATED GLASS

The breakage characteristics will be similar to those of the types of glass used in its construction, but the pieces will remain substantially adhered to the interlayer. Depending on the type and thickness of the interlayer, the broken glass is unlikely to be penetrated.

TOUGHENED (TEMPERED) GLASS

Thermally toughened soda-lime glass is difficult to break, but if broken it fragments into small, relatively harmless pieces.

HEAT STRENGTHENED GLASS

If heat strengthened glass is broken the resulting edges will be sharp.

PLASTICS COVERED ANNEALED GLASS

This is annealed glass covered with specially formulated organic materials (e.g. thin applied films) intended to hold the glass together after breakage. If broken it will be difficult to penetrate provided that the covering is applied in accordance with the manufacturer's recommendations.

If in doubt, contact your glass supplier for advice and guidance on all aspects of glass and glazing.

Glass - Manifestation of Glazing & Exceptions



CATEGORY	DESCRIPTION
PRODUCT CHARACTERISTICS	GLASS

Manifestation of Glazing

Large areas of transparent glazing used to subdivide a building may not be immediately apparent, particularly under certain lighting conditions. People in passage in or about the building may not be aware of the glazing and may collide with it. The glazed areas referred to include large uninterrupted areas of transparent glazing which form, or are part of, the internal or external walls and doors of shops, showrooms, offices, public and other non-domestic buildings.

Permanent manifestation is only required when other means of indicating the presence of the glazing are not present.

When manifestation is required it should be of a sufficient size to be immediately obvious and should be positioned between 600 and 1500mm above floor level and preferably be permanent and durable.

Exceptions

There are some exceptions to the requirements for safety glass, these are based on the robustness of annealed glass:

- Panes having the smaller dimension less than 250mm and of area less than 0.5m² may be minimum 6mm thick glass not complying with BS 6206.
- Panes forming parts of fronts (but not other locations) to shops, showrooms, offices, factories and public buildings, supported on all edges, may be of equivalent robustness not complying with BS 6206. Annealed glass size limitations are as follows:

8mm glass must not exceed 1100 x 1100mm.

- 10mm glass must not exceed 2250 x 2250mm.
- 12mm glass must not exceed 3000 x 4500mm.
- 15mm glass (and thicker) no limit.

2 Product Characteristics



Maximum Size Limits



Minimum & Maximum Size Limits

Windows



CATEGORY	DESCRIPTION
PRODUCT CHARACTERISTICS	SIZE LIMITS

Minimum and Maximum Window Sizes

Style	Minimum Size (mm)		Maximum Size (mm)	
	Width	Height	Width	Height
Fixed Light	300	300	3000 *must not exceed a maximum perimeter of 10m	3000 *must not exceed a maximum perimeter of 10m
Top Hung Casement Sash Size	300	300	1240	1240
Side Hung Casement Sash Size	300	300	740 ——— or 650 ———	1340 1400
Top Hung Flush Casement Sash Size	300	300	1210	1210
Side Hung Flush Casement Sash Size	300	300	710	1310
Tilt & Turn Sash Size	350	550	1500 Or 1000 *vent width to height ratio must not exceed 1.5	1500 2000

Note: Fixed light minimum size of 300mm, is based on typical welder limitations, smaller sizes can be manufactured if machinery allows it. Maximum sash sizes are generally based on units not exceeding 30kg/m2 (2 x 6mm glass for double glazed, or 3 x 4mm for triple). Some high performing accoustic units may exceed this weight, and therefore could reduce the size limits.

Minimum & Maximum Size Limits

Doors



CATEGORY	DESCRIPTION
PRODUCT CHARACTERISTICS	SIZE LIMITS

Minimum and Maximum Door Sizes

Millimani and Maximum Door Sizes					
Style	Minimum Size (mm)		Maximum Size (mm)		
	Width	Height	Width	Height	
Flush Tilt & Turn Sash Size	500	500	1440 *vent width to height ratio must not exceed 1.5	2240	
Fully Reversible Sash Size	300	500	1500	1500	
Vertical Slider	350	700	1600	2800	
Single Door	500	1900	1084 *based on a maximum leaf size of 1000mm	2284 *based on a maximum leaf size of 2200mm	
French Door	1000	1900	2094 *based on a maximum leaf size of 1000mm	2284 *based on a maximum leaf size of 2200mm	

Note: Fixed light minimum size of 300mm, is based on typical welder limitations, smaller sizes can be manufactured if machinery allows it. Maximum sash sizes are generally based on units not exceeding 30kg/m2 (2 x 6mm glass for double glazed, or 3 x 4mm for triple). Some high performing accoustic units may exceed this weight, and therefore could reduce the size limits.

Minimum & Maximum Size Limits

Doors



CATEGORY	DESCRIPTION
PRODUCT CHARACTERISTICS	SIZE LIMITS

Minimum and Maximum Door Sizes

Style		Minimum Size (mm)		Maximum Size (mm)	
		Width	Height	Width	Height
Bi-Fold Door	2 Panel	1268		1868	
	3 Panel	1878	1900	2778	2334 *based on a maximum leaf size of 2200mm
	4 Panel	2462		3662	
	5 Panel	3046		4546	
	6 Panel	3630		5430	
	7 Panel	3895		5995	
Ride Over Patio Door	2 Panel	1490		3000	
	3 Panel	2230	1400	4400	2400
	4 Panel	2890		4600	

Note: Fixed light minimum size of 300mm, is based on typical welder limitations, smaller sizes can be manufactured if machinery allows it. Maximum sash sizes are generally based on units not exceeding 30kg/m2 (2 x 6mm glass for double glazed, or 3 x 4mm for triple). Some high performing accoustic units may exceed this weight, and therefore could reduce the size limits.

2 Product Characteristics



Product Care



Product Care

General Maintenance: Open out Windows



CATEGORY	DESCRIPTION
PRODUCT CHARACTERISTICS	PRODUCT CARE

ALL PRODUCTS Maintenance & Lubrication

1. Handles

Clean and lightly oil external moving parts annually.

2. Cleaning of Frames

To remove atmospheric grime, clean every four months with soap and water.

Check drain holes are free from obstruction. If blocked, remove obstruction and flush through with water to ensure correct drainage.

3. Mastic Seal

Check mastic seal, if any signs of cracking or shrinkage are found, remove and replace with new

4. Recommended Lubricants

Castrol Everyman, E.R. Howard 3 in 1 oil, or equivalent. Use petroleum jelly for all keeps.

5. Service and Maintenance Booklet

This is available for distribution to Tenants and Householders, advising full requirements for Service and Maintenance of PVC-U Window & Door products.

OPEN OUT WINDOWS

1. Maintenance & Lubrication

To attain optimum performance, the hinges will require periodical maintenance and lubrication. The hinges, pivots, sliding shoe and track should be kept free of dirt, debris and obstructions at all times. At time of installation, lubricate all pivot points with light machine oil and wipe away excess. (One drop per pivot is sufficient).

Annually, clean any dirt or debris from the hinges. Apply lubrication as described above.

Check the tightness and security of all fixing screws and rivets.


2. Espagnolettes/Shootbolt

Keep sliding mechanisms free from dirt and lubricate annually.

To achieve optimum weathering performance, adjust the locking cams by using a 4mm Allen key.

Product installation should reflect the recommendations laid down in

BS 8213-4 CODE OF PRACTICE FOR THE SURVEY AND INSTALLATION OF WINDOW AND EXTERNAL DOORSETS



Product Care General Maintenance: Tilt & Turn Windows



CATEGORY DESCRIPTION PRODUCT CHARACTERISTICS PRODUCT CARE


1. Maintenance & Lubrication

To attain optimum performance, hinges and locking points should be kept free from dirt and will require annual lubrication.

2. Adjustment

The sash may be adjusted as follows:-

- A Open sash to expose adjusting screw on end of scissor for horizontal adjustment at top, using 4mm Allen key.
- B Adjust bottom horizontally, using 4mm allen key to adjust floating hinge pin.
- C Adjust vertically using 4mm Allen key on vertical screw in bottom hinge.



Product Care General Maintenance: Fully Reversible Windows



CATEGORY	DESCRIPTION
PRODUCT CHARACTERISTICS	PRODUCT CARE

Maintenance & Lubrication

1. Pivot Hinges

Keep hinges free of dirt and lubricate annually.


2. Vertical Tracks

Lubricate with silicone grease annually.

3. Espagnolette

Keep mechanism and keeps free of dirt and lubricate annually.

To achieve optimum weathering performance adjust the locking cams by using a 4mm Allen key.



Product Care General Maintenance: Residential Doors



CATEGORY	DESCRIPTION
PRODUCT CHARACTERISTICS	PRODUCT CARE

Maintenance & Lubrication

1. Adjustment of Springlatch & Hookbolts

To achieve optimum weathering and acceptable handle operation, adjust the striker plates of the keeps to suit.

2. Adjustment of Springlatch, Centre Deadbolt & Cams

To achieve optimum weathering and acceptable handle operation, adjust the centrelock keep to suit. The roller cams may be adjusted by using a flat bladed screwdriver or a 4mm Allen key.

3. Springlatch, Deadbolts, Cams & Keeps Clean and lightly grease external moving parts and frame keeps annually.

4. Hinges


Clean and lightly oil hinge pins annually.

5. Letterbox

Lightly oil springs on inside and outside flap annually.

6. Cylinder

DO NOT ATTEMPT TO LUBRICATE LOCKING CYLINDER



3 Reference




Product Charts General Information

3 Reference



Product Charts








BEVELLED SUITE MAIN PROFILES




OUTER FRAMES

























OVOLO SUITE MAIN PROFILES



OUTER FRAMES

TRANSOMS/MULLIONS





110





B61

24mm BEAD

B35

CASEMENT 'T'

SASH



BX35

BR35




























FULLY REVERSIBLE




B102 REVERSIBLE OUTER FRAME









B02 GLAZED OUTER FRAME







GLAZING BEADS











B55 40mm BEAD



ANCILLARIES





BM20 RISER BLOCK













ACCESSORIES NOT TO SCALE





THRESHOLDS & ASSOCIATED DOOR COMPONENTS





BM02 CAVITY LOCKING BLOCK









BM05 COCKSPUR WEDGE (OVOLO)





TB01 THERMAL BARRIER





DECORATIVE COMPONENTS






SHK70/B35/W & SHK/B30/W OVOLO (shown) & BEVELLED SASH HORN KITS





BM30
BEVELLED SASH HORN MOULDINGS & END CAPS




AM3
OPEN IN LOW THRESHOLD




BM23 CONNECTORS FOR AM3 THRESHOLDS




BR08 LOW THRESHOLD MECHANICAL JOINT REINFORCEMENT



AM5EX
OPEN OUT LOW THRESHOLD




BR41



AM5
OPEN OUT LOW THRESHOLD



BT07 OVOLO TREAD STRIP




PRE-PUNCHED LOCK STEELS


FLUSH CASEMENT







QX01 QR01S QS01 OUTER FRAME

















QS16 'T' TRANSOM/ MULLION
















QM32 MECHANICAL JOINT EUROGROOVE END CAP



QM132 MECHANICAL JOINT BLOCK (SASH)



QM134 MECHANICAL JOINT BLOCK (DEEP BOTTOM RAIL)













GEORGIAN BARS




<u>(*)</u> QG20 GLAZING CENTRE SEAL (Q-LON)





QM03
CAVITY LOCKING
BLOCK FRAME





P4437 DUMMY SASH CLIP


July 2016 20:07:16


EXTRUSIONS FULL SIZE AT A1


Flush Tilt & Turn



MAIN PROFILES & REINFORCEMENTS







B150 28mm BEAD

















70mm Accessories












MAIN PROFILES























































A55 28mm BEVELLED **GLAZING BEAD**

A60 28mm OVOLO

GLAZING BEAD

A61 24mm OVOLO **GLAZING BEAD**



GLAZING BEAD



36mm SLIM GLAZING BEAD





Part No. 995865 October 2013

FULL SIZE AT A1

















Vertical Slider




























VSM05

SASH BLOCK










January 2016 7:01:16

ANCILLARY COMPONENTS

FULL SIZE AT A1








Cills






3 Reference



General Information



Glossary of Standards PVC-U Extruded Hollow Profiles



CATEGORY	DESCRIPTION
REFERENCE	GENERAL INFORMATION

Lead Standard: BS EN 12608 (formerly BS7413)

NORMATIVE REFERENCES:

BS EN 477, Unplasticized polyvinylchloride (PVC-U) profiles for the fabrication of windows and doors - Determination of the resistance to impact of main profiles by falling mass.

BS EN 478, Unplasticized polyvinylchloride (PVC-U) profiles for the fabrication of windows and doors - Appearance after exposure at 150°C - Test method.

BS EN 479, Unplasticized polyvinylchloride (PVC-U) profiles for the fabrication of windows and doors - Determination of heat reversion.

BS EN 513, Unplasticized polyvinylchloride (PVC-U) profiles for the fabrication of windows and doors - Determination of the resistance to artificial weathering.

BS EN 514, Unplasticized polyvinylchloride (PVC-U) profiles for the fabrication of windows and doors - Determination of the strength of welded corners and T-joints.

BS EN ISO 105 - A01, Textiles - Tests for colourfastness - Part A01: General principles of testing (ISO 105 A01).

BS EN ISO 178, - Plastics - Determination of flexural properties (ISO 178).

BS EN ISO 179-2, Plastics - Determination of Charpy impact properties - Part 2: Instrumented impact tests (ISO 179-2).

BS EN ISO 306, Plastics - Thermoplastic materials - Determination of vicat softening temperature (VST) (ISO 306).

BS EN ISO 8256, Plastics - Determination of tensile-impact strength (ISO 8256).

BS EN ISO 1163-2, Plastics - Unplasticized polyvinylchloride (PVC-U) moulding and extrusion materials - Part 2: Preparation of test specimens and determination of properties (ISO 1163-2)

Glossary of Standards Window Fabrication



CATEGORY	DESCRIPTION
REFERENCE	GENERAL INFORMATION

Lead Standard: BS 7412

GLASS:

BS 952-1, Glass for glazing - Part 1: Classification.

BS 952-2, Glass for glazing - Part 2: Terminology for work on glass.

BS 6262, Code of practice for glazing for buildings.

BS EN 1279, Glass in building. Specification for insulating glass units.

REINFORCEMENT

BPF 323/1 COP for the reinforcement of high impact modified PVC-U windows and doors.

BS EN 10346, Speification for Continuously hotdip coated steel flat products. Technical delivery conditions.

BS EN 10088-2, Stainless steels - Part 2: Technical delivery conditions for sheet/plate and strip of corrosion resisting steels for general purposes.

BS EN 485-2, Aluminium and aluminium alloys - sheet, strip and plate - Part 2: Mechanical properties.

BS EN 515, Aluminium and aluminium alloys. Wrought products. Temper designations.

BS EN 573-3, Aluminium and aluminium alloys. Chemical composition and form of wrought products - Part 3: Chemical composition.

BS EN 755-9, Aluminium and aluminium alloys. Extruded rod/bar, tube and profiles - Part 9: Profiles, tolerances on dimensions and form.

BS EN 12020-1, Aluminium and aluminium alloys. Extruded precision profiles - Part 1: Technical conditions for inspection and delivery.

BS EN 12020-2, Aluminium and aluminium alloys. Extruded precision profiles - Part 2: Tolerances on dimensions and form.

GLAZING GASKETS & WEATHERSTRIPS

BPF 345/2, Materials for gaskets and weather strips for windows, doors, conservatories and curtain walling - Specification and performance requirements.

WINDOW HARDWARE (EXCEPT FASTENINGS)

BS EN 1670, Corrosian resistance. **BS EN ISO 4042**, Fasteners - Electroplated coatings.

WINDOW FASTENINGS

BPF W363/1, Guidelines for the selection and application of fasteners for the manufacture of plastic window and doorsets.

INFILL PANELS

BPF 355/2, Infill panels for doors and windows.

SURVEY AND INSTALLATION

BS 8213-4


Code of practice for the survey and installation of windows and external doorsets.




CATEGORY	DESCRIPTION
REFERENCE	BUILDING DETAILS

1

- Brick and block construction
- Standard PVC-U cill detail




- Cant Brick and block construction
- PVC-U Stub cill detail






CATEGORY	DESCRIPTION
REFERENCE	BUILDING DETAILS

- Stone cill and block construction
- No cill with stone cill adaptor





- Brick and block construction
- Check reveal extended PVC-U cill detail







CATEGORY	DESCRIPTION
REFERENCE	BUILDING DETAILS

5

- Brick and block construction
- Standard window head




- Brick and block construction
- Standard window jamb





CATEGORY	DESCRIPTION
REFERENCE	BUILDING DETAILS

- Brick and block construction
- Check reveal window jamb





















Spectus Window Systems

Stafford Park 6, Telford, Shropshire TF3 3AT

T: 01952 283344 | F: 01952 283350 | E: commercial@spectus.co.uk www.spectus.co.uk









