



ARTISAN
PANEL DOOR COLLECTION

MADE TO ORDER BY
ahmarra

For over 20 years, Ahmarra have been making doors for customers who appreciate quality.


The Artisan collection is a stunning range of doors that will add a further touch of elegance to any home or business. The collection includes our most successful panel door designs, which can all be individually tailored to complement your project's interior design scheme.



Photo: Jonathan Little Photography


WHY SHOULD YOU CHOOSE AN ARTISAN PANEL DOOR?

- QUALITY** We use the finest materials, cutting edge technology and traditional craftsmanship to guarantee exceptional standards.
- BESPOKE** You select the style, the material, and the finish from a wide range of options, creating the perfect look with limitless possibilities.
- GREEN** We care about our environment, our materials are FSC® certified and built to last for generations.
- BRITISH** Made in Britain to the highest quality standards, our range includes both traditional and contemporary styles to perfectly complement your surroundings, we are proud to fly the flag for UK manufacturing.





A



Artisan

With Artisan, no two designs are the same, a range of finishes can be applied and a variety of design options are available.

SPECIFYING A DOOR

1



Door Types

pages 8-21

2



Panel Styles

pages 22-31

3



Moulding Profiles

pages 32-41


4



Facings & Finishings

pages 42-47

5



Additional Components

pages 48-67

6



Specification

pages 68-71




Our doors are made to order, ensuring that every project is truly unique. We focus on providing our customers with the highest possible quality of service and it all begins with your vision. Our design process aids in realising this vision.

Our aim is to make the entire process as simple and practical as possible, offering solutions to the challenges presented by Building Regulations including performance requirements and complex design issues.



DOOR TYPES



DOOR TYPES

WINDSOR

WINDSOR3A

3 Panels



HANDLE POSITION

Three panel door. The lower panel remains constant in height while the upper panels scale equally.

FIRE RATING



ACOUSTIC RATING Rw(dB)



Details

Min. width	526 mm
Max. width	1200 mm
Min. height	1850 mm
Max. height	2700 mm
Available raised & fielded	Yes
Available glazed	Yes




Windsor3AD
Double



Windsor3AG
Glazed

WINDSOR3B

3 Panels



HANDLE POSITION

Three unequally sized panels. The height of the two lower panels remain constant, while the upper panel scales to suit the height of the door.

FIRE RATING



ACOUSTIC RATING Rw(dB)



Details

Min. width	526 mm
Max. width	1200 mm
Min. height	1850 mm
Max. height	2700 mm
Available raised & fielded	No
Available glazed	Yes




Windsor3BD
Double



Windsor3BG
Glazed

		3A		3B		
		W	H	W	H	
Vetruvian	PPM1		•	•	•	•
	PPM5		•	•	•	•
	PPM16		•	•	•	•
	PPM13		•	•	•	•
	APM4		•	•	•	•
Palladian	PPM2		•	•	•	•
	PPM30		•	•	•	•
	PPM27		•	•	•	•
	APM1		•	•	•	•
	APM2		•	•	•	•
Modern	PPM31		•	•	•	•
	PPM23		•	•	•	•
	PPM9		•	•	•	•
	PPM24		•	•	•	•
Minimal	APM7		•	•	•	•
	APM8		•	•	•	•
	PPM17		•	•	•	•
	PPM34		•	•	•	•

- Available for all door sizes (W > 600 mm, H > 1850 mm)
- Only suitable for certain door sizes (W > 700 mm, H > 1950 mm)
- Only suitable for large doors (W > 900 mm, H > 2150 mm)



Stained Wood Veneer

Natural wood veneers can be offered in a wide selection of stains which offers limitless design possibilities, whilst still retaining the unique, natural properties of the wood.

Windsor3BD with APM2, finished in Dark Walnut in a private residence in Chelsea

DOOR TYPES

WINDSOR

WINDSOR3C

3 Panels



HANDLE POSITION

Three panel door, the lower panel remaining constant in height, while The middle panel remaining twice the height of the upper.

FIRE RATING



ACOUSTIC RATING Rw(dB)




Details

Min. width	526 mm
Max. width	1200 mm
Min. height	1850 mm
Max. height	2700 mm
Available raised & fielded	Yes
Available glazed	Yes



Windsor3CD
Double



Windsor3CG
Glazed

WINDSOR4A

4 Panels



HANDLE POSITION

Four panels, the top and bottom will remain equal in height, at two thirds the size of the two equal central panels.

FIRE RATING



ACOUSTIC RATING Rw(dB)



Details

Min. width	526 mm
Max. width	1200 mm
Min. height	1850 mm
Max. height	2700 mm
Available raised & fielded	Yes
Available glazed	Yes



Windsor4AD
Double



Windsor4AG
Glazed

		3C		4A		
		W	H	W	H	
Vetruvian	PPM1		•	•	•	•
	PPM5		•	•	•	•
	PPM16		•	•	•	•
	PPM13		•	•	•	•
	APM4		•	•	•	•
Palladian	PPM2		•	•	•	•
	PPM30		•	•	•	•
	PPM27		•	•	•	•
	APM1		•	•	•	•
	APM2		•	•	•	•
Modern	PPM31		•	•	•	•
	PPM23		•	•	•	•
	PPM9		•	•	•	•
	PPM24		•	•	•	•
Minimal	APM7		•	•	•	•
	APM8		•	•	•	•
	PPM17		•	•	•	•
	PPM34		•	•	•	•

- Available for all door sizes (W > 600 mm, H > 1850 mm)
- Only suitable for certain door sizes (W > 700 mm, H > 1950 mm)
- Only suitable for large doors (W > 900 mm, H > 2150 mm)

Wood Veneer

Real wood veneers offer sustainability, durability, and a natural aesthetic.

Windsor4A with APM7 finished in Dark Walnut in a private residence in Wimbledon

DOOR TYPES

BLENHEIM

BLENHEIM1A

1 Panel




HANDLE POSITION

A single rectangular panel.

BLENHEIM2A

2 Panels



HANDLE POSITION

Two unequally proportioned, rectangular panels. The height of the lower panel should remain constant.

		1A		2A	
		W	H	W	H
Vetruvian	PPM1	•	•	•	•
	PPM5	•	•	•	•
	PPM16	•	•	•	•
	PPM13	•	•	•	•
	APM4	•	•	•	•
Palladian	PPM2	•	•	•	•
	PPM30	•	•	•	•
	PPM27	•	•	•	•
	APM1	•	•	•	•
	APM2	•	•	•	•
Modern	PPM31	•	•	•	•
	PPM23	•	•	•	•
	PPM9	•	•	•	•
	PPM24	•	•	•	•
Minimal	APM7	•	•	•	•
	APM8	•	•	•	•
	PPM17	•	•	•	•
	PPM34	•	•	•	•

- Available for all door sizes (W > 600 mm, H > 1850 mm)
- Only suitable for certain door sizes (W > 700 mm, H > 1950 mm)
- Only suitable for large doors (W > 900 mm, H > 2150 mm)

FIRE RATING



Glazed only

ACOUSTIC RATING Rw(dB)



Details

Min. width	526 mm
Max. width	1200 mm
Min. height	1850 mm
Max. height	2700 mm
Available raised & fielded	Yes
Available glazed	Yes

FIRE RATING




ACOUSTIC RATING Rw(dB)




Details

Min. width	526 mm
Max. width	1200 mm
Min. height	1850 mm
Max. height	2700 mm
Available raised & fielded	Yes
Available glazed	Yes




Blenheim1AD
Double



Blenheim1AG
Glazed




Blenheim2AD
Double



Blenheim2ASG
Semi-glazed



Blenheim2AG
Glazed



Glazed Panels

Glazed panels are ideal for increasing transition of natural light between rooms, hallways and other spaces whilst still retaining heat, fire and acoustic resistance properties.


Blenheim2ADG with APM1 finished in "Pure White" lacquer paint, in a private residence in Wimbledon

DOOR TYPES

BLENHEIM

BLENHEIM2B

2 Panel



HANDLE POSITION

Two unequally proportioned, rectangular panels, with large stiles & rails. The height of the lower panel should remain constant.

FIRE RATING




ACOUSTIC RATING Rw(dB)



Details

Min. width	526 mm
Max. width	1200 mm
Min. height	1850 mm
Max. height	2700 mm
Available raised & fielded	Yes
Available glazed	No



Blenheim2BD
Double

Blenheim2BSG
Semi-glazed

Blenheim2BG
Glazed

BLENHEIM2C

2 Panel



HANDLE POSITION

Two unequally proportioned rectangular panels with a central roundal.

FIRE RATING




ACOUSTIC RATING Rw(dB)



Details

Min. width	700 mm
Max. width	1200 mm
Min. height	1850 mm
Max. height	2700 mm
Available raised & fielded	No
Available glazed	Yes



Blenheim2CD
Double

Blenheim2CSG
Semi-glazed

Blenheim2CG
Glazed

		2B		2C	
		W	H	W	H
Vetruvian	PPM1	•	•	•••	•
	PPM5	•	•	•••	•
	PPM16	•	•	•••	•
	PPM13	•	•	•••	•
	APM4	•	•	•••	•
Palladian	PPM2	•	•	•••	•
	PPM30	•	•	•••	•
	PPM27	•	•	•••	•
	APM1	•	•	•••	•
	APM2	•	•	•••	•
Modern	PPM31	•	•	•••	•
	PPM23	•	•	•••	•
	PPM9	•	•	•••	•
	PPM24	•	•	•••	•
Minimal	APM7	•	•	••	•
	APM8	•	•	•••	•
	PPM17	•	•	•••	•
	PPM34	•	•	••	•

- Available for all door sizes (W > 600 mm, H > 1850 mm)
- Only suitable for certain door sizes (W > 700 mm, H > 1950 mm)
- Only suitable for large doors (W > 900 mm, H > 2150 mm)

Veneer

Real wood veneers offer sustainability, durability, and a natural aesthetic.

Blenheim2BD, with APM4 finished in Woodrow Oak, in a private residence in Surrey

DOOR TYPES

CHATSWORTH

CHATSWORTH2A

2 Panel




HANDLE POSITION

Two equal, vertical panels.

CHATSWORTH4A

4 Panel



HANDLE POSITION

Four panels, two lower of fixed height and two upper scaling with the height of the door.

		2A		4A	
		W	H	W	H
Vetruvian	PPM1	•••	•	•••	•
	PPM5	•••	•	•••	•
	PPM16	••	•	••	•
	PPM13	••	•	••	•
	APM4	•••	•	•••	•
Palladian	PPM2	•••	•	•••	•
	PPM30	•••	•	•••	•
	PPM27	••	•	••	•
	APM1	••	•	••	•
	APM2	••	•	••	•
Modern	PPM31	•••	•	•••	•
	PPM23	••	•	••	•
	PPM9	•••	•	•••	•
	PPM24	••	•	••	•
Minimal	APM7	••	•	••	•
	APM8	•••	•	•••	•
	PPM17	••	•	••	•
	PPM34	••	•	••	•

- Available for all door sizes (W > 600 mm, H > 1850 mm)
- Only suitable for certain door sizes (W > 700 mm, H > 1950 mm)
- Only suitable for large doors (W > 900 mm, H > 2150 mm)

FIRE RATING



ACOUSTIC RATING Rw(dB)



Details

Min. width	626 mm
Max. width	1200 mm
Min. height	1850 mm
Max. height	2700 mm
Available raised & fielded	Yes
Available glazed	Yes

FIRE RATING



ACOUSTIC RATING Rw(dB)




Details

Min. width	626 mm
Max. width	1200 mm
Min. height	1850 mm
Max. height	2700 mm
Available raised & fielded	Yes
Available glazed	Yes




Chatsworth2AD
Double




Chatsworth2AG
Glazed



Chatsworth4AD
Double



Chatsworth4ASG
Semi-glazed



Chatsworth4AG
Glazed



Painted Finish

A hard wearing pigmented lacquer finish is applied using modern spray equipment. We have a range of standard colours as well as the option to choose any RAL colour at varying gloss levels. See pages 46–47 for our standard range of colours.

Chatsworth4A, with APM1, painted on site,
in a private residence in Richmond, London

DOOR TYPES

STANSTED

STANSTED5B

5 Panel



HANDLE POSITION

Five panels, two sets of two vertical and one upper horizontal panel.

STANSTED6B

6 Panel



HANDLE POSITION

Three rows of two vertical panels, the upper two rows scaling with the height of the door.

		5B		6B	
		W	H	W	H
Vetruvian	PPM1	•••	•••	•••	•••
	PPM5	•••	•••	•••	•••
	PPM16	••	•	••	•
	PPM13	••	••	••	••
	APM4	•••	•••	•••	•••
Palladian	PPM2	•••	•••	•••	•••
	PPM30	•••	••	•••	••
	PPM27	••	••	••	••
	APM1	••	••	••	••
	APM2	••	••	••	••
Modern	PPM31	•••	••	•••	••
	PPM23	••	••	••	••
	PPM9	•••	•••	•••	•••
	PPM24	••	••	••	••
Minimal	APM7	••	•	••	•
	APM8	•••	••	•••	••
	PPM17	••	•	••	•
	PPM34	••	•	••	•

- Available for all door sizes (W > 600 mm, H > 1850 mm)
- Only suitable for certain door sizes (W > 700 mm, H > 1950 mm)
- Only suitable for large doors (W > 900 mm, H > 2150 mm)

FIRE RATING




ACOUSTIC RATING Rw(dB)



Details

Min. width	626 mm
Max. width	1200 mm
Min. height	1950 mm
Max. height	2700 mm
Available raised & fielded	Yes
Available glazed	Yes



Stansted5BD Double Stansted5BSG Semi-glazed Stansted5BG Glazed

FIRE RATING




ACOUSTIC RATING Rw(dB)



Details

Min. width	626 mm
Max. width	1200 mm
Min. height	1950 mm
Max. height	2700 mm
Available raised & fielded	Yes
Available glazed	Yes



Stansted6BD Double Stansted6BSG Semi-glazed Stansted6BG Glazed

As part of our commitment to the environment, Ahmarra have pledged to support a local woodland regeneration scheme at Stansted Park in Hampshire. We will make a donation to the scheme for every FSC door ordered by our customers, which will mean that thousands of plants and trees will be established as a result.




There may be size restrictions on fire rated doors, please contact Ahmarra for more information.


DOOR TYPES

OVERVIEW


WINDSOR3A
3 Panel




WINDSOR3B
3 Panel




WINDSOR3C
3 Panel




WINDSOR4A
4 Panel




BLENHEIM1A
1 Panel




BLENHEIM2A
2 Panel




BLENHEIM2B
2 Panel




BLENHEIM2C
2 Panel




CHATSWORTH2A
2 Panel




CHATSWORTH4A
4 Panel




STANSTED5B
5 Panel



STANSTED6B
6 Panel



PANEL STYLES



PANEL STYLES

OVERVIEW


The defining feature of an Artisan door is its arrangement of panels. Panels are offered in a range of formats; flat, glazed, furrow and raised and fielded. This section outlines the different options available.

FLAT



Flat panel sitting below the surface of the door, creating a clean elegant look. See pages 26-27 for more information.

GLAZED



Glazed panel to allow the transition of light. If desired doors can be an amalgam of glazed & unglazed panels. See pages 26-27 for more information.

RAISED & FIELDDED



A panel mould rests on a range of raised and fielded panel styles. Please refer to the table below regarding suitable raised and fielded door configurations. See pages 28-29 for more information.

FURROW



Simple raised panels, implementing a single mould in a furrow. Furrow moulds are not compatible with panel moulding profiles. See pages 30-31 for more information.

		Blenheim								Windsor								Chatsworth				Stansted			
		1A		2A		2B		2C		3A		3B		3C		4A		2A		4A		5B		6B	
		W	H	W	H	W	H	W	H	W	H	W	H	W	H	W	H	W	H	W	H	W	H	W	H
Vitruvian	PPM1	•	•	•	•	••	•			•	••														
	APM4	•	•	•	•	••	•			•	••														
	PPM16	•	•	•	•	••	•			•	•			•	•••										
	PPM5	•	•	•	•	••	•			•	••														
	PPM13	•	•	•	•	••	•			•	•			•	•••										
Palladian	APM1	•	•	•	•	•	•			•	•			•	•••										
	PPM30	•	•	•	•	••	•			•	••														
	PPM27	•	•	•	•	•	•			•	•			•	•••										
	PPM2	•	•	•	•	••	•			•	•			•	•••										
	APM2	•	•	•	•	••	•			•	•			•	•••										
Modern	PPM31	•	•	•	•	••	•			•	••														
	PPM23	•	•	•	•	••	•			•	•			•	•••										
	PPM9	•	•	•	•	••	•			•	•			•	•••										
	PPM24	•	•	•	•	•	•			•	•			•	•••										
Minimal	APM7	•	•	•	•	•	•			•	•			•	•••			•••	•	•••	•				
	APM8	•	•	•	•	••	•			•	••														
	PPM17	•	•	•	•	•	•			•	•			•	•••										
	PPM34	•	•	•	•	•	•			•	•			•	•••										

- Available for all door sizes (W > 600 mm, H > 1850 mm)
- Only suitable for certain door sizes (W > 700 mm, H > 1950 mm)
- Only suitable for large doors (W > 900 mm, H > 2150 mm)

Please refer to section 3 (page 34 - 41), "Panel Moulding Profiles" for our range of moulding designs. Please note that due to the difference in sizes of our mouldings not all door, panel and moulding combinations will work.

Please refer to the table for suitable combinations



PANEL STYLES


FLAT & GLAZED



Blenheim1ADG finished in semi-matte 'Stout' lacquer paint, in a private residence in Virginia Water, Surrey

FLAT (FP)


The quintessential panel style, in vogue since antiquity.



Suitable for	Windsor				Blenheim				Chatsworth		Stansted	
	3A	3B	3C	4A	1A	2A	2B	2C	2A	4A	5B	6B
All door widths	•	•	•	•	•	•	•	•	•	•	•	•
Doors >700 mm wide												
Doors >900 mm wide												
All door heights	•	•	•	•	•	•	•	•	•	•	•	•
Doors >1950mm tall												
Doors >2150 mm tall												

GLAZED (GL)


Glazed panel to allow the transition of light. If desired, doors can be an amalgam of glazed & unglazed panels.



Suitable for	Windsor				Blenheim				Chatsworth		Stansted	
	3A	3B	3C	4A	1A	2A	2B	2C	2A	4A	5B	6B
All door widths	•	•	•	•	•	•	•	•	•	•	•	•
Doors >700 mm wide												
Doors >900 mm wide												
All door heights	•	•	•	•	•	•	•	•	•	•	•	•
Doors >1950mm tall												
Doors >2150 mm tall												

OBSCURED GLAZING (OGL)

Obscured, glazed panel to allow the transfer of light, while maintaining a degree of privacy. If desired, doors can be an amalgam of glazed & unglazed panels.



Suitable for	Windsor				Blenheim				Chatsworth		Stansted	
	3A	3B	3C	4A	1A	2A	2B	2C	2A	4A	5B	6B
All door widths	•	•	•	•	•	•	•	•	•	•	•	•
Doors >700 mm wide												
Doors >900 mm wide												
All door heights	•	•	•	•	•	•	•	•	•	•	•	•
Doors >1950mm tall												
Doors >2150 mm tall												

PANEL STYLES


RAISED & FIELDDED




Windsor3CD, door finished in mahogany, centre panels finished in mahogany curl, in a Heritage Property

RAISED & FIELDED 1 (RF01)

A raised cavetto profile with an ovolo lip over a fielded panel.




Please refer to the "Raised and Fielded" table on page 25 for suitable configurations.




RAISED & FIELDED 2 (RF02)

A raised cavetto profile with a step leading to an ovolo lip over a fielded panel.




Please refer to the "Raised and Fielded" table on page 25 for suitable configurations.




RAISED & FIELDED 3 (RF03)

A simple, elegant cavetto profile.



Please refer to the "Raised and Fielded" table on page 25 for suitable configurations.



PANEL STYLES

FURROW MOULDS



FURROW MOULD 4 (TR04)

A simple raised profile with rounded ends.




Details

Width 68 mm

Suitable for	Windsor				Blenheim				Chatsworth		Stansted	
	3A	3B	3C	4A	1A	2A	2B	2C	2A	4A	5B	6B
All door widths	•		•	•	•	•	•					
Doors >700 mm wide												
Doors >900 mm wide								•	•	•		
All door heights	•				•	•	•	•	•	•		
Doors >1950mm tall			•									
Doors >2150 mm tall				•								

FURROW MOULD 5 (TR05)

A curvaceous profile with rounded ends.



Details

Width 80 mm

Suitable for	Windsor				Blenheim				Chatsworth		Stansted	
	3A	3B	3C	4A	1A	2A	2B	2C	2A	4A	5B	6B
All door widths	•		•	•	•	•	•					
Doors >700 mm wide												
Doors >900 mm wide								•	•	•		
All door heights	•				•	•	•	•	•	•		
Doors >1950mm tall			•									
Doors >2150 mm tall				•								

FURROW MOULD 6 (TR06)

A simple raised profile with rectangular ends.



Details

Width 80 mm

Suitable for	Windsor				Blenheim				Chatsworth		Stansted	
	3A	3B	3C	4A	1A	2A	2B	2C	2A	4A	5B	6B
All door widths	•		•	•	•	•	•					
Doors >700 mm wide												
Doors >900 mm wide								•	•	•		
All door heights	•				•	•	•	•	•	•		
Doors >1950mm tall			•									
Doors >2150 mm tall				•								

FURROW MOULD 7 (TR07)

A reeded profile with a gentle curve.



Details

Width 80 mm

Suitable for	Windsor				Blenheim				Chatsworth		Stansted	
	3A	3B	3C	4A	1A	2A	2B	2C	2A	4A	5B	6B
All door widths	•		•	•	•	•	•					
Doors >700 mm wide												
Doors >900 mm wide								•	•	•		
All door heights	•				•	•	•	•	•	•		
Doors >1950mm tall			•									
Doors >2150 mm tall				•								


PANEL MOULDING PROFILES




Mouldings frame door panels visually and structurally holding the panel or glazing in place. We offer a range of profiles, both ornate and minimal.

MOULDING PROFILES

VITRUVIAN



PPM1



An ornate composite mould.




Details

Width 59 mm
Height 22 mm

Suitable for	Windsor				Blenheim				Chatsworth		Stansted	
	3A	3B	3C	4A	1A	2A	2B	2C	2A	4A	5B	6B
All door widths	•	•	•	•	•	•	•					
Doors >700 mm wide												
Doors >900 mm wide								•	•	•	•	•
All door heights	•	•	•	•	•	•	•	•	•	•		
Doors >1950mm tall												
Doors >2150 mm tall											•	•

APM4



Large projecting bolection mould.




Details


Width 59 mm
Height 28 mm

Suitable for	Windsor				Blenheim				Chatsworth		Stansted	
	3A	3B	3C	4A	1A	2A	2B	2C	2A	4A	5B	6B
All door widths	•	•	•	•	•	•	•					
Doors >700 mm wide												
Doors >900 mm wide								•	•	•	•	•
All door heights	•	•	•	•	•	•	•	•	•	•		
Doors >1950mm tall												
Doors >2150 mm tall											•	•

PPM16



A classic composite mould.




Details

Width	47 mm
Height	17 mm

Suitable for	Windsor				Blenheim				Chatsworth		Stansted	
	3A	3B	3C	4A	1A	2A	2B	2C	2A	4A	5B	6B
All door widths	•	•	•	•	•	•	•					
Doors >700 mm wide									•	•	•	•
Doors >900 mm wide								•				
All door heights	•	•	•	•	•	•	•	•	•	•		
Doors >1950mm tall											•	•
Doors >2150 mm tall												

PPM5



A rhythmic amalgam of ogee & flat section.




Details


Width	65 mm
Height	20 mm

Suitable for	Windsor				Blenheim				Chatsworth		Stansted	
	3A	3B	3C	4A	1A	2A	2B	2C	2A	4A	5B	6B
All door widths	•	•	•	•	•	•	•					
Doors >700 mm wide												
Doors >900 mm wide								•	•	•	•	•
All door heights	•	•	•	•	•	•	•	•	•	•		
Doors >1950mm tall												
Doors >2150 mm tall											•	•

PPM13



An understated composite of ogee, flat section & cavetto.




Details

Width	45 mm
Height	19 mm


Suitable for	Windsor				Blenheim				Chatsworth		Stansted	
	3A	3B	3C	4A	1A	2A	2B	2C	2A	4A	5B	6B
All door widths	•	•	•	•	•	•	•					
Doors >700 mm wide									•	•	•	•
Doors >900 mm wide								•				
All door heights	•	•	•	•	•	•	•	•	•	•		
Doors >1950mm tall											•	•
Doors >2150 mm tall												

MOULDING PROFILES

PALLADIAN



APM1



A traditional curvaceous mould.



Details


Width	34 mm
Height	20 mm

Suitable for	Windsor				Blenheim				Chatsworth		Stansted	
	3A	3B	3C	4A	1A	2A	2B	2C	2A	4A	5B	6B
All door widths	•	•	•	•	•	•	•					
Doors >700 mm wide									•	•	•	•
Doors >900 mm wide								•				
All door heights	•	•	•	•	•	•	•	•	•	•		
Doors >1950mm tall											•	•
Doors >2150 mm tall												

PPM30



A graceful mould formed of repeating cavetto & ovolo punctuated by flat section.




Details

Width	55 mm
Height	16 mm

Suitable for	Windsor				Blenheim				Chatsworth		Stansted	
	3A	3B	3C	4A	1A	2A	2B	2C	2A	4A	5B	6B
All door widths	•	•	•	•	•	•	•					
Doors >700 mm wide												
Doors >900 mm wide								•	•	•	•	•
All door heights	•	•	•	•	•	•	•	•	•	•		
Doors >1950mm tall												
Doors >2150 mm tall											•	•

PPM27



A take on the classic ogee style, paired with a flat section.




Details


Width	35 mm
Height	17 mm

Suitable for	Windsor				Blenheim				Chatsworth		Stansted	
	3A	3B	3C	4A	1A	2A	2B	2C	2A	4A	5B	6B
All door widths	•	•	•	•	•	•	•					
Doors >700 mm wide									•	•	•	•
Doors >900 mm wide								•				
All door heights	•	•	•	•	•	•	•	•	•	•		
Doors >1950mm tall											•	•
Doors >2150 mm tall												

PPM2



An elegant take on the classic ogee style.




Details

Width	50 mm
Height	18 mm

Suitable for	Windsor				Blenheim				Chatsworth		Stansted	
	3A	3B	3C	4A	1A	2A	2B	2C	2A	4A	5B	6B
All door widths	•	•	•	•	•	•	•					
Doors >700 mm wide												
Doors >900 mm wide								•	•	•	•	•
All door heights	•	•	•	•	•	•	•	•	•	•		
Doors >1950mm tall												
Doors >2150 mm tall											•	•

APM2



A harmonious, rolling profile.




Details

Width	45 mm
Height	20 mm


Suitable for	Windsor				Blenheim				Chatsworth		Stansted	
	3A	3B	3C	4A	1A	2A	2B	2C	2A	4A	5B	6B
All door widths	•	•	•	•	•	•	•					
Doors >700 mm wide									•	•	•	•
Doors >900 mm wide								•				
All door heights	•	•	•	•	•	•	•	•	•	•		
Doors >1950mm tall											•	•
Doors >2150 mm tall												

MOULDING PROFILES

MODERN



PPM24



A simple ramped cavetto.




Details

Width	35 mm
Height	15 mm

Suitable for	Windsor				Blenheim				Chatsworth		Stansted	
	3A	3B	3C	4A	1A	2A	2B	2C	2A	4A	5B	6B
All door widths	•	•	•	•	•	•	•					
Doors >700 mm wide									•	•	•	•
Doors >900 mm wide								•				
All door heights	•	•	•	•	•	•	•	•	•	•		
Doors >1950mm tall											•	•
Doors >2150 mm tall												

PPM9



A graceful mould consisting of cavetto, flat section and ogee.




Details

Width	50 mm
Height	16 mm

Suitable for	Windsor				Blenheim				Chatsworth		Stansted	
	3A	3B	3C	4A	1A	2A	2B	2C	2A	4A	5B	6B
All door widths	•	•	•	•	•	•	•					
Doors >700 mm wide												
Doors >900 mm wide								•	•	•	•	•
All door heights	•	•	•	•	•	•	•	•	•	•		
Doors >1950mm tall												
Doors >2150 mm tall											•	•

PPM23



Three step mould with rounded, internal corners.



Details


Width 45 mm
Height 15 mm

Suitable for	Windsor				Blenheim				Chatsworth		Stansted	
	3A	3B	3C	4A	1A	2A	2B	2C	2A	4A	5B	6B
All door widths	•	•	•	•	•	•	•			•	•	•
Doors >700 mm wide										•	•	•
Doors >900 mm wide								•				
All door heights	•	•	•	•	•	•	•	•	•	•		
Doors >1950mm tall											•	•
Doors >2150 mm tall												

PPM31



Large three step mould with angular steps.




Details

Width 57 mm
Height 19 mm

Suitable for	Windsor				Blenheim				Chatsworth		Stansted	
	3A	3B	3C	4A	1A	2A	2B	2C	2A	4A	5B	6B
All door widths	•	•	•	•	•	•	•					
Doors >700 mm wide												
Doors >900 mm wide								•	•	•	•	•
All door heights	•	•	•	•	•	•	•	•	•	•		
Doors >1950mm tall												
Doors >2150 mm tall											•	•

MOULDING PROFILES


MINIMAL



APM7



Understated, rectangular profile.




Details

Width	20 mm
Height	17 mm

Suitable for	Windsor				Blenheim				Chatsworth		Stansted	
	3A	3B	3C	4A	1A	2A	2B	2C	2A	4A	5B	6B
All door widths	•	•	•	•	•	•	•					
Doors >700 mm wide								•	•	•	•	•
Doors >900 mm wide												
All door heights	•	•	•	•	•	•	•	•	•	•	•	•
Doors >1950mm tall												
Doors >2150 mm tall												

APM8



Large, elegant cavetto mould.




Details

Width	60 mm
Height	20 mm

Suitable for	Windsor				Blenheim				Chatsworth		Stansted	
	3A	3B	3C	4A	1A	2A	2B	2C	2A	4A	5B	6B
All door widths	•	•	•	•	•	•	•					
Doors >700 mm wide												
Doors >900 mm wide								•	•	•	•	•
All door heights	•	•	•	•	•	•	•	•	•	•		
Doors >1950mm tall												
Doors >2150 mm tall											•	•

PPM17



A handsome angular mould.




Details


Width	27 mm
Height	16 mm

Suitable for	Windsor				Blenheim				Chatsworth		Stansted	
	3A	3B	3C	4A	1A	2A	2B	2C	2A	4A	5B	6B
All door widths	•	•	•	•	•	•	•					
Doors >700 mm wide									•	•	•	•
Doors >900 mm wide								•				
All door heights	•	•	•	•	•	•	•	•	•	•	•	•
Doors >1950mm tall												
Doors >2150 mm tall												

PPM34



Simple cavetto mould.



Details

Width	25 mm
Height	17 mm

Suitable for	Windsor				Blenheim				Chatsworth		Stansted	
	3A	3B	3C	4A	1A	2A	2B	2C	2A	4A	5B	6B
All door widths	•	•	•	•	•	•	•					
Doors >700 mm wide								•	•	•	•	•
Doors >900 mm wide												
All door heights	•	•	•	•	•	•	•	•	•	•	•	•
Doors >1950mm tall												
Doors >2150 mm tall												

APM7 used on a Windsor4A, with a Tannery painted finish

FACINGS & FINISHES



FACINGS & FINISHES

WOOD VENEER

WOOD VENEER

Real wood veneers offer sustainability, durability, and a natural aesthetic.

Benefits

- Natural aesthetic
- Range of colours & grains
- FSC® certified
- Available with 'Hygienilac' lacquer
- Crown or quarter cut

SAMPLE SERVICE

Due to the nature of wood, photography may vary and be inaccurate in depicting the uniqueness of veneer and stained veneer. We are happy to provide our customers with samples of our veneers and stained veneers.

FULL RANGE


We are constantly developing new stains and can only represent a small sample of our capabilities in this brochure. We can also offer pre-dyed veneer. If you require more information contact our sales team who will be able to talk you through additional options.

MATCHING SERVICE

We appreciate that you may have a specific veneer or stained veneer in mind for your doors, perhaps on a piece of furniture. If you can supply us with a sample we may be able to match it for you. We have successfully done this on many occasions, ensuring our customers achieve the finish they desire.

sales@ahmarra.co.uk

02392 389 076



WOOD VENEER



AMERICAN ASH

Quarter cut.



AMERICAN BLACK WALNUT

Crown cut.



AMERICAN WHITE OAK

Quarter cut.



AMERICAN CHERRY

Quarter cut.



Veneer

Veneer offers sustainability, durability, and dimensional stability. Veneer achieves a superb, uniform finish. Using veneers avoids the problems associated with solid wood, such as knots, warping and splitting.

Blenheim2BD, with APM4 finished in Woodrow Oak, in a private residence in Surrey

STAINED VENEER



DARK WALNUT

Crown cut.



FUMED OAK

Crown cut.



WOODROW OAK


Crown cut.

These pages only represent a small sample of our facing options. For more details refer to our "Facings and Finishes" brochure.



FACINGS & FINISHES

LACQUER PAINTED




HOURS
7044.




TRUNK
7045.



SLATE
5008.



FATHOM
5014.



OLIVE BLACK
6015.

PAINTED FINISHES

A hard wearing pigmented lacquer finish is applied using modern spray equipment.

Benefits


- Large range of colours to suit your design scheme
- Hard wearing
- 20% sheen level
- Ability to match to colour samples or RAL colours

Design Considerations


Where necessary we can provide doors in their raw (unpainted) form to allow the lining & ironmongery to be site fitted, before recalling the doors to our factory to be fully finished to minimise damage & re-work on site.



KELP
7012.



GREY WHITE
9003.



OCTANT
7024.



Colour Matching Service


For projects where doors in a specific colour, perhaps to match other elements of an interior design scheme are required, we offer a colour matching service.

Provide us with a RAL or similar colour reference, and we will match the colour for you.


For more information contact our sales department.

sales@ahmarra.co.uk

02392 389 076



DUSTY MILLER
7042.



QUAIL
9001.



DRAYTON
7000.



GALLEY
040 50 10.



PURE WHITE
9010.



PORTSDOWN
7001.




SKIFF
7030.




PORTSDOWN
7001.



MOSS GREY
7032.



STOUT
8022.




MIST
7035.



BROADSTONE
7036.

These pages only represent a small sample of our facing options. For more details refer to our "Facings and Finishes" brochure.

ADDITIONAL COMPONENTS



LININGS


STANDARD FRAME DETAILS

LINING WITH PLANTED STOPS (LNG)

Our most popular frame type, suitable for most project types.

Details

Min. wall depth	90 mm
Max. wall depth	170 mm
Fire rating	NFR, FD30, FD60




LINING WITH EXTENSION & PLANTED STOPS (LLE)

Suitable for refurbishment projects Lining extensions allow for deeper opening depths, as well as openings in refurbishment projects where wall depths are likely to vary.

Details

Min. wall depth	125 mm
Max. wall depth	N/A
Fire rating	NFR, FD30, FD60




SPLIT LINING (SFR)

Most suitable for accommodating varying wall depths. This frame detail is most suitable for older refurbishment projects where wall depths may not be consistent.

Details

Min. wall depth	100 mm
Max. wall depth	240 mm
Fire rating	NFR, FD30, FD60





Blenheim2BD, finished in semi-matt 'Stout' lacquer paint, in a private residence in Virginia Water, Surrey

ARCHITRAVE

STANDARD PROFILES

ARC07




Stepped mould, each step decreasing gradually in length towards the door, creating the illusion of foreshortening.

Details

Minimum width	100 mm
Maximum width	160 mm
Thickness	22 mm




ARC08



An amalgam of cavetto & ovolo punctuated by a half round.

Details

Minimum width	120 mm
Maximum width	160 mm
Thickness	25 mm



ARC 11




Architrave with a central bolection.

Details

Width	140 mm
Thickness	25 mm



ARC 12



Stepped mould with chamfered steps. Each step decreasing gradually in length towards the door, creating the illusion of foreshortening.

Details


Minimum width	110 mm
Maximum width	160 mm
Thickness	22 mm



ARCHITRAVE

STANDARD PROFILES

ARC13



A highly decorative composite mould.

Details

Minimum width	110 mm
Maximum width	160 mm
Thickness	28 mm



ARC21



A simple angular profile, drawing the eye to the door without excess design.

Details

Minimum width	70 mm
Maximum width	160 mm
Thickness	22 mm




ARC17



A large, bold profile of ogee and cavetto.

Details

Width	150 mm
Thickness	30 mm



ARC20



A large, sweeping ogee profile. Simple, classic and elegant.

Details

Minimum width	90 mm
Maximum width	150 mm
Thickness	25 mm



ARCHITRAVE

STANDARD PROFILES

ARC25




An inwardly sloping profile.

Details

Width	121 mm
Thickness	29 mm



ARC24




A mould formed of repeating cavetto & ovolo punctuated by flat sections.

Details

Minimum width	90 mm
Maximum width	140 mm
Thickness	24 mm





Profile Matching Service

If you already have a specific architrave or skirting board profile we offer profile matching service. This is especially beneficial if you wish to match the finish of your door or frame to the skirting board and/or architrave.

How it works

Provide us with a physical sample, or drawing and we will match it for you.

For more information contact our sales department.


sales@ahmarra.co.uk

02392 389 076



PLINTH BLOCKS

PNB01




To suite Architraves:

- ARC07
- ARC11
- ARC12

Rectangular plinth block with radiused edges.

Details

Width	Architrave width + 10 mm
Height	Skirting height + 10 mm
Thickness	Architrave thickness + 5 mm



PNB02



To suite Architraves:

- ARC08
- ARC13
- ARC17
- ARC20
- ARC24
- ARC25

Traditional inwardly sloping plinth block.

Details

Width	Architrave width + 10 mm
Height	Skirting height + 10 mm
Thickness	Architrave thickness + 5 mm





Plinth Blocks


Dating back to antiquity plinth blocks were originally a load-bearing component. Plinth blocks give a strong visual foundation for your architrave, as well as a clean intersection with your skirting board.

PNB02 paired with ARC13 and customers own skirting profile.

SKIRTING BOARD

STANDARD PROFILES

SK01




Details

Profile height	34 mm
Total height	Variable
Thickness	20 mm



SK02




Details

Profile height	43 mm
Total height	Variable
Thickness	20 mm



SK03




Details

Profile height	57 mm
Total height	Variable
Thickness	20 mm



SK04



Details

Profile height	58 mm
Total height	Variable
Thickness	22 mm




SKIRTING BOARD

STANDARD PROFILES

SK06

A modernised interpretation of a classical Tuscan profile.




Details

Profile height	60 mm
Total height	Variable
Thickness	20 mm



SK07

A modernised interpretation of a classical Doric profile.




Details

Profile height	57 mm
Total height	Variable
Thickness	20 mm



SK09

A modernised interpretation of a classical Ionic profile.




Details

Profile height	61 mm
Total height	Variable
Thickness	20 mm



SK10

A modernised interpretation of a classical Composite profile.



Details

Profile height	66 mm
Total height	Variable
Thickness	20 mm




SKIRTING BOARD

STANDARD PROFILES

SK011

A modernised interpretation of a classical Corinthian profile.



Details

Profile height	66 mm
Total height	Variable
Thickness	20 mm

PROFILE MATCHING SERVICE

If you already have a specific architrave or skirting board profile we offer profile matching service. This is especially beneficial if you wish to match the finish of your door or frame to the skirting board and/or architrave.


How it works

Provide us with a physical sample, or drawing and we will match it for you.

For more information contact our sales department.

sales@ahmarra.co.uk

02392 389 076





Windsor4A with APM7 finished in Dark Walnut in a private residence in Virginia Water, Surrey

IRONMONGERY

SERVICE

The interface between a door and its ironmongery should be considered in the early design stages as it can affect the manufacture of the doors.

We are able to offer a full ironmongery service through one of our ironmongery partners. To complement your choice of door, our specialist ironmongers will advise you on the most suitable options and components.

However, if you have already selected your own ironmongery, we are happy to work with you and your design team to ensure that the ironmongery is factory machined and fitted to accommodate your choice.



HINGES

We offer a range of hinge styles including concealed and “lift-off” options. We recommend hinges be supplied through Ahmarra, to ensure that doors are mortised and hung in their frames in our production facility to avoid on-site issues.



LOCKCASES

We offer our standard lock casing to accommodate your choice of handle.

We recommend that Ahmarra lockcases are selected for all doors as this enables doors to be mortised in our factory to avoid issues on-site.

Artisan doors have been developed so that door furniture is lined up symmetrically across the whole project.




FURNITURE

We are able to provide extensive hardware options and our sales team are experienced in guiding clients in selecting the most suitable option. Please contact Ahmarra for details.






S P E C I F I C A T I O N



SPECIFICATION

SERVICE

With Artisan, no two designs are the same, a range of finishes can be applied and a variety of design options are available. Our experienced team will guide you through the process to ensure that you achieve the exact look that you desire, individually tailoring the doors to complement the interior design scheme.



1. DOOR TYPE

We offer a range of door types to suit all residences from elegant country mansions to contemporary luxury apartments, helping you to achieve the perfect look.



2. PANEL STYLES

Our panelled doors are classified into flat, glazed or raised and fielded panels see pages 22-31.




3. MOULDING PROFILES

Mouldings frame the panels visually and structurally holding the panel or glazing in place. We offer a range of profiles both ornate and minimal.



4. FACINGS & FINISHES

A full range of decorative facings and finishes to complement the style of the door. Please contact Ahmarra for more information.




5. ADDITIONAL COMPONENTS

We also offer a range of extra components to complement the doors, including skirting boards, architraves and ironmongery.



6. SPECIFICATION

In order to manufacture doors we require the dimensions of their receiving structural openings. Ideally these will come from an architect. Where an architect is not available a site survey should be carried out.



PROFILE MATCHING SERVICE

If you already have a specific architrave or skirting board profile we offer a profile matching service. This is especially beneficial if you wish to match the finish of the door or frame to the skirting board and/ or architrave.

How it works:

Provide us with a physical sample, or drawing and we will match it for you.




COLOUR MATCHING SERVICE

If you require the doors in a specific colour, perhaps to match other elements of an interior design scheme, then we offer a colour matching service.

How it works:

Provide us with a RAL or similar colour reference, and we will match the colour for you.




VENEER/ STAIN MATCHING SERVICE

We appreciate that you may have a specific veneer or stained veneer in mind for the doors, perhaps to match a piece of furniture. If you can supply us with a sample we may be able to match it for you. We have successfully done this on many occasions, ensuring our customers achieve the finish they desire.



DIGITAL RENDERING SERVICE

If you wish to see what the doors would look like we can generate digital renders of your design.



3D PRINTING SERVICE

If you require prototypes of moulding profiles we can provide you with 3D printed samples.

CLIENT FOCUSED APPROACH

We remain focused on providing excellent customer service from inception to completion of a project.

We do this through our tried and trusted manufacturing and project management team, who implement first rate procedures ensuring projects are delivered on time and to the clients' expectations.

We build long term relationships with our clients because we take the time to understand their needs and we treat every job as our passport to future business.



02392 389 076
sales@ahmarra.co.uk
www.ahmarra.co.uk

Unit 20
Fitzherbert Road
Farlington
Portsmouth
Hampshire
PO6 1SD



02392 389 076
sales@ahmarra.co.uk
www.ahmarra.co.uk

Unit 20
Fitzherbert Road
Farlington
Portsmouth
Hampshire
PO6 1SD