



## Selection

We have all the products you need.

## Quality

We provide high quality at an affordable price.


## Experience

For more than 85 years, we have been involved with glass.

New: Adjustable zero position

# Shower Door Hinges Barcelona Select and Bilbao Select

# 4 Good Reasons To choose Bohle ... ... as your supplier



## 01 | High Quality - Made in Germany

Bohle is a leading manufacturer and supplier of tools, machines and accessories for glass processing and finishing. The company looks back on more than 85 years of know-how and tradition, through innovation and consistent quality.


- ✓ Long service life
- ✓ New technologies



## 02 | More than 85 Years of Experience

The world's largest glass bonding program from Bohle covers the entire spectrum from pre-treatment to fixation to the bonding process itself and curing.

- ✓ We have all the supplies you need
- ✓ Free support from master glaziers



## 03 | Expanded Product Range

Based on years of experience in the manufacturing of glass processing machines, Bohle has developed a product range of top quality equipment which meets the highest quality demands of our customers.

- ✓ Quality is our standard
- ✓ Wide range of solutions



## 04 | 24h Online Shopping

Visit us and find finest tools and accessories for glaziers in the Bohle Online Shop. Your item is just a click away!

Find out more at: [www.bohle.ltd.uk](http://www.bohle.ltd.uk)

- ✓ Clearly arranged
- ✓ Easy to handle



# 01 | Barcelona Select

Adjustable zero position


Shower door hinges made of brass, suitable for 5/16", 3/8" or 1/2" (8, 10 or 12 mm) glass. The hinges have an automatic return motion of ± 15° to position 0. Outside this automatic return range, the hinges remain in any set position. Sold individually and include fixing screws and gaskets. Maximum door weight: 77 lbs (35 kg), maximum door width: 27 5/8" (700 mm).

## ▶ Shower Door Hinge "Barcelona Select" 90° adjustable



Mounting: One side wall mounted 90° · Door opens both ways 90° · Distance glass to wall 5/16" (8 mm) · Glass thickness 5/16", 3/8" or 1/2" (8, 10 + 12 mm)

| Art. No.   | Finish               |
|------------|----------------------|
| BO 5219110 | shiny chrome plated  |
| BO 5219111 | stainless steel look |




## ▶ Shower Door Hinge "Barcelona Select" 90° adjustable



Mounting: Both sides wall mounted 90° · Door opens both ways 90° · Distance glass to wall 5/16" (8 mm) · Glass thickness 5/16", 3/8" or 1/2" (8, 10 + 12 mm)

| Art. No.   | Finish   |
|------------|--|
| BO 5219114 | shiny chrome plated                              |
| BO 5219115 | stainless steel look                             |
| BO 5219130 | shiny chrome plated · small wall mounting plate  |
| BO 5219131 | stainless steel look · small wall mounting plate |



### ▶ Shower Door Hinge "Barcelona Select" 180° adjustable







For mounting doors to a fixed panel

Mounting: glass to glass aligned 180° · Door opens both ways 90° · Distance glass to glass 1/6" (4 mm) · Glass thickness 5/16", 3/8" or 1/2" (8, 10 + 12 mm)

**Art. No.**      **Finish**

**BO 5219118**    shiny chrome plated

**BO 5219119**    stainless steel look



### ▶ Shower Door Hinge "Barcelona Select" 135° adjustable







For mounting doors to a fixed panel

Mounting: glass to glass 135° · Door opens both ways 90° · Distance glass to glass 1/6" (4 mm) · Glass thickness 5/16", 3/8" or 1/2" (8, 10 + 12 mm)

**Art. No.**      **Finish**

**BO 5219122**    shiny chrome plated

**BO 5219123**    stainless steel look



### ▶ Shower Door Hinge "Barcelona Select" 90° adjustable







For mounting doors to a fixed panel

Mounting: glass to glass 90° · Door opens both ways 90° · Distance glass to glass 7/16" (11 mm) · Glass thickness 5/16", 3/8" or 1/2" (8, 10 + 12 mm)

**Art. No.**      **Finish**

**BO 5219126**    shiny chrome plated

**BO 5219127**    stainless steel look








## ▶ Clamp "Barcelona Select" 90° adjustable



For fixed partitions

Mounting: glass to wall 90° · Outer dimension 2 1/8" x 3 1/2" (55 x 90 mm) · Glass thickness 5/16", 3/8" or 1/2" (8, 10 + 12 mm)

| Art. No.   | Finish · Description                       |
|------------|--|
| BO 5219050 | shiny chrome plated                        |
| BO 5219051 | stainless steel look                       |
| BO 5219040 | shiny chrome plated · with screw-on plate  |
| BO 5219041 | stainless steel look · with screw-on plate |






## ▶ Corner Clamp "Barcelona Select" 90° adjustable



For fixed partitions · x = glass thickness

Mounting: glass to glass 90° · Dimensions 2 1/8" x 3 1/2" (52 x 90 mm) · Glass thickness 5/16", 3/8" or 1/2" (8, 10 + 12 mm)

| Art. No.   | Finish               |
|------------|----------------------|
| BO 5219060 | shiny chrome plated  |
| BO 5219061 | stainless steel look |







## ▶ Corner Clamp "Barcelona Select" 135° adjustable



For fixed partitions

Mounting: glass to glass 135° · Dimensions 2 1/8" x 3 1/2" (52 x 90 mm) · Glass thickness 5/16", 3/8" or 1/2" (8, 10 + 12 mm)

| Art. No.   | Finish               |
|------------|----------------------|
| BO 5219070 | shiny chrome plated  |
| BO 5219071 | stainless steel look |




▶ Side Connector "Barcelona Select" 180° adjustable



For fixed partitions

Mounting: glass to glass aligned 180° · Dimensions 3 1/2" x 4 3/32" (90 x 104 mm) · Glass thickness 5/16", 3/8" or 1/2" (8, 10 + 12 mm)

| Art. No.          | Finish               |
|-------------------|----------------------|
| <b>BO 5219090</b> | shiny chrome plated  |
| <b>BO 5219091</b> | stainless steel look |




▶ Corner Clamp "Barcelona Select" 90° adjustable



For fixed partitions

Mounting: glass to wall 90° · Distance glass to wall 1/12" (2 mm) · Dimensions 2 1/16" x 3 1/2" (52 x 90 mm) · Glass thickness 5/16", 3/8" or 1/2" (8, 10 + 12 mm)

| Art. No.          | Finish               |
|-------------------|----------------------|
| <b>BO 5219080</b> | shiny chrome plated  |
| <b>BO 5219081</b> | stainless steel look |



## 02 | Bilbao Select

Adjustable zero position


Shower door hinges made of brass, suitable for  $\frac{5}{16}$ " ,  $\frac{3}{8}$ " or  $\frac{1}{2}$ " (8, 10 or 12 mm) glass. The hinges have an automatic return motion of  $\pm 15^\circ$  to position 0. Outside this automatic return range, the hinges remain in any set position. Sold individually and include fixing screws and gaskets. Maximum door weight: 77 lbs (35 kg), maximum door width:  $27 \frac{5}{8}$ " (700 mm).

### ▶ Shower Door Hinge "Bilbao Select" 90° adjustable



One-sided wall mounting · glass to wall 90° · Door opens 90° both ways · distance glass to wall  $\frac{5}{16}$ " (8 mm) · for  $\frac{5}{16}$ " ,  $\frac{3}{8}$ " or  $\frac{1}{2}$ " (8, 10 or 12 mm) glass

| Art. No.          | Finish               |
|-------------------|----------------------|
| <b>BO 5211546</b> | shiny chrome plated  |
| <b>BO 5211547</b> | stainless steel look |




### ▶ Shower Door Hinge "Bilbao Select" 90° adjustable



Mounting: Both sides wall mounted 90° · Door opens both ways 90° · Distance glass to wall  $\frac{5}{16}$ " (8 mm) · Glass thickness  $\frac{5}{16}$ " ,  $\frac{3}{8}$ " or  $\frac{1}{2}$ " (8, 10 + 12 mm)

| Art. No.          | Finish               |
|-------------------|----------------------|
| <b>BO 5211516</b> | shiny chrome plated  |
| <b>BO 5211517</b> | stainless steel look |



## ▶ Shower Door Hinge "Bilbao Select" 180° adjustable







For mounting doors to a fixed panel

Mounting: glass to glass 180° · Door opens both ways 90° · Distance glass to glass 1/6" (4 mm) · Glass thickness 5/16", 3/8" or 1/2" (8, 10 + 12 mm)

| Art. No. | Finish |
|----------|--------|
|----------|--------|

|                   |                     |
|-------------------|---------------------|
| <b>BO 5211716</b> | shiny chrome plated |
|-------------------|---------------------|

|                   |                      |
|-------------------|----------------------|
| <b>BO 5211717</b> | stainless steel look |
|-------------------|----------------------|



## ▶ Shower Door Hinge "Bilbao Select" 135° adjustable







For mounting doors to a fixed panel

Mounting: glass to glass 135° · Door opens both ways 90° · Distance glass to glass 3/16" (5 mm) · Glass thickness 5/16", 3/8" or 1/2" (8, 10 + 12 mm)

| Art. No. | Finish |
|----------|--------|
|----------|--------|

|                   |                     |
|-------------------|---------------------|
| <b>BO 5211906</b> | shiny chrome plated |
|-------------------|---------------------|

|                   |                      |
|-------------------|----------------------|
| <b>BO 5211907</b> | stainless steel look |
|-------------------|----------------------|



## ▶ Shower Door Hinge "Bilbao Select" 90° adjustable







For mounting doors to a fixed panel

Mounting: glass to glass 90° · Door opens both ways 90° · Distance glass to glass 7/16" (11 mm) · Glass thickness 5/16", 3/8" or 1/2" (8, 10 + 12 mm)

| Art. No. | Finish |
|----------|--------|
|----------|--------|

|                   |                     |
|-------------------|---------------------|
| <b>BO 5211806</b> | shiny chrome plated |
|-------------------|---------------------|

|                   |                      |
|-------------------|----------------------|
| <b>BO 5211807</b> | stainless steel look |
|-------------------|----------------------|








## ▶ Shower Door Hinge "Bilbao Select" 90° adjustable



Both sides wall mounted · glass to wall 90° · Door opens 90° both ways · distance glass to wall  $\frac{5}{16}$ " (8 mm) · for  $\frac{5}{16}$ ",  $\frac{3}{8}$ " or  $\frac{1}{2}$ " (8, 10 + 12 mm) glass

| Art. No.   | Finish               |
|------------|----------------------|
| BO 5211606 | shiny chrome plated  |
| BO 5211607 | stainless steel look |






## ▶ Clamp "Bilbao Select" 90° adjustable



For fixed partitions

Mounting: glass to wall 90° · Outer dimension  $2\frac{1}{8}$ " x  $3\frac{1}{2}$ " (55 x 90 mm) · Glass thickness  $\frac{5}{16}$ ",  $\frac{3}{8}$ " or  $\frac{1}{2}$ " (8, 10 + 12 mm)

| Art. No.   | Finish - Description                       |
|------------|--|
| BO 5218420 | shiny chrome plated                        |
| BO 5218421 | stainless steel look                       |
| BO 5218430 | shiny chrome plated · with screw-on plate  |
| BO 5218431 | stainless steel look · with screw-on plate |






## ▶ Corner Clamp "Bilbao Select" 90° adjustable



For fixed partitions

Mounting: glass to wall 90° · Glass thickness  $\frac{5}{16}$ ",  $\frac{3}{8}$ " or  $\frac{1}{2}$ " (8, 10 + 12 mm)

| Art. No.   | Finish               |
|------------|----------------------|
| BO 5213140 | shiny chrome plated  |
| BO 5213141 | stainless steel look |







**▶ Corner Clamp "Bilbao Select" 90° adjustable**



For fixed partitions · x = glass thickness  
 Mounting: glass to glass 90° · Glass thickness 5/16", 3/8" or 1/2" (8, 10 + 12 mm)

| Art. No.   | Finish               |
|------------|----------------------|
| BO 5213150 | shiny chrome plated  |
| BO 5213151 | stainless steel look |





**▶ Side Connector "Bilbao Select" 180° adjustable**



For fixed partitions  
 Mounting: glass to glass 180° · Glass thickness 5/16", 3/8" or 1/2" (8, 10 + 12 mm)

| Art. No.   | Finish               |
|------------|----------------------|
| BO 5213160 | shiny chrome plated  |
| BO 5213161 | stainless steel look |






**▶ Corner Clamp "Bilbao Select" 135° adjustable**



For fixed partitions  
 Mounting: glass to glass 135° · Glass thickness 5/16", 3/8" or 1/2" (8, 10 + 12 mm)

| Art. No.   | Finish               |
|------------|----------------------|
| BO 5213170 | shiny chrome plated  |
| BO 5213171 | stainless steel look |



# How to contact Bohle

## United Kingdom and Ireland

|                           |   |
|---------------------------|---|
| Bohle Online-Shop         | <a href="http://www.bohle.ltd.uk">www.bohle.ltd.uk</a>          |
| E-Mail                    | <a href="mailto:info@bohle.ltd.uk">info@bohle.ltd.uk</a>        |
| Sales Telephone           | 0161 342 1100   |
| Sales Fax                 | 0161 344 0111   |
| Machinery Sales & Support | 0161 342 1104   |
| Account Payments Direct   | 0161 342 1112   |
| Pickup & Postal Address   | Fifth Avenue, Tameside Park,<br>Dukinfield<br>Cheshire SK16 4PP |

### Office hours

Monday to Friday 8.00 am - 5.00 pm


### Collecting goods

Monday to Friday 8.30 am - 4.00 pm

---

## You will find Bohle subsidiaries in:

Austria · England · Estonia · France · Germany · Italy · the Netherlands · Russia · South Africa · Spain · Sweden · USA



United Kingdom and Ireland

Bohle Ltd.  
Fifth Avenue  
Tameside Park · Dukinfield  
Cheshire · SK16 4PP

T +44 161 3421100  
F +44 161 3440111

[info@bohle.ltd.uk](mailto:info@bohle.ltd.uk)