


Cheriton

Quality Accessories on
Georgian and Victorian Plates



View range online

Capturing all the charm and elegance of the Georgian and Victorian period. The plates are traditional cast brass with a choice of finishes. The range consists of two designs, Georgian and Victorian.



Two designs – Georgian and Victorian


Georgian available in two finishes

Victorian available in six finishes


Switch inserts to match the plate finish

Standard box-fix electrical accessories

Grid Fix and Eurofix options also available (see separate GRID-IT and EuroFix sections)



Cheriton Range



90 TCM W

91 R21 AB-B

95 SPN BC-W

98 R22 BK-B

Plate finishes available in this range

Georgian Plate Finishes



Antique Brass



Polished Brass

Victorian Plate Finishes



Antique Brass



Black Nickel



Bright Chrome



Polished Brass



Satin Brass



Satin Chrome

Cheriton

Victorian Rocker Switches



93 R23 AB-B



98 R26 BK-B

Plate Finish	Insert Finish / Surround Colour	1 gang 10AX 2 Way Rocker	2 gang 10AX 2 Way Rocker	3 gang 10AX 2 Way Rocker	4 gang 10AX 2 Way Rocker	6 gang 10AX 2 Way Rocker
		93 R21 AB-B	93 R22 BL-B	93 R23 AB-B	93 R24 AB-B	93 R26 AB-B
Antique Brass	Antique Brass/Black	93 R21 AB-B	93 R22 BL-B	93 R23 AB-B	93 R24 AB-B	93 R26 AB-B
Antique Brass	Black/Black	93 R21 BL-B	93 R22 BL-B	93 R23 BL-B	93 R24 BL-B	93 R26 BL-B
Black Nickel	Black Nickel/Black	98 R21 BK-B	98 R22 BK-B	98 R23 BK-B	98 R24 BK-B	98 R26 BK-B
Bright Chrome	Bright Chrome/Black	95 R21 BC-B	95 R22 BC-B	95 R23 BC-B	95 R24 BC-B	95 R26 BC-B
Bright Chrome	Bright Chrome/White	95 R21 BC-W	95 R22 BC-W	95 R23 BC-W	95 R24 BC-W	95 R26 BC-W
Bright Chrome	Black/Black	95 R21 BL-B	95 R22 BL-B	95 R23 BL-B	95 R24 BL-B	95 R26 BL-B
Bright Chrome	White/White	95 R21 WH-W	95 R22 WH-W	95 R23 WH-W	95 R24 WH-W	95 R26 WH-W
Polished Brass	Black/Black	92 R21 BL-B	92 R22 BL-B	92 R23 BL-B	92 R24 BL-B	92 R26 BL-B
Polished Brass	Polished Brass/Black	92 R21 PB-B	92 R22 PB-B	92 R23 PB-B	92 R24 PB-B	92 R26 PB-B
Polished Brass	Polished Brass/White	92 R21 PB-W	92 R22 PB-W	92 R23 PB-W	92 R24 PB-W	92 R26 PB-W
Polished Brass	White/White	92 R21 WH-W	92 R22 WH-W	92 R23 WH-W	92 R24 WH-W	92 R26 WH-W
Satin Brass	Black/Black	94 R21 BL-B	94 R22 BL-B	94 R23 BL-B	94 R24 BL-B	94 R26 BL-B
Satin Brass	Satin Brass/Black	94 R21 SB-B	94 R22 SB-B	94 R23 SB-B	94 R24 SB-B	94 R26 SB-B
Satin Brass	Satin Brass/White	94 R21 SB-W	94 R22 SB-W	94 R23 SB-W	94 R24 SB-W	94 R26 SB-W
Satin Brass	White/White	94 R21 WH-W	94 R22 WH-W	94 R23 WH-W	94 R24 WH-W	94 R26 WH-W
Satin Chrome	Black/Black	96 R21 BL-B	96 R22 BL-B	96 R23 BL-B	96 R24 BL-B	96 R26 BL-B
Satin Chrome	Satin Chrome/Black	96 R21 SC-B	96 R22 SC-B	96 R23 SC-B	96 R24 SC-B	96 R26 SC-B
Satin Chrome	Satin Chrome/White	96 R21 SC-W	96 R22 SC-W	96 R23 SC-W	96 R24 SC-W	96 R26 SC-W
Satin Chrome	White/White	96 R21 WH-W	96 R22 WH-W	96 R23 WH-W	96 R24 WH-W	96 R26 WH-W
Nominal Size:		88.5mm x 88.5mm	88.5mm x 88.5mm	88.5mm x 88.5mm	146.0mm x 86.5mm	146.0mm x 86.5mm
Minimum Wall Box Depth:		25mm	25mm	25mm	25mm	25mm

Georgian Rocker Switches



91 R21 AB-B



90 R22 WH-W

Plate Finish	Insert Finish / Surround Colour	1 gang 10AX 2 Way Rocker	2 gang 10AX 2 Way Rocker	3 gang 10AX 2 Way Rocker	4 gang 10AX 2 Way Rocker	6 gang 10AX 2 Way Rocker
		91 R21 AB-B	91 R22 BL-B	91 R23 AB-B	91 R24 AB-B	91 R26 AB-B
Antique Brass	Antique Brass/Black	91 R21 AB-B	91 R22 AB-B	91 R23 AB-B	91 R24 AB-B	91 R26 AB-B
Antique Brass	Black/Black	91 R21 BL-B	91 R22 BL-B	91 R23 BL-B	91 R24 BL-B	91 R26 BL-B
Polished Brass	Black/Black	90 R21 BL-B	90 R22 BL-B	90 R23 BL-B	90 R24 BL-B	90 R26 BL-B
Polished Brass	Polished Brass/Black	90 R21 PB-B	90 R22 PB-B	90 R23 PB-B	90 R24 PB-B	90 R26 PB-B
Polished Brass	Polished Brass/White	90 R21 PB-W	90 R22 PB-W	90 R23 PB-W	90 R24 PB-W	90 R26 PB-W
Polished Brass	White/White	90 R21 WH-W	90 R22 WH-W	90 R23 WH-W	90 R24 WH-W	90 R26 WH-W
Nominal Size:		88.0mm x 88.0mm	88.0mm x 88.0mm	88.0mm x 88.0mm	146.0mm x 86.5mm	146.0mm x 86.5mm
Minimum Wall Box Depth:		25mm	25mm	25mm	25mm	25mm

Insert Surround Colour Key: (-B) Black, (-W) White

Cheriton





Victorian Rocker Switches



93 R31 AB-B



98 TP BL-B

Plate Finish	Insert Finish / Surround Colour				
		1 gang 10AX Intermediate Rocker	2 gang 10AX Intermediate Rocker	1 gang 10AX Push To Make Retractive Rocker	1 gang 10AX Triple Pole Rocker
Antique Brass	Antique Brass/Black	93 R31 AB-B	93 R32 AB-B	93 RRT AB-B	-
Antique Brass	Black/Black	93 R31 BL-B	93 R32 BL-B	-	93 TP BL-B
Black Nickel	Black Nickel/Black	98 R31 BK-B	-	-	-
Black Nickel	Black/Black	-	-	-	98 TP BL-B
Bright Chrome	Bright Chrome/Black	95 R31 BC-B	95 R32 BC-B	95 RRT BC-B	-
Bright Chrome	Bright Chrome/White	95 R31 BC-W	95 R32 BC-W	95 RRT BC-W	-
Bright Chrome	Black/Black	95 R31 BL-B	95 R32 BL-B	95 RRT BL-B	95 TP BL-B
Bright Chrome	White/White	95 R31 WH-W	95 R32 WH-W	95 RRT WH-W	95 TP WH-W
Polished Brass	Black/Black	92 R31 BL-B	92 R32 BL-B	92 RRT BL-B	92 TP BL-B
Polished Brass	Polished Brass/Black	92 R31 PB-B	92 R32 PB-B	92 RRT PB-B	-
Polished Brass	Polished Brass/White	92 R31 PB-W	92 R32 PB-W	92 RRT PB-W	-
Polished Brass	White/White	92 R31 WH-W	92 R32 WH-W	92 RRT WH-W	92 TP WH-W
Satin Brass	Black/Black	94 R31 BL-B	94 R32 BL-B	94 RRT BL-B	94 TP BL-B
Satin Brass	Satin Brass/Black	94 R31 SB-B	94 R32 SB-B	94 RRT SB-B	-
Satin Brass	Satin Brass/White	94 R31 SB-W	94 R32 SB-W	94 RRT SB-W	-
Satin Brass	White/White	94 R31 WH-W	94 R32 WH-W	94 RRT WH-W	94 TP WH-W
Satin Chrome	Black/Black	96 R31 BL-B	96 R32 BL-B	96 RRT BL-B	96 TP BL-B
Satin Chrome	Satin Chrome/Black	96 R31 SC-B	96 R32 SC-B	96 RRT SC-B	-
Satin Chrome	Satin Chrome/White	96 R31 SC-W	96 R32 SC-W	96 RRT SC-W	-
Satin Chrome	White/White	96 R31 WH-W	96 R32 WH-W	96 RRT WH-W	96 TP WH-W
Nominal Size:		88.5mm x 88.5mm	88.5mm x 88.5mm	88.5mm x 88.5mm	88.5mm x 88.5mm
Minimum Wall Box Depth:		25mm	25mm	25mm	25mm





Georgian Rocker Switches



91 R32 AB-B



90 RRT PB-W

Plate Finish	Insert Finish / Surround Colour				
		1 gang 10AX Intermediate Rocker	2 gang 10AX Intermediate Rocker	1 gang 10AX Push To Make Retractive Rocker	1 gang 10AX Triple Pole Rocker
Antique Brass	Antique Brass/Black	91 R31 AB-B	91 R32 AB-B	91 RRT AB-B	-
Antique Brass	Black/Black	91 R31 BL-B	91 R32 BL-B	-	91 TP BL-B
Polished Brass	Black/Black	90 R31 BL-B	90 R32 BL-B	90 RRT BL-B	90 TP BL-B
Polished Brass	Polished Brass/Black	90 R31 PB-B	90 R32 PB-B	90 RRT PB-B	-
Polished Brass	Polished Brass/White	90 R31 PB-W	90 R32 PB-W	90 RRT PB-W	-
Polished Brass	White/White	90 R31 WH-W	90 R32 WH-W	90 RRT WH-W	90 TP WH-W
Nominal Size:		88.0mm x 88.0mm	88.0mm x 88.0mm	88.0mm x 88.0mm	88.0mm x 88.0mm
Minimum Wall Box Depth:		25mm	25mm	25mm	25mm

Insert Surround Colour Key: (-B) Black, (-W) White

Cheriton








Victorian Toggle Switches



93 T21



94 T24

							
Plate Finish	1 gang 20AX 2 Way Toggle	2 gang 20AX 2 Way Toggle	3 gang 20AX 2 Way Toggle	4 gang 20AX 2 Way Toggle	1 gang 20AX Intermediate Toggle	1 gang 20AX Double Pole Toggle	1 gang 10AX Push To Make/ Push To Break Retractive Toggle
Antique Brass	93 T21	93 T22	93 T23	93 T24	93 T31	93 TDP	93 TRT
Black Nickel	98 T21	98 T22	98 T23	98 T24	98 T31	98 TDP	98 TRT
Bright Chrome	95 T21	95 T22	95 T23	95 T24	95 T31	95 TDP	95 TRT
Polished Brass	92 T21	92 T22	92 T23	92 T24	92 T31	92 TDP	92 TRT
Satin Brass	94 T21	94 T22	94 T23	94 T24	94 T31	94 TDP	94 TRT
Satin Chrome	96 T21	96 T22	96 T23	96 T24	96 T31	96 TDP	96 TRT
Nominal Size:	88.5mm x 88.5mm	88.5mm x 88.5mm	146.0mm x 86.5mm	146.0mm x 86.5mm	88.5mm x 88.5mm	88.5mm x 88.5mm	88.5mm x 88.5mm
Minimum Wall Box Depth:	25mm	25mm	25mm	25mm	25mm	25mm	25mm








Georgian Toggle Switches



90 T21



91 T24


							
Plate Finish	1 gang 20AX 2 Way Toggle	2 gang 20AX 2 Way Toggle	3 gang 20AX 2 Way Toggle	4 gang 20AX 2 Way Toggle	1 gang 20AX Intermediate Toggle	1 gang 20AX Double Pole Toggle	1 gang 10AX Push To Make/ Push To Break Retractive Toggle
Antique Brass	91 T21	91 T22	91 T23	91 T24	91 T31	91 TDP	91 TRT
Polished Brass	90 T21	90 T22	90 T23	90 T24	90 T31	90 TDP	90 TRT
Nominal Size:	88.0mm x 88.0mm	88.0mm x 88.0mm	146.0mm x 86.5mm	146.0mm x 86.5mm	88.0mm x 88.0mm	88.0mm x 88.0mm	88.0mm x 88.0mm
Minimum Wall Box Depth:	25mm	25mm	25mm	25mm	25mm	25mm	25mm

Cheriton

Victorian Power Sockets




96 SS1 BL-B



94 US99 W



1 gang 13A
Double Pole
Switched
Socket



2 gang 13A
Double Pole
Switched
Socket



1 gang 2A
Unswitched
Socket




1 gang 5A
Unswitched
Socket



1 gang 13A
Unswitched
Socket



2 gang 13A
Unswitched
Socket



Shaver Dual
Voltage
Unswitched
Socket
(Vertically
Mounted)

Plate Finish	Insert Finish / Surround Colour	1 gang 13A Double Pole Switched Socket	2 gang 13A Double Pole Switched Socket	1 gang 2A Unswitched Socket	1 gang 5A Unswitched Socket	1 gang 13A Unswitched Socket	2 gang 13A Unswitched Socket	Shaver Dual Voltage Unswitched Socket (Vertically Mounted)
Antique Brass	Antique Brass/Black	93 SS1 AB-B	93 SS2 AB-B	-	-	-	-	-
Antique Brass	Black/Black	93 SS1 BL-B	93 SS2 BL-B	93 US2 B	93 US5 B	93 US13 B	93 US99 B	93 SHS B
Black Nickel	Black Nickel/Black	98 SS1 BK-B	98 SS2 BK-B	-	-	-	-	-
Black Nickel	Black/Black	-	-	98 US2 B	98 US5 B	-	-	98 SHS B
Bright Chrome	Bright Chrome/Black	95 SS1 BC-B	95 SS2 BC-B	-	-	-	-	-
Bright Chrome	Bright Chrome/White	95 SS1 BC-W	95 SS2 BC-W	-	-	-	-	-
Bright Chrome	Black/Black	95 SS1 BL-B	95 SS2 BL-B	95 US2 B	95 US5 B	95 US13 B	95 US99 B	95 SHS B
Bright Chrome	White/White	95 SS1 WH-W	95 SS2 WH-W	95 US2 W	95 US5 W	95 US13 W	95 US99 W	95 SHS W
Polished Brass	Black/Black	92 SS1 BL-B	92 SS2 BL-B	92 US2 B	92 US5 B	92 US13 B	92 US99 B	92 SHS B
Polished Brass	Polished Brass/Black	92 SS1 PB-B	92 SS2 PB-B	-	-	-	-	-
Polished Brass	Polished Brass/White	92 SS1 PB-W	92 SS2 PB-W	-	-	-	-	-
Polished Brass	White/White	92 SS1 WH-W	92 SS2 WH-W	92 US2 W	92 US5 W	92 US13 W	92 US99 W	92 SHS W
Satin Brass	Black/Black	94 SS1 BL-B	94 SS2 BL-B	94 US2 B	94 US5 B	94 US13 B	94 US99 B	94 SHS B
Satin Brass	Satin Brass/Black	94 SS1 SB-B	94 SS2 SB-B	-	-	-	-	-
Satin Brass	Satin Brass/White	94 SS1 SB-W	94 SS2 SB-W	-	-	-	-	-
Satin Brass	White/White	94 SS1 WH-W	94 SS2 WH-W	94 US2 W	94 US5 W	94 US13 W	94 US99 W	94 SHS W
Satin Chrome	Black/Black	96 SS1 BL-B	96 SS2 BL-B	96 US2 B	96 US5 B	96 US13 B	96 US99 B	96 SHS B
Satin Chrome	Satin Chrome/Black	96 SS1 SC-B	96 SS2 SC-B	-	-	-	-	-
Satin Chrome	Satin Chrome/White	96 SS1 SC-W	96 SS2 SC-W	-	-	-	-	-
Satin Chrome	White/White	96 SS1 WH-W	96 SS2 WH-W	96 US2 W	96 US5 W	96 US13 W	96 US99 W	96 SHS W
Nominal Size:		88.5mm x 88.5mm	146.0mm x 86.5mm	88.5mm x 88.5mm	88.5mm x 88.5mm	88.5mm x 88.5mm	146.0mm x 86.5mm	86.5mm x 146.0mm
Minimum Wall Box Depth:		35mm	35mm	35mm	35mm	35mm	35mm	47mm

Insert Surround Colour Key: (-B) Black, (-W) White

Cheriton








Georgian Power Sockets



90 SS1 BL-B



91 US99 B

Plate Finish	Insert Finish / Surround Colour							
		1 gang 13A Double Pole Switched Socket	2 gang 13A Double Pole Switched Socket	1 gang 2A Unswitched Socket	1 gang 5A Unswitched Socket	1 gang 13A Unswitched Socket	2 gang 13A Unswitched Socket	Shaver Dual Voltage Unswitched Socket (Vertically Mounted)
Antique Brass	Antique Brass/Black	91 SS1 AB-B	91 SS2 AB-B	-	-	-	-	-
Antique Brass	Black/Black	91 SS1 BL-B	91 SS2 BL-B	91 US2 B	91 US5 B	91 US13 B	91 US99 B	91 SHS B
Polished Brass	Black/Black	90 SS1 BL-B	90 SS2 BL-B	90 US2 B	90 US5 B	90 US13 B	90 US99 B	90 SHS B
Polished Brass	Polished Brass/Black	90 SS1 PB-B	90 SS2 PB-B	-	-	-	-	-
Polished Brass	Polished Brass/White	90 SS1 PB-W	90 SS2 PB-W	-	-	-	-	-
Polished Brass	White/White	90 SS1 WH-W	90 SS2 WH-W	90 US2 W	90 US5 W	90 US13 W	90 US99 W	90 SHS W
Nominal Size:		88.0mm x 88.0mm	146.0mm x 86.5mm	88.0mm x 88.0mm	88.0mm x 88.0mm	88.0mm x 88.0mm	146.0mm x 86.5mm	86.5mm x 146.0mm
Minimum Wall Box Depth:		35mm	35mm	35mm	35mm	35mm	35mm	47mm

Insert Surround Colour Key: (-B) Black, (-W) White

Cheriton

Victorian Television Coaxial Sockets










95 TV W




92 TVSAT W

CHERITON RANGE

Plate Finish	Insert Colour							
		1 gang Non-Isolated TV 1in/1out	2 gang Non-Isolated TV 2in/2out	Isolated TV/FM Diplexer 1in/2out	1 gang Isolated TV 1in/1out	2 gang Non-Isolated TV+Satellite 2in/2out	1 gang Non-Isolated Satellite	1 gang Isolated Satellite
Antique Brass	Black	93 TV B	93 TV2 B	93 TVFM B	93 TVI B	93 TVSAT B	93 SATN B	93 SATI B
Black Nickel	Black	98 TV B	98 TV2 B	98 TVFM B	98 TVI B	98 TVSAT B	98 SATN B	98 SATI B
Bright Chrome	Black	95 TV B	95 TV2 B	95 TVFM B	95 TVI B	95 TVSAT B	95 SATN B	95 SATI B
Bright Chrome	White	95 TV W	95 TV2 W	95 TVFM W	95 TVI W	95 TVSAT W	95 SATN W	95 SATI W
Polished Brass	Black	92 TV B	92 TV2 B	92 TVFM B	92 TVI B	92 TVSAT B	92 SATN B	92 SATI B
Polished Brass	White	92 TV W	92 TV2 W	92 TVFM W	92 TVI W	92 TVSAT W	92 SATN W	92 SATI W
Satin Brass	Black	94 TV B	94 TV2 B	94 TVFM B	94 TVI B	94 TVSAT B	94 SATN B	94 SATI B
Satin Brass	White	94 TV W	94 TV2 W	94 TVFM W	94 TVI W	94 TVSAT W	94 SATN W	94 SATI W
Satin Chrome	Black	96 TV B	96 TV2 B	96 TVFM B	96 TVI B	96 TVSAT B	96 SATN B	96 SATI B
Satin Chrome	White	96 TV W	96 TV2 W	96 TVFM W	96 TVI W	96 TVSAT W	96 SATN W	96 SATI W
Nominal Size:		88.5mm x 88.5mm	88.5mm x 88.5mm	88.5mm x 88.5mm	88.5mm x 88.5mm	88.5mm x 88.5mm	88.5mm x 88.5mm	88.5mm x 88.5mm
Minimum Wall Box Depth:		25mm	25mm	25mm	25mm	35mm	35mm	35mm








Georgian Television Coaxial Sockets



90 TVSAT B



91 SATI B

Plate Finish	Insert Colour							
		1 gang Non-Isolated TV 1in/1out	2 gang Non-Isolated TV 2in/2out	Isolated TV/FM Diplexer 1in/2out	1 gang Isolated TV 1in/1out	2 gang Non-Isolated TV+Satellite 2in/2out	1 gang Non-Isolated Satellite	1 gang Isolated Satellite
Antique Brass	Black	91 TV B	91 TV2 B	91 TVFM B	91 TVI B	91 TVSAT B	91 SATN B	91 SATI B
Polished Brass	Black	90 TV B	90 TV2 B	90 TVFM B	90 TVI B	90 TVSAT B	90 SATN B	90 SATI B
Polished Brass	White	90 TV W	90 TV2 W	90 TVFM W	90 TVI W	90 TVSAT W	90 SATN W	90 SATI W
Nominal Size:		88.0mm x 88.0mm	88.0mm x 88.0mm	88.0mm x 88.0mm	88.0mm x 88.0mm	88.0mm x 88.0mm	88.0mm x 88.0mm	88.0mm x 88.0mm
Minimum Wall Box Depth:		25mm	25mm	25mm	25mm	35mm	35mm	35mm

Insert Surround Colour Key: (-B) Black, (-W) White

Cheriton







Victorian Digital Television Sockets - Screened Non-Isolated / DAB Compatible



93 DTVF B



92 DENT W

Plate Finish	Insert Colour						
Antique Brass	Black	93 DTRID B	93 DTVF B	93 DTMV B	93 DSAT B	93 DENT B	93 DSAT+ B
Black Nickel	Black	98 DTRID B	98 DTVF B	98 DTMV B	98 DSAT B	98 DENT B	98 DSAT+ B
Bright Chrome	Black	95 DTRID B	95 DTVF B	95 DTMV B	95 DSAT B	95 DENT B	95 DSAT+ B
Bright Chrome	White	95 DTRID W	95 DTVF W	95 DTMV W	95 DSAT W	95 DENT W	95 DSAT+ W
Polished Brass	Black	92 DTRID B	92 DTVF B	92 DTMV B	92 DSAT B	92 DENT B	92 DSAT+ B
Polished Brass	White	92 DTRID W	92 DTVF W	92 DTMV W	92 DSAT W	92 DENT W	92 DSAT+ W
Satin Brass	Black	94 DTRID B	94 DTVF B	94 DTMV B	94 DSAT B	94 DENT B	94 DSAT+ B
Satin Brass	White	94 DTRID W	94 DTVF W	94 DTMV W	94 DSAT W	94 DENT W	94 DSAT+ W
Satin Chrome	Black	96 DTRID B	96 DTVF B	96 DTMV B	96 DSAT B	96 DENT B	96 DSAT+ B
Satin Chrome	White	96 DTRID W	96 DTVF W	96 DTMV W	96 DSAT W	96 DENT W	96 DSAT+ W
Nominal Size:		88.5mm x 88.5mm	88.5mm x 88.5mm	88.5mm x 88.5mm	88.5mm x 88.5mm	88.5mm x 88.5mm	146.0mm x 86.5mm
Minimum Wall Box Depth:		35mm	35mm	35mm	35mm	35mm	35mm







Georgian Digital Television Sockets - Screened Non-Isolated / DAB Compatible



91 DTRID B



90 DSAT+ W

Plate Finish	Insert Colour						
Antique Brass	Black	91 DTRID B	91 DTVF B	91 DTMV B	91 DSAT B	91 DENT B	91 DSAT+ B
Polished Brass	Black	90 DTRID B	90 DTVF B	90 DTMV B	90 DSAT B	90 DENT B	90 DSAT+ B
Polished Brass	White	90 DTRID W	90 DTVF W	90 DTMV W	90 DSAT W	90 DENT W	90 DSAT+ W
Nominal Size:		88.0mm x 88.0mm	88.0mm x 88.0mm	88.0mm x 88.0mm	88.0mm x 88.0mm	88.0mm x 88.0mm	146.0mm x 86.5mm
Minimum Wall Box Depth:		35mm	35mm	35mm	35mm	35mm	35mm

Insert Surround Colour Key: (-B) Black, (-W) White

Cheriton

Victorian Telephone and Data Outlets



93 J12 B



94 2J45 W

CHERITON RANGE

Plate Finish	Insert Finish	1 gang Telephone Master	1 gang Telephone Slave	1 gang RJ12 Outlet - Unshielded	2 gang RJ12 Outlet - Unshielded	1 gang RJ45 CAT 5E Outlet - Unshielded	2 gang RJ45 CAT 5E Outlet - Unshielded
Antique Brass	Black	93 TCM B	93 TCS B	93 J12 B	93 2J12 B	93 J45 B	93 2J45 B
Black Nickel	Black	98 TCM B	98 TCS B	98 J12 B	98 2J12 B	98 J45 B	98 2J45 B
Bright Chrome	Black	95 TCM B	95 TCS B	95 J12 B	95 2J12 B	95 J45 B	95 2J45 B
Bright Chrome	White	95 TCM W	95 TCS W	95 J12 W	95 2J12 W	95 J45 W	95 2J45 W
Polished Brass	Black	92 TCM B	92 TCS B	92 J12 B	92 2J12 B	92 J45 B	92 2J45 B
Polished Brass	White	92 TCM W	92 TCS W	92 J12 W	92 2J12 W	92 J45 W	92 2J45 W
Satin Brass	Black	94 TCM B	94 TCS B	94 J12 B	94 2J12 B	94 J45 B	94 2J45 B
Satin Brass	White	94 TCM W	94 TCS W	94 J12 W	94 2J12 W	94 J45 W	94 2J45 W
Satin Chrome	Black	96 TCM B	96 TCS B	96 J12 B	96 2J12 B	96 J45 B	96 2J45 B
Satin Chrome	White	96 TCM W	96 TCS W	96 J12 W	96 2J12 W	96 J45 W	96 2J45 W
Nominal Size:		88.5mm x 88.5mm	88.5mm x 88.5mm	88.5mm x 88.5mm	88.5mm x 88.5mm	88.5mm x 88.5mm	88.5mm x 88.5mm
Minimum Wall Box Depth:		25mm	25mm	35mm	35mm	35mm	35mm

Georgian Telephone and Data Outlets



91 TCS B



90 2J45 W

Plate Finish	Insert Finish	1 gang Telephone Master	1 gang Telephone Slave	1 gang RJ12 Outlet - Unshielded	2 gang RJ12 Outlet - Unshielded	1 gang RJ45 CAT 5E Outlet - Unshielded	2 gang RJ45 CAT 5E Outlet - Unshielded
Antique Brass	Black	91 TCM B	91 TCS B	91 J12 B	91 2J12 B	91 J45 B	91 2J45 B
Polished Brass	Black	90 TCM B	90 TCS B	90 J12 B	90 2J12 B	90 J45 B	90 2J45 B
Polished Brass	White	90 TCM W	90 TCS W	90 J12 W	90 2J12 W	90 J45 W	90 2J45 W
Nominal Size:		88.0mm x 88.0mm	88.0mm x 88.0mm	88.0mm x 88.0mm	88.0mm x 88.0mm	88.0mm x 88.0mm	88.0mm x 88.0mm
Minimum Wall Box Depth:		25mm	25mm	35mm	35mm	35mm	35mm

Insert Surround Colour Key: (-B) Black, (-W) White

Cheriton








Victorian Double Pole Switches



95 45 W



94 45N B

Plate Finish	Insert Finish / Surround Colour	 1 gang 20AX Double Pole Rocker	 1 gang 20AX Double Pole Rocker + Neon	 1 gang 20AX Double Pole Rocker + Neon + Cable Outlet	 1 gang 45A Double Pole Red Rocker	 1 gang 45A Double Pole Red Rocker + Neon	 1 gang 45A Double Pole Red Rocker + Neon (Vertically Mounted)	 45A Double Pole Red Rocker + Neon + 13A Switched Socket
Antique Brass	Antique Brass/Black	93 DP AB-B	93 DPN AB-B	93 DPNC AB-B	-	-	-	93 45SS1 AB-B
Antique Brass	Black/Black	93 DP BL-B	93 DPN BL-B	93 DPNC BL-B	93 45 B	93 45N B	93 45V B	93 45SS1 BL-B
Black Nickel	Black Nickel/Black	-	98 DPN BK-B	-	-	-	-	98 45SS1 BK-B
Black Nickel	Black/Black	-	-	-	98 45 B	98 45N B	-	-
Bright Chrome	Bright Chrome/Black	95 DP BC-B	95 DPN BC-B	95 DPNC BC-B	-	-	-	95 45SS1 BC-B
Bright Chrome	Bright Chrome/White	95 DP BC-W	95 DPN BC-W	95 DPNC BC-W	-	-	-	95 45SS1 BC-W
Bright Chrome	Black/Black	95 DP BL-B	95 DPN BL-B	95 DPNC BL-B	95 45 B	95 45N B	95 45V B	95 45SS1 BL-B
Bright Chrome	White/White	95 DP WH-W	95 DPN WH-W	95 DPNC WH-W	95 45 W	95 45N W	95 45V W	95 45SS1 WH-W
Polished Brass	Black/Black	92 DP BL-B	92 DPN BL-B	92 DPNC BL-B	92 45 B	92 45N B	92 45V B	92 45SS1 BL-B
Polished Brass	Polished Brass/Black	92 DP PB-B	92 DPN PB-B	92 DPNC PB-B	-	-	-	92 45SS1 PB-B
Polished Brass	Polished Brass/White	92 DP PB-W	92 DPN PB-W	92 DPNC PB-W	-	-	-	92 45SS1 PB-W
Polished Brass	White/White	92 DP WH-W	92 DPN WH-W	92 DPNC WH-W	92 45 W	92 45N W	92 45V W	92 45SS1 WH-W
Satin Brass	Black/Black	94 DP BL-B	94 DPN BL-B	94 DPNC BL-B	94 45 B	94 45N B	94 45V B	94 45SS1 BL-B
Satin Brass	Satin Brass/Black	94 DP SB-B	94 DPN SB-B	94 DPNC SB-B	-	-	-	94 45SS1 SB-B
Satin Brass	Satin Brass/White	94 DP SB-W	94 DPN SB-W	94 DPNC SB-W	-	-	-	94 45SS1 SB-W
Satin Brass	White/White	94 DP WH-W	94 DPN WH-W	94 DPNC WH-W	94 45 W	94 45N W	94 45V W	94 45SS1 WH-W
Satin Chrome	Black/Black	96 DP BL-B	96 DPN BL-B	96 DPNC BL-B	96 45 B	96 45N B	96 45V B	96 45SS1 BL-B
Satin Chrome	Satin Chrome/Black	96 DP SC-B	96 DPN SC-B	96 DPNC SC-B	-	-	-	96 45SS1 SC-B
Satin Chrome	Satin Chrome/White	96 DP SC-W	96 DPN SC-W	96 DPNC SC-W	-	-	-	96 45SS1 SC-W
Satin Chrome	White/White	96 DP WH-W	96 DPN WH-W	96 DPNC WH-W	96 45 W	96 45N W	96 45V W	96 45SS1 WH-W
	Nominal Size:	88.5mm x 88.5mm	88.5mm x 88.5mm	88.5mm x 88.5mm	88.5mm x 88.5mm	88.5mm x 88.5mm	86.5mm x 146.0mm	146.0mm x 86.5mm
	Minimum Wall Box Depth:	25mm	25mm	25mm	35mm	35mm	35mm	35mm

Insert Surround Colour Key: (-B) Black, (-W) White

Cheriton

Georgian Double Pole Switches



91 DP AB-B



90 DPNC WH-W

CHERITON RANGE



1 gang 20AX
Double Pole
Rocker



1 gang 20AX
Double Pole
Rocker +
Neon




1 gang 20AX
Double Pole
Rocker +
Neon +
Cable Outlet




1 gang 45A
Double Pole
Red Rocker



1 gang 45A
Double Pole
Red Rocker +
Neon



1 gang 45A
Double Pole
Red Rocker +
Neon
(Vertically
Mounted)



45A Double Pole
Red Rocker +
Neon +
13A Switched
Socket

Plate Finish	Insert Finish / Surround Colour						
Antique Brass	Antique Brass/Black	91 DP AB-B	91 DPN AB-B	91 DPNC AB-B	-	-	-
Antique Brass	Black/Black	91 DP BL-B	91 DPN BL-B	91 DPNC BL-B	91 45 B	91 45N B	91 45V B
Polished Brass	Black/Black	90 DP BL-B	90 DPN BL-B	90 DPNC BL-B	90 45 B	90 45N B	90 45V B
Polished Brass	Polished Brass/Black	90 DP PB-B	90 DPN PB-B	90 DPNC PB-B			90 45SS1 PB-B
Polished Brass	Polished Brass/White	90 DP PB-W	90 DPN PB-W	90 DPNC PB-W	-	-	90 45SS1 PB-W
Polished Brass	White/White	90 DP WH-W	90 DPN WH-W	90 DPNC WH-W	90 45 W	90 45N W	90 45V W
	Nominal Size:	88.0mm x 88.0mm	88.0mm x 88.0mm	88.0mm x 88.0mm	88.0mm x 88.0mm	88.0mm x 88.0mm	86.5mm x 146.0mm
	Minimum Wall Box Depth:	25mm	25mm	25mm	35mm	35mm	35mm

Insert Surround Colour Key: (-B) Black, (-W) White

Cheriton

Victorian Connection Units



96 SPN WH-W



98 FOBK-B



1 gang 13A
Double Pole
Fused Spur



1 gang 13A
Double Pole
Fused Spur +
Neon



1 gang 13A
Double Pole
Fused Spur +
Neon +
Cable Outlet



1 gang 13A
Fuse Only



1 gang 13A
Fuse +
Cable Outlet



1 gang 20A
Cable Outlet

Plate Finish	Insert Finish / Surround Colour	1 gang 13A Double Pole Fused Spur	1 gang 13A Double Pole Fused Spur + Neon	1 gang 13A Double Pole Fused Spur + Neon + Cable Outlet	1 gang 13A Fuse Only	1 gang 13A Fuse + Cable Outlet	1 gang 20A Cable Outlet
Antique Brass	Antique Brass/Black	93 SP AB-B	93 SPN AB-B	93 SPNC AB-B	93 FO AB-B	93 FOC AB-B	-
Antique Brass	Black/Black	93 SP BL-B	93 SPN BL-B	93 SPNC BL-B	93 FO BL-B	93 FOC BL-B	93 CO B
Black Nickel	Black Nickel/Black	98 SP BK-B	98 SPN BK-B	-	98 FO BK-B	-	-
Bright Chrome	Bright Chrome/Black	95 SP BC-B	95 SPN BC-B	95 SPNC BC-B	95 FO BC-B	95 FOC BC-B	-
Bright Chrome	Bright Chrome/White	95 SP BC-W	95 SPN BC-W	95 SPNC BC-W	95 FO BC-W	95 FOC BC-W	-
Bright Chrome	Black/Black	95 SP BL-B	95 SPN BL-B	95 SPNC BL-B	95 FO BL-B	95 FOC BL-B	95 CO B
Bright Chrome	White/White	95 SP WH-W	95 SPN WH-W	95 SPNC WH-W	95 FO WH-W	95 FOC WH-W	95 CO W
Polished Brass	Black/Black	92 SP BL-B	92 SPN BL-B	92 SPNC BL-B	92 FO BL-B	92 FOC BL-B	92 CO B
Polished Brass	Polished Brass/Black	92 SP PB-B	92 SPN PB-B	92 SPNC PB-B	92 FO PB-B	92 FOC PB-B	-
Polished Brass	Polished Brass/White	92 SP PB-W	92 SPN PB-W	92 SPNC PB-W	92 FO PB-W	92 FOC PB-W	-
Polished Brass	White/White	92 SP WH-W	92 SPN WH-W	92 SPNC WH-W	92 FO WH-W	92 FOC WH-W	92 CO W
Satin Brass	Black/Black	94 SP BL-B	94 SPN BL-B	94 SPNC BL-B	94 FO BL-B	94 FOC BL-B	94 CO B
Satin Brass	Satin Brass/Black	94 SP SB-B	94 SPN SB-B	94 SPNC SB-B	94 FO SB-B	94 FOC SB-B	-
Satin Brass	Satin Brass/White	94 SP SB-W	94 SPN SB-W	94 SPNC SB-W	94 FO SB-W	94 FOC SB-W	-
Satin Brass	White/White	94 SP WH-W	94 SPN WH-W	94 SPNC WH-W	94 FO WH-W	94 FOC WH-W	94 CO W
Satin Chrome	Black/Black	96 SP BL-B	96 SPN BL-B	96 SPNC BL-B	96 FO BL-B	96 FOC BL-B	96 CO B
Satin Chrome	Satin Chrome/Black	96 SP SC-B	96 SPN SC-B	96 SPNC SC-B	96 FO SC-B	96 FOC SC-B	-
Satin Chrome	Satin Chrome/White	96 SP SC-W	96 SPN SC-W	96 SPNC SC-W	96 FO SC-W	96 FOC SC-W	-
Satin Chrome	White/White	96 SP WH-W	96 SPN WH-W	96 SPNC WH-W	96 FO WH-W	96 FOC WH-W	96 CO W
Nominal Size:		88.5mm x 88.5mm	88.5mm x 88.5mm	88.5mm x 88.5mm	88.5mm x 88.5mm	88.5mm x 88.5mm	88.5mm x 88.5mm
Minimum Wall Box Depth:		35mm	35mm	35mm	35mm	35mm	35mm

Insert Surround Colour Key: (-B) Black, (-W) White

Cheriton

Georgian Connection Units



91 FO AB-B



90 CO B

CHERITON RANGE



1 gang 13A
Double Pole
Fused Spur



1 gang 13A
Double Pole
Fused Spur + Neon



1 gang 13A
Double Pole
Fused Spur +
Neon +
Cable Outlet



1 gang 13A
Fuse Only



1 gang 13A
Fuse +
Cable Outlet



1 gang 20A
Cable Outlet

Plate Finish	Insert Finish / Surround Colour						
Antique Brass	Antique Brass/Black	91 SP AB-B	91 SPN AB-B	91 SPNC AB-B	91 FO AB-B	91 FOC AB-B	-
Antique Brass	Black/Black	91 SP BL-B	91 SPN BL-B	91 SPNC BL-B	91 FO BL-B	91 FOC BL-B	91 CO B
Polished Brass	Black/Black	90 SP BL-B	90 SPN BL-B	90 SPNC BL-B	90 FO BL-B	90 FOC BL-B	90 CO B
Polished Brass	Polished Brass/Black	90 SP PB-B	90 SPN PB-B	90 SPNC PB-B	90 FO PB-B	90 FOC PB-B	-
Polished Brass	Polished Brass/White	90 SP PB-W	90 SPN PB-W	90 SPNC PB-W	90 FO PB-W	90 FOC PB-W	-
Polished Brass	White/White	90 SP WH-W	90 SPN WH-W	90 SPNC WH-W	90 FO WH-W	90 FOC WH-W	90 CO W
	Nominal Size:	88.0mm x 88.0mm	88.0mm x 88.0mm	88.0mm x 88.0mm	88.0mm x 88.0mm	88.0mm x 88.0mm	88.0mm x 88.0mm
	Minimum Wall Box Depth:	35mm	35mm	35mm	35mm	35mm	35mm

Insert Surround Colour Key: (-B) Black, (-W) White

Cheriton





Victorian 250W 2-Way Dimmers



98 3XLEDITB250




92 4XLEDITB250

Plate Finish	Insert Finish	 1 gang 250W 2-Way Dimmer	 1 gang 250W 2-Way Dimmer	 1 gang 250W 2-Way Dimmer	 1 gang 250W 2-Way Dimmer
Antique Brass	Antique Brass	93 1XLEDITB250	93 2XLEDITB250	93 3XLEDITB250	93 4XLEDITB250
Black Nickel	Black Nickel	98 1XLEDITB250	98 2XLEDITB250	98 3XLEDITB250	98 4XLEDITB250
Bright Chrome	Bright Chrome	95 1XLEDITB250	95 2XLEDITB250	95 3XLEDITB250	95 4XLEDITB250
Polished Brass	Polished Brass	92 1XLEDITB250	92 2XLEDITB250	92 3XLEDITB250	92 4XLEDITB250
Satin Brass	Satin Brass	94 1XLEDITB250	94 2XLEDITB250	94 3XLEDITB250	94 4XLEDITB250
Satin Chrome	Satin Chrome	96 1XLEDITB250	96 2XLEDITB250	96 3XLEDITB250	96 4XLEDITB250
Nominal Size:		88.5mm x 88.5mm	88.5mm x 88.5mm	146.0mm x 86.5mm	146.0mm x 86.5mm
Minimum Wall Box Depth:		35mm	35mm	35mm	35mm





Georgian 250W 2-Way Dimmers



91 3XLEDITB250



90 4XLEDITB250

Plate Finish	Insert Finish	 1 gang 100W LED Trailing/ Leading Edge Push On/Off Rotary Multi-Way Dimmer	 2 gang 100W LED Trailing/ Leading Edge Push On/Off Rotary Multi-Way Dimmer	 3 gang 100W LED Trailing/ Leading Edge Push On/Off Rotary Multi-Way Dimmer	 4 gang 100W LED Trailing/ Leading Edge Push On/Off Rotary Multi-Way Dimmer
Antique Brass	Antique Brass	91 1XLEDITB250	91 2XLEDITB250	91 3XLEDITB250	91 4XLEDITB250
Polished Brass	Polished Brass	90 1XLEDITB250	90 2XLEDITB250	90 3XLEDITB250	90 4XLEDITB250
Nominal Size:		88.5mm x 88.5mm	88.5mm x 88.5mm	146.0mm x 86.5mm	146.0mm x 86.5mm
Minimum Wall Box Depth:		35mm	35mm	35mm	35mm


NOTE: Tungsten filament GU10 lamps must be branded and with a fused base.
NOTE: Please refer to the Dimmer Technical Section on our website for the max Wattage.
NOTE: Please contact our Technical Department for compatibility.

Cheriton





Victorian LED Trailing/Leading Edge Push On/Off Rotary 2 Way Switching Dimmers







96 1XLEDITB100



90 4XLEDITB100

Plate Finish	Insert Finish	 1 gang 100W LED Trailing/ Leading Edge Push On/ Off Rotary 2 Way Switching Dimmer	 2 gang 100W LED Trailing/ Leading Edge Push On/ Off Rotary 2 Way Switching Dimmer	 3 gang 100W LED Trailing/ Leading Edge Push On/ Off Rotary 2 Way Switching Dimmer	 4 gang 100W LED Trailing/ Leading Edge Push On/ Off Rotary 2 Way Switching Dimmer
Antique Brass	Antique Brass	93 1XLEDITB100	93 2XLEDITB100	93 3XLEDITB100	93 4XLEDITB100
Black Nickel	Black Nickel	98 1XLEDITB100	98 2XLEDITB100	98 3XLEDITB100	98 4XLEDITB100
Bright Chrome	Bright Chrome	95 1XLEDITB100	95 2XLEDITB100	95 3XLEDITB100	95 4XLEDITB100
Polished Brass	Polished Brass	92 1XLEDITB100	92 2XLEDITB100	92 3XLEDITB100	92 4XLEDITB100
Satin Brass	Satin Brass	94 1XLEDITB100	94 2XLEDITB100	94 3XLEDITB100	94 4XLEDITB100
Satin Chrome	Satin Chrome	96 1XLEDITB100	96 2XLEDITB100	96 3XLEDITB100	96 4XLEDITB100
Nominal Size:		88.5mm x 88.5mm	88.5mm x 88.5mm	146.0mm x 86.5mm	146.0mm x 86.5mm
Minimum Wall Box Depth:		35mm	35mm	35mm	35mm

Georgian LED Trailing/Leading Edge Push On/Off Rotary 2 Way Switching Dimmers

Plate Finish	Insert Finish	 1 gang 100W LED Trailing/ Leading Edge Push On/ Off Rotary 2 Way Switching Dimmer	 2 gang 100W LED Trailing/ Leading Edge Push On/ Off Rotary 2 Way Switching Dimmer	 3 gang 100W LED Trailing/ Leading Edge Push On/ Off Rotary 2 Way Switching Dimmer	 4 gang 100W LED Trailing/ Leading Edge Push On/ Off Rotary 2 Way Switching Dimmer
Antique Brass	Antique Brass	91 1XLEDITB100	91 2XLEDITB100	91 3XLEDITB100	91 4XLEDITB100
Polished Brass	Polished Brass	90 1XLEDITB100	90 2XLEDITB100	90 3XLEDITB100	90 4XLEDITB100
Nominal Size:		88.0mm x 88.0mm	88.0mm x 88.0mm	146.0mm x 86.5mm	146.0mm x 86.5mm
Minimum Wall Box Depth:		35mm	35mm	35mm	35mm

Note: Tungsten filament GU10 lamps must be branded and with a fused base.
 Note: When using mains voltage halogen lamps - dimmers should be de-rated by 25%
 Note: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.
 Note: Please refer to the Dimmer Technical Section on our website for the max Wattage

Cheriton

Victorian Resistive Leading Edge Push On/Off Rotary 2 Way Switching Dimmers



93 2X40




95 3X40

Plate Finish	Insert Finish	1 gang 400W Resistive Leading Edge Push On/Off Rotary 2 Way Switching Dimmer	2 gang 400W Resistive Leading Edge Push On/Off Rotary 2 Way Switching Dimmer Max 300W per gang	3 gang 400W Resistive Leading Edge Push On/Off Rotary 2 Way Switching Dimmer	4 gang 400W Resistive Leading Edge Push On/Off Rotary 2 Way Switching Dimmer Max 300W per gang	1 gang 600W Resistive Leading Edge Push On/Off Rotary 2 Way Switching Dimmer
Antique Brass	Antique Brass	93 1X40	93 2X40	93 3X40	93 4X40	93 1X60
Black Nickel	Black Nickel	98 1X40	98 2X40	98 3X40	98 4X40	98 1X60
Bright Chrome	Bright Chrome	95 1X40	95 2X40	95 3X40	95 4X40	95 1X60
Polished Brass	Polished Brass	92 1X40	92 2X40	92 3X40	92 4X40	92 1X60
Satin Brass	Satin Brass	94 1X40	94 2X40	94 3X40	94 4X40	94 1X60
Satin Chrome	Satin Chrome	96 1X40	96 2X40	96 3X40	96 4X40	96 1X60
Nominal Size:		88.5mm x 88.5mm	88.5mm x 88.5mm	146.0mm x 86.5mm	146.0mm x 86.5mm	88.5mm x 88.5mm
Minimum Wall Box Depth:		35mm	35mm	35mm	35mm	35mm

Georgian Resistive Leading Edge Push On/Off Rotary 2 Way Switching Dimmers



91 2X40



90 4X40

Plate Finish	Insert Finish	1 gang 400W Resistive Leading Edge Push On/Off Rotary 2 Way Switching Dimmer	2 gang 400W Resistive Leading Edge Push On/Off Rotary 2 Way Switching Dimmer Max 300W per gang	3 gang 400W Resistive Leading Edge Push On/Off Rotary 2 Way Switching Dimmer	4 gang 400W Resistive Leading Edge Push On/Off Rotary 2 Way Switching Dimmer Max 300W per gang	1 gang 600W Resistive Leading Edge Push On/Off Rotary 2 Way Switching Dimmer
Antique Brass	Antique Brass	91 1X40	91 2X40	91 3X40	91 4X40	91 1X60
Polished Brass	Polished Brass	90 1X40	90 2X40	90 3X40	90 4X40	90 1X60
Nominal Size:		88.0mm x 88.0mm	88.0mm x 88.0mm	146.0mm x 86.5mm	146.0mm x 86.5mm	88.0mm x 88.0mm
Minimum Wall Box Depth:		35mm	35mm	35mm	35mm	35mm

NOTE: Tungsten filament GU10 lamps must be branded and with a fused base
 NOTE: When using mains voltage halogen lamps – dimmers should be re-rated by 25%
 NOTE: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.
 NOTE: Please refer to the Dimmer Technical Section on our website for the max wattage

Cheriton

Victorian Inductive Leading Edge Push On/Off Rotary 2 Way Switching Dimmers

CHERITON RANGE



98 1X2V



94 1X2V



1 gang 200VA
Inductive Leading Edge
Push On/Off Rotary
2 Way Switching Dimmer



2 gang 200VA
Inductive Leading Edge
Push On/Off Rotary
2 Way Switching Dimmer

Plate Finish	Insert Finish		
Antique Brass	Antique Brass	93 1X2V	93 2X2V
Black Nickel	Black Nickel	98 1X2V	98 2X2V
Bright Chrome	Bright Chrome	95 1X2V	95 2X2V
Polished Brass	Polished Brass	92 1X2V	92 2X2V
Satin Brass	Satin Brass	94 1X2V	94 2X2V
Satin Chrome	Satin Chrome	96 1X2V	96 2X2V
Nominal Size:		88.5mm x 88.5mm	88.5mm x 88.5mm
Minimum Wall Box Depth:		35mm	35mm

Georgian Inductive Leading Edge Push On/Off Rotary 2 Way Switching Dimmers



90 1X2V



91 1X2V



1 gang 200VA
Inductive Leading Edge
Push On/Off Rotary
2 Way Switching Dimmer



2 gang 200VA
Inductive Leading Edge
Push On/Off Rotary
2 Way Switching Dimmer

Plate Finish	Insert Finish		
Antique Brass	Antique Brass	91 1X2V	91 2X2V
Polished Brass	Polished Brass	90 1X2V	90 2X2V
Nominal Size:		88.0mm x 88.0mm	88.0mm x 88.0mm
Minimum Wall Box Depth:		35mm	35mm

NOTE: Tungsten filament GU10 lamps must be branded and with a fused base

NOTE: When using mains voltage halogen lamps – dimmers should be re-rated by 25%

NOTE: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.

NOTE: Please refer to the Dimmer Technical Section on our website for the max wattage

Cheriton

Victorian Resistive/Inductive Trailing Edge Push On/Off Rotary Multi-Way Dimmers



93 1XTE



94 3XTE



1 gang 250W/210VA
Resistive/Inductive Trailing
Edge Push On/Off Rotary
Multi-Way Dimmer



2 gang 250W/210VA
Resistive/Inductive Trailing
Edge Push On/Off Rotary
Multi-Way Dimmer



3 gang 250W/210VA
Resistive/Inductive Trailing
Edge Push On/Off Rotary
Multi-Way Dimmer



4 gang 250W/210VA
Resistive/Inductive Trailing
Edge Push On/Off Rotary
Multi-Way Dimmer

Plate Finish	Insert Finish	93 1XTE	93 2XTE	93 3XTE	93 4XTE
Antique Brass	Antique Brass	93 1XTE	93 2XTE	93 3XTE	93 4XTE
Black Nickel	Black Nickel	98 1XTE	98 2XTE	98 3XTE	98 4XTE
Bright Chrome	Bright Chrome	95 1XTE	95 2XTE	95 3XTE	95 4XTE
Polished Brass	Polished Brass	92 1XTE	92 2XTE	92 3XTE	92 4XTE
Satin Brass	Satin Brass	94 1XTE	94 2XTE	94 3XTE	94 4XTE
Satin Chrome	Satin Chrome	96 1XTE	96 2XTE	96 3XTE	96 4XTE
Nominal Size:		88.5mm x 88.5mm	88.5mm x 88.5mm	146.0mm x 86.5mm	146.0mm x 86.5mm
Minimum Wall Box Depth:		35mm	35mm	35mm	35mm

Georgian Resistive/Inductive Trailing Edge Push On/Off Rotary Multi-Way Dimmers



91 2XTE



90 4XTE



1 gang 250W/210VA
Resistive/Inductive Trailing
Edge Push On/Off Rotary
Multi-Way Dimmer



2 gang 250W/210VA
Resistive/Inductive Trailing
Edge Push On/Off Rotary
Multi-Way Dimmer



3 gang 250W/210VA
Resistive/Inductive Trailing
Edge Push On/Off Rotary
Multi-Way Dimmer



4 gang 250W/210VA
Resistive/Inductive Trailing
Edge Push On/Off Rotary
Multi-Way Dimmer

Plate Finish	Insert Finish	91 1XTE	91 2XTE	91 3XTE	91 4XTE
Antique Brass	Antique Brass	91 1XTE	91 2XTE	91 3XTE	91 4XTE
Polished Brass	Polished Brass	90 1XTE	90 2XTE	90 3XTE	90 4XTE
Nominal Size:		88.5mm x 88.5mm	88.5mm x 88.5mm	146.0mm x 86.5mm	146.0mm x 86.5mm
Minimum Wall Box Depth:		35mm	35mm	35mm	35mm

NOTE: Tungsten filament GU10 lamps must be branded and with a fused base
 NOTE: When using mains voltage halogen lamps – dimmers should be re-rated by 25%
 NOTE: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.
 NOTE: Please refer to the Dimmer Technical Section on our website for the max wattage

Cheriton





Victorian Resistive/Inductive Trailing Edge Touch Master Multi-Way Dimmers







92 1XTSPB B



92 3XTMPB W

Plate Finish	Insert Finish / Surround Colour	 1 gang 250W/210VA Resistive/Inductive Trailing Edge Touch Master Multi-Way Dimmer	 2 gang 250W/210VA Resistive/Inductive Trailing Edge Touch Master Multi-Way Dimmer	 3 gang 250W/210VA Resistive/Inductive Trailing Edge Touch Master Multi-Way Dimmer	 4 gang 250W/210VA Resistive/Inductive Trailing Edge Touch Master Multi-Way Dimmer
Antique Brass	Antique Brass/Black	93 1XTM AB-B	93 2XTM AB-B	93 3XTM AB-B	93 4XTM AB-B
Black Nickel	Black Nickel/Black	98 1XTM BK-B	98 2XTM BK-B	98 3XTM BK-B	98 4XTM BK-B
Bright Chrome	Bright Chrome/Black	95 1XTM BC-B	95 2XTM BC-B	95 3XTM BC-B	95 4XTM BC-B
Bright Chrome	Bright Chrome/White	95 1XTM BC-W	95 2XTM BC-W	95 3XTM BC-W	95 4XTM BC-W
Polished Brass	Polished Brass/Black	92 1XTM PB-B	92 2XTM PB-B	92 3XTM PB-B	92 4XTM PB-B
Polished Brass	Polished Brass/White	92 1XTM PB-W	92 2XTM PB-W	92 3XTM PB-W	92 4XTM PB-W
Satin Brass	Satin Brass/Black	94 1XTM SB-B	94 2XTM SB-B	94 3XTM SB-B	94 4XTM SB-B
Satin Brass	Satin Brass/White	94 1XTM SB-W	94 2XTM SB-W	94 3XTM SB-W	94 4XTM SB-W
Satin Chrome	Satin Chrome/Black	96 1XTM SC-B	96 2XTM SC-B	96 3XTM SC-B	96 4XTM SC-B
Satin Chrome	Satin Chrome/White	96 1XTM SC-W	96 2XTM SC-W	96 3XTM SC-W	96 4XTM SC-W
Nominal Size:		88.5mm x 88.5mm	88.5mm x 88.5mm	146.0mm x 86.5mm	146.0mm x 86.5mm
Minimum Wall Box Depth:		35mm	35mm	35mm	35mm

Georgian Resistive/Inductive Trailing Edge Touch Master Multi-Way Dimmers

Plate Finish	Insert Finish / Surround Colour	 1 gang 250W/210VA Resistive/Inductive Trailing Edge Touch Master Multi-Way Dimmer	 2 gang 250W/210VA Resistive/Inductive Trailing Edge Touch Master Multi-Way Dimmer	 3 gang 250W/210VA Resistive/Inductive Trailing Edge Touch Master Multi-Way Dimmer	 4 gang 250W/210VA Resistive/Inductive Trailing Edge Touch Master Multi-Way Dimmer
Antique Brass	Antique Brass/Black	91 1XTM AB-B	91 2XTM AB-B	91 3XTM AB-B	91 4XTM AB-B
Polished Brass	Polished Brass/Black	90 1XTM PB-B	90 2XTM PB-B	90 3XTM PB-B	90 4XTM PB-B
Polished Brass	Polished Brass/White	90 1XTM PB-W	90 2XTM PB-W	90 3XTM PB-W	90 4XTM PB-W
Nominal Size:		88.5mm x 88.5mm	88.5mm x 88.5mm	146.0mm x 86.5mm	146.0mm x 86.5mm
Minimum Wall Box Depth:		35mm	35mm	35mm	35mm

NOTE: Tungsten filament GU10 lamps must be branded and with a fused base
 NOTE: When using mains voltage halogen lamps – dimmers should be re-rated by 25%
 NOTE: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.
 NOTE: Please refer to the Dimmer Technical Section on our website for the max wattage

Insert Surround Colour Key: (-B) Black, (-W) White

Cheriton

Victorian Multi-Way Touch Slave Controllers



95 1XTS BC-W




94 4XTS SB-B

Plate Finish	Insert Finish/ Surround Colour	1 gang Multi-Way Touch Slave Controller	2 gang Multi-Way Touch Slave Controller	3 gang Multi-Way Touch Slave Controller	4 gang Multi-Way Touch Slave Controller
Antique Brass	Antique Brass/Black	93 1XTS AB-B	93 2XTS AB-B	93 3XTS AB-B	93 4XTS AB-B
Black Nickel	Black Nickel/Black	98 1XTS BK-B	98 2XTS BK-B	98 3XTS BK-B	98 4XTS BK-B
Bright Chrome	Bright Chrome/Black	95 1XTS BC-B	95 2XTS BC-B	95 3XTS BC-B	95 4XTS BC-B
Bright Chrome	Bright Chrome/White	95 1XTS BC-W	95 2XTS BC-W	95 3XTS BC-W	95 4XTS BC-W
Polished Brass	Polished Brass/Black	92 1XTS PB-B	92 2XTS PB-B	92 3XTS PB-B	92 4XTS PB-B
Polished Brass	Polished Brass/White	92 1XTS PB-W	92 2XTS PB-W	92 3XTS PB-W	92 4XTS PB-W
Satin Brass	Satin Brass/Black	94 1XTS SB-B	94 2XTS SB-B	94 3XTS SB-B	94 4XTS SB-B
Satin Brass	Satin Brass/White	94 1XTS SB-W	94 2XTS SB-W	94 3XTS SB-W	94 4XTS SB-W
Satin Chrome	Satin Chrome/Black	96 1XTS SC-B	96 2XTS SC-B	96 3XTS SC-B	96 4XTS SC-B
Satin Chrome	Satin Chrome/White	96 1XTS SC-W	96 2XTS SC-W	96 3XTS SC-W	96 4XTS SC-W
Nominal Size:		88.5mm x 88.5mm	88.5mm x 88.5mm	146.0mm x 86.5mm	146.0mm x 86.5mm
Minimum Wall Box Depth:		35mm	35mm	35mm	35mm

Georgian Multi-Way Touch Slave Controllers



91 1XTS AB-B



90 4XTS PB-W

Plate Finish	Insert Finish/ Surround Colour	1 gang Multi-Way Touch Slave Controller	2 gang Multi-Way Touch Slave Controller	3 gang Multi-Way Touch Slave Controller	4 gang Multi-Way Touch Slave Controller
Antique Brass	Antique Brass/Black	91 1XTS AB-B	91 2XTS AB-B	91 3XTS AB-B	91 4XTS AB-B
Polished Brass	Polished Brass/Black	90 1XTS PB-B	90 2XTS PB-B	90 3XTS PB-B	90 4XTS PB-B
Polished Brass	Polished Brass/White	90 1XTS PB-W	90 2XTS PB-W	90 3XTS PB-W	90 4XTS PB-W
Nominal Size:		88.5mm x 88.5mm	88.5mm x 88.5mm	146.0mm x 86.5mm	146.0mm x 86.5mm
Minimum Wall Box Depth:		35mm	35mm	35mm	35mm

NOTE: To only be used with Touch Masters

Insert Surround Colour Key: (-B) Black, (-W) White

Cheriton

Victorian Blank Plates



93 BPS



94 BPD



Single Blank Plate



Double Blank Plate

Plate Finish	Single Blank Plate	Double Blank Plate
Antique Brass	93 BPS	93 BPD
Black Nickel	98 BPS	98 BPD
Bright Chrome	95 BPS	95 BPD
Polished Brass	92 BPS	92 BPD
Satin Brass	94 BPS	94 BPD
Satin Chrome	96 BPS	96 BPD
Nominal Size:	88.5mm x 88.5mm	146.0mm x 86.5mm
Minimum Wall Box Depth:	Any Box	Any Box

Georgian Blank Plates



91 BPS



90 BPD



Single Blank Plate




Double Blank Plate

Plate Finish	Single Blank Plate	Double Blank Plate
Antique Brass	91 BPS	91 BPD
Polished Brass	90 BPS	90 BPD
Nominal Size:	88.5mm x 88.5mm	146.0mm x 86.5mm
Minimum Wall Box Depth:	Any Box	Any Box

Insert Surround Colour Key: (-B) Black, (-W) White

Cheriton

Victorian GRID-IT Grid Fix Plates complete with Fixing Grid



94 3GP

96 6GP






Plate Finish	1 Gang Grid Fix Aperture Plate with Grid	2 Gang Grid Fix Aperture Plate with Grid	3 Gang Grid Fix Aperture Plate with Grid	4 Gang Grid Fix Aperture Plate with Grid	6 Gang Grid Fix Aperture Plate with Grid
Antique Brass	93 1GP	93 2GP	93 3GP	93 4GP	93 6GP
Bright Chrome	95 1GP	95 2GP	95 3GP	95 4GP	95 6GP
Satin Chrome	96 1GP	96 2GP	96 3GP	96 4GP	96 6GP
Polished Brass	92 1GP	92 2GP	92 3GP	92 4GP	92 6GP
Satin Brass	94 1GP	94 2GP	94 3GP	94 4GP	94 6GP
Nominal Size:	88.5mm x 88.5mm	88.5mm x 88.5mm	146.0mm x 86.5mm	146.0mm x 86.5mm	148.5mm x 148.5mm
Minimum Wall Box Depth:	As Per Insert	As Per Inserts	As Per Inserts	As Per Inserts	As Per Inserts

Georgian GRID-IT Grid Fix Plates complete with Fixing Grid



90 3GP

90 4GP






Plate Finish	1 Gang Grid Fix Aperture Plate with Grid	2 Gang Grid Fix Aperture Plate with Grid	3 Gang Grid Fix Aperture Plate with Grid	4 Gang Grid Fix Aperture Plate with Grid	6 Gang Grid Fix Aperture Plate with Grid
Antique Brass	91 1GP	91 2GP	91 3GP	91 4GP	91 6GP
Polished Brass	90 1GP	90 2GP	90 3GP	90 4GP	90 6GP
Nominal Size:	88.0mm x 88.0mm	88.0mm x 88.0mm	146mm x 86.5mm	146mm x 86.5mm	150.5mm x 150.5mm
Minimum Wall Box Depth:	As Per Insert	As Per Insert	As Per Insert	As Per Insert	As Per Insert

Note: Minimum Wall Box depth is dependant on the Grid Fix insert fitted, please see the GRID-IT section for the complete range of inserts.


Cheriton

Victorian GRID-IT Grid Fix Plates complete with Fixing Grid


CHERITON RANGE




96 8GP




90 8GP



8 Gang Grid Fix Aperture Plate with Grid




9 Gang Grid Fix Aperture Plate with Grid



12 Gang Grid Fix Aperture Plate with Grid




1 gang 13A Switched Socket Grid Fix Aperture Plate (Grids supplied with Inserts)




2 gang 13A Switched Socket Grid Fix Aperture Plate (Grids supplied with Inserts)

Plate Finish	96 8GP	90 8GP	95 12GP	95 SS1GP	95 SS2GP
Bright Chrome	95 8GP	95 9GP	95 12GP	95 SS1GP	95 SS2GP
Satin Chrome	96 8GP	96 9GP	96 12GP	96 SS1GP	96 SS2GP
Polished Brass	92 8GP	92 9GP	92 12GP	92 SS1GP	92 SS2GP
Satin Brass	94 8GP	94 9GP	94 12GP	94 SS1GP	94 SS2GP
Nominal Size:	148.5mm x 148.5mm	148.0mm x 210mm	148.0mm x 210mm	88.5mm x 88.5mm	146.0mm x 86.5mm
Minimum Wall Box Depth:	As Per Inserts	As Per Inserts	As Per Inserts	As Per Insert	As Per Insert


Georgian GRID-IT Grid Fix Plates complete with Fixing Grid



8 Gang Grid Fix Aperture Plate with Grid




9 Gang Grid Fix Aperture Plate with Grid



12 Gang Grid Fix Aperture Plate with Grid



1 Gang 13A Switched Socket Grid Fix Aperture (Grids supplied with inserts)



2 Gang 13A Switched Socket Grid Fix Aperture (Grid supplied with inserts)

Plate Finish	90 8GP	90 9GP	90 12GP	90 SS1GP	90 SS2GP
Polished Brass	90 8GP	90 9GP	90 12GP	90 SS1GP	90 SS2GP
Nominal Size:	150.5mm x 150.5mm	150.0mm x 210mm	150.0mm x 210mm	88.0mm x 88.0mm	146.0mm x 86.5mm
Minimum Wall Box Depth:	As Per Inserts	As Per Inserts	As Per Inserts	As Per Insert	As Per Insert

Note: Minimum Wall Box depth is dependant on the Grid Fix insert fitted, please see the GRID-IT section for the complete range of inserts.

Cheriton

Victorian EuroFix Plates complete with Fixing Grid



95 EURO3



94 EURO4

Plate Finish	1 Module EuroFix 25x50mm Aperture Plate with Grid	2 Module Eurofix 50x50mm Aperture Plate with Grid	3 Module Eurofix 75x50mm Aperture Plate with Grid	4 Module Eurofix 100x50mm Aperture Plate with Grid
Antique Brass	93 EURO1	93 EURO2	93 EURO3	93 EURO4
Black Nickel	98 EURO1	98 EURO2	98 EURO3	98 EURO4
Bright Chrome	95 EURO1	95 EURO2	95 EURO3	95 EURO4
Polished Brass	92 EURO1	92 EURO2	92 EURO3	92 EURO4
Satin Brass	94 EURO1	94 EURO2	94 EURO3	94 EURO4
Satin Chrome	96 EURO1	96 EURO2	96 EURO3	96 EURO4
Nominal Size:	88.5mm x 88.5mm	88.5mm x 88.5mm	146.0mm x 86.5mm	146.0mm x 86.5mm
Minimum Wall Box Depth:	As Per Insert	As Per Inserts	As Per Inserts	As Per Inserts

Georgian EuroFix Plates complete with Fixing Grid



91 EURO1



90 EURO2

Plate Finish	1 Module EuroFix 25x50mm Aperture Plate with Grid	2 Module Eurofix 50x50mm Aperture Plate with Grid	3 Module EuroFix 75x50mm Aperture Plate with Grid	4 Module Eurofix 100x50mm Aperture Plate with Grid
Antique Brass	91 EURO1	91 EURO2	91 EURO3	91 EURO4
Polished Brass	90 EURO1	90 EURO2	90 EURO3	90 EURO4
Nominal Size:	88.5mm x 88.5mm	88.5mm x 88.5mm	146.0mm x 86.5mm	146.0mm x 86.5mm
Minimum Wall Box Depth:	As Per Insert	As Per Inserts	As Per Inserts	As Per Inserts

Note: Minimum Wall Box depth is dependant on the EuroFix insert fitted, please see the EuroFix section for our complete range of inserts.