

Grid-IT

A comprehensive range of Grid-Fix electrical wiring accessory modules

Grid-IT switches and sockets are grid-fixed to provide flexibility. Separate modules can be clipped together on the grid to create the desired combination. This can be done on-site for an instant solution.

- Flexibility of separate modules
- Larger sized plates
- Neon switch halos for visual identification; available in four colours
- Printed words or symbols for appliance or function identification
- Available on many regular Hamilton plate styles



View range online

GRID-IT Modules

Rocker / Dimmer Switches

Insert Finish/ Surround Colour	10AX 2 Way Rocker Module	20AX 2 Way Rocker Module	20AX Intermediate Rocker Module	20AX Double Pole Rocker	10AX Push To Make/Break Retractive Rocker Module	10AX Retractive 2 Way + Off Rocker Module	20AX Non- Retractive 2 Way + Off Rocker Module	ID250KIT LED Grid Module Kit *fits 1-12g
Antra Gray/Quartz Grey	-	-	-	-	-	-	-	ID250KIT GA-QG
Antique Brass/Black	IR21 AB-B	IR212 AB-B	IR312 AB-B	IDP AB-B	IRRT AB-B	IRR2W AB-B	IR2WO AB-B	ID250KIT AB-B
Bright Chrome/Black	IR21 BC-B	IR212 BC-B	IR312 BC-B	IDP BC-B	IRRT BC-B	IRR2W BC-B	IR2WO BC-B	ID250KIT BC-B
Bright Chrome/Quartz Grey	-	IR212 BC-QG	IR312 BC-QG	IDP BC-QG	-	-	-	-
Bright Chrome/White	IR21 BC-W	IR212 BC-W	IR312 BC-W	IDP BC-W	IRRT BC-W	IRR2W BC-W	IR2WO BC-W	ID250KIT BC-W
Black Nickel/Black	IR21 BK-B	IR212 BK-B	IR312 BK-B	IDP BK-B	IRRT BK-B	IRR2W BK-B	IR2WO BK-B	ID250KIT BK-B
Black/Black	IR21 BL-B	IR212 BL-B	IR312 BL-B	IDP BL-B	IRRT BL-B	IRR2W BL-B	IR2WO BL-B	ID250KIT BL-B
Polished Brass/Black	IR21 PB-B	IR212 PB-B	IR312 PB-B	IDP PB-B	IRRT PB-B	IRR2W PB-B	IR2WO PB-B	ID250KIT PB-B
Polished Brass/White	IR21 PB-W	IR212 PB-W	IR312 PB-W	IDP PB-W	IRRT PB-W	IRR2W PB-W	IR2WO PB-W	ID250KIT PB-W
Satin Brass/Black	IR21 SB-B	IR212 SB-B	IR312 SB-B	IDP SB-B	IRRT SB-B	IRR2W SB-B	IR2WO SB-B	ID250KIT SB-B
Satin Brass/White	IR21 SB-W	IR212 SB-W	IR312 SB-W	IDP SB-W	IRRT SB-W	IRR2W SB-W	IR2WO SB-W	ID250KIT SB-W
Satin Chrome/Black	IR21 SC-B	IR212 SC-B	IR312 SC-B	IDP SC-B	IRRT SC-B	IRR2W SC-B	IR2WO SC-B	-
Satin Chrome/White	IR21 SC-W	IR212 SC-W	IR312 SC-W	IDP SC-W	IRRT SC-W	IRR2W SC-W	IR2WO SC-W	-
Satin Steel/Black	IR21 SS-B	IR212 SS-B	IR312 SS-B	IDP SS-B	IRRT SS-B	IRR2W SS-B	IR2WO SS-B	ID250KIT SS-B
Satin Steel/Quartz Grey	-	IR212 SS-QG	IR312 SS-QG	IDP SS-QG	-	-	-	ID250KIT SS-QG
Satin Steel/White	IR21 SS-W	IR212 SS-W	IR312 SS-W	IDP SS-W	IRRT SS-W	IRR2W SS-W	IR2WO SS-W	ID250KIT SS-W
White	IR21 WH-W	IR212 WH-W	IR312 WH-W	IDP WH-W	IRRT WH-W	IRR2W WH-W	IR2WO WH-W	ID250KIT WH-W

Pack Quantity: 5
Minimum Wall Box Depth: 35mm
British Standard: BS EN 60669-1

10AX Push To Make Rocker Modules with Bell Symbol



10AX Push To Make Rocker Module Bell Symbol

Insert Finish/ Surround Colour	White/White	Black/Black
	IBP WH-W	IBP BL-B

Pack Quantity: 5
Minimum Wall Box Depth: 35mm
British Standard: BS EN 60669-1

Connection Unit 20A Cable Outlet Modules



20A Cable Outlet Module

Insert Finish	White	Black
	ICO20 W	ICO20 B

Pack Quantity: 5
Minimum Wall Box Depth: 35mm
British Standard: BS EN 60669-1

GRID-IT Modules

20AX Double Pole Rocker Module + Printed Legend

1 gang 20AX Double Pole Rocker

Pack Quantity: 5
 Minimum Wall Depth: 35mm
 British Standard: BS 60669-1



White/White
IDPBO WH-W



Black/Black
IDPBO BL-B



White/White
IDPCM WH-W



Black/Black
IDPCM BL-B



White/White
IDPCH WH-W



Black/Black
IDPCH BL-B



White/White
IDPDW WH-W



Black/Black
IDPDW BL-B



White/White
IDPFN WH-W



Black/Black
IDPFN BL-B



White/White
IDPFZ WH-W



Black/Black
IDPFZ BL-B



White/White
IDPFG WH-W



Black/Black
IDPFG BL-B



White/White
IDPFF WH-W



Black/Black
IDPFF BL-B



White/White
IDPHT WH-W



Black/Black
IDPHT BL-B



White/White
IDPHO WH-W



Black/Black
IDPHO BL-B



White/White
IDPMW WH-W



Black/Black
IDPMW BL-B



White/White
IDPOV WH-W



Black/Black
IDPOV BL-B



White/White
IDPSO WH-W



Black/Black
IDPSO BL-B



White/White
IDPTD WH-W



Black/Black
IDPTD BL-B



White/White
IDPDR WH-W



Black/Black
IDPDR BL-B



White/White
IDPWDY WH-W



Black/Black
IDPWDY BL-B



White/White
IDPWM WH-W



Black/Black
IDPWM BL-B



White/White
IDPWD WH-W



Black/Black
IDPWD BL-B



White/White
IDPWT WH-W



Black/Black
IDPWT BL-B



White/White
IDPWC WH-W



Black/Black
IDPWC BL-B

GRID-IT Modules

Blanking Module

Pack Quantity: 5
Minimum Wall Depth: 35mm


					
Antique Brass/Black IBMOD AB-B	Bright Chrome/Black IBMOD BC-B	Bright Chrome/White IBMOD BC-W	Black Nickel/Black IBMOD BK-B	Black/Black IBMOD BL-B	Polished Brass/Black IBMOD PB-B
					
Polished Brass/White IBMOD PB-W	Satin Brass/White IBMOD SB-W	Satin Brass/Black IBMOD SB-B	Satin Chrome/Black IBMOD SC-B	Satin Chrome/White IBMOD SC-W	White/White IBMOD WH-W
					
Satin Steel/Black IBMOD SS-B	Satin Steel/White IBMOD SS-W				

GRID-IT Modules

Connection Units with Neon Halo Module


13A Fuse Modules with Amber Neon Halo

Pack Quantity: 5
 Minimum Wall Box Depth: 35mm
 British Standard: BS 5733
 Replacement Fuses to BS 1362 Standard




13A Fuse Modules with Blue Neon Halo

Pack Quantity: 5
 Minimum Wall Box Depth: 35mm
 British Standard: BS 5733
 Replacement Fuses to BS 1362 Standard




13A Fuse Modules with Green Neon Halo

Pack Quantity: 5
 Minimum Wall Box Depth: 35mm
 British Standard: BS 5733
 Replacement Fuses to BS 1362 Standard



13A Fuse Modules with Red Neon Halo

Pack Quantity: 5
 Minimum Wall Box Depth: 35mm
 British Standard: BS 5733
 Replacement Fuses to BS 1362 Standard




GRID-IT RANGE

GRID-IT Modules

Connection Units


Neon Modules with Amber Neon Halo

Pack Quantity: 5
 Minimum Wall Box Depth: 35mm
 British Standard: BS 5733




Neon Modules with Blue Neon Halo

Pack Quantity: 5
 Minimum Wall Box Depth: 35mm
 British Standard: BS 5733



Neon Modules with Green Neon Halo

Pack Quantity: 5
 Minimum Wall Box Depth: 35mm
 British Standard: BS 5733



Neon Modules with Red Neon Halo

Pack Quantity: 5
 Minimum Wall Box Depth: 35mm
 British Standard: BS 5733



GRID-IT Modules

Connection Units

Neon Only Module

Pack Quantity: 5
Minimum Wall Depth: 35mm
British Standard: BS 5733



INO A



INO B



INO G



INO R

Hotel Maid Service Neon Modules

Pack Quantity: 5
Minimum Wall Depth: 35mm
British Standard: BS 5733

Neon Halo Module
Maid Symbol



INOMA G

Neon Halo Module
Crossed Bell Symbol



INOBE R

Neon Halo Module
Please Clean Room
(Horizontally Mounted)



INOPCRG

Neon Halo Module
Do Not Disturb
(Horizontally Mounted)



INODND R

GRID-IT Modules

Resistive/Inductive Trailing Edge Touch Master Multi-Way Dimmers

250W/210VA

Resistive/Inductive Trailing Edge

Touch Master Multi-Way Dimmer Module

Pack Quantity: 5

Minimum Wall Depth: 35mm

British Standard: BS 606 69-2-1

Note: When using mains voltage halogen lamps - dimmers should be de-rated by 25%

Note: When using mains voltage halogen load transformers - maximum rating is 210VA

Note: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility



Bright Chrome/White
IDTM BC-W

Bright Chrome/Black
IDTM BC-B

Satin Chrome/White
IDTM SC-W

Satin Chrome/Black
IDTM SC-B

Satin Steel/White
IDTM SS-W

Satin Steel/Black
IDTM SS-B



Polished Brass/White
IDTM PB-W

Polished Brass/Black
IDTM PB-B

Satin Brass/White
IDTM SB-W

Satin Brass/Black
IDTM SB-B

Antique Brass/Black
IDTM AB-B

Black Nickel/Black
IDTM BK-B

Multi-Way Touch Slave Controllers

Multi-Way Touch Slave Controller Module

Pack Quantity: 5

Minimum Wall Depth: 35mm

British Standard: BS 5733

Note: To only be used with Touch Master Dimmers

Note: Tungsten Filament GU10 Lamps must be branded with a Fused Base

Note: When using mains voltage halogen lamps - dimmers should be de-rated by 25%

Note: When using mains voltage halogen load transformers - maximum rating is 210VA



Bright Chrome/White
IDTS BC-W

Bright Chrome/Black
IDTS BC-B

Satin Chrome/White
IDTS SC-W

Satin Chrome/Black
IDTS SC-B

Satin Steel/White
IDTS SS-W

Satin Steel/Black
IDTS SS-B



Polished Brass/White
IDTS PB-W

Polished Brass/Black
IDTS PB-B

Satin Brass/White
IDTS SB-W

Satin Brass/Black
IDTS SB-B

Antique Brass/Black
IDTS AB-B

Black Nickel/Black
IDTS BK-B

GRID-IT Modules

Resistive/Inductive Trailing Edge Push On/Off Rotary Multi-Way Dimmers

250W/210VA
Multi-Way
Trailing Edge Push On/Off
Dimmer Module and Knob Kit

Quantity: 5
Minimum Wall Depth: 35mm
British Standard: 60669-2-1

*Note: Tungsten Filament GU10 Lamps must be branded with a Fused Base.
Note: When using mains voltage halogen lamps - dimmers should be de-rated by 25%
Note: When using mains voltage halogen load transformers - maximum rating is 210VA
Note: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility*



Antique Brass	Bright Chrome	Black Nickel	Polished Brass	Satin Brass	Satin Chrome	Satin Steel	White Plastic
IDTE AB	IDTE BC	IDTE BK	IDTE PB	IDTE SB	IDTE SC	IDTE SS	IDTE WH

Grid Fix Dimmer Kit inc Knob and Inlays

Consisting of Black and White Frame with Matching Metal Inlay,
Dimmer Knob and Retaining Ring

Note: Not suitable for LED Modules



Satin Steel

Polished Brass

Antique Brass	Bright Chrome	Black Nickel	Polished Brass	Satin Brass	Satin Chrome	Satin Steel
IDKIT AB	IDKIT BC	IDKIT BK	IDKIT PB	IDKIT SB	IDKIT SC	IDKIT SS

GRID-IT Modules

Push On/Off Switches

3A Intermediate Push On/Off Module

Tungsten Filament and Halogen
Rating: Maximum 3A per gang

Pack Quantity: 5	White/White
Minimum Wall Box Depth: 35mm	IDIP WH
British Standard: BS 5733	



6A 2 Way Push On/Off Switch Module

Tungsten Filament and Halogen
Rating: Maximum 6AX per gang

Pack Quantity: 5	White/White
Minimum Wall Box Depth: 35mm	IDPS WH
British Standard: BS 60669-1	



Resistive Leading Edge Push On/Off 2 Way Switching Dimmers

400W 2 Way Dimmer Module

Tungsten Filament and Halogen
Rating: Minimum 40W per gang
Tungsten Filament Rating: Maximum 400W per gang
Halogen Rating: Maximum 300W per gang

Note: Tungsten Filament GU10 Lamps must be branded with a Fused Base.
Note: When using mains voltage halogen lamps - dimmers should be de-rated by 25%
Note: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.

Pack Quantity: 5	White/White
Minimum Wall Box Depth: 35mm	ID40 WH
British Standard: BS 60669-2-1	



High Frequency Ballast Controller Module

1-10V DC High Frequency Ballast Controller Module (No Off)

Tungsten Filament and Halogen
Rating: Max. 50 Ballasts per Controller. 1-10V
DC Control - NOT for connection to 230V Mains.
Only to be used in conjunction with a 10A or 20A 2 Way Rocker Switch.

Pack Quantity: 5	White/White
Minimum Wall Box Depth: 35mm	IDHF10V WH
British Standard: BS 60669-2-1	




GRID-IT Modules

Power Sockets

1 gang 13A
Double Pole
Switched Socket Module

Quantity: 5
Minimum Wall Depth: 35mm
British Standard: BS1363



Bright Chrome/White
ISS1 BC-W

Bright Chrome/Black
ISS1 BC-B

Satin Chrome/White
ISS1 SC-W

Satin Chrome/Black
ISS1 SC-B

Satin Steel/White
ISS1 SS-W

Satin Steel/Black
ISS1 SS-B



Polished Brass/White
ISS1 PB-W

Polished Brass/Black
ISS1 PB-B

Satin Brass/White
ISS1 SB-W

Satin Brass/Black
ISS1 SB-B

Antique Brass/Black
ISS1 AB-B

Black Nickel/Black
ISS1 BK-B



White/White
ISS1 WH-W

Black/Black
ISS1 BL-B

GRID-IT RANGE

GRID-IT Modules

Power Sockets

2 gang 13A
Double Pole
Switched Socket Module

Quantity: 5
Minimum Wall Depth: 35mm
British Standard: BS1363



Bright Chrome/White
ISS2 BC-W



Bright Chrome/Black
ISS2 BC-B



Satin Chrome/White
ISS2 SC-W



Satin Chrome/Black
ISS2 SC-B



Satin Steel/White
ISS2 SS-W



Satin Steel/Black
ISS2 SS-B



Polished Brass/White
ISS2 PB-W



Polished Brass/Black
ISS2 PB-B



Satin Brass/White
ISS2 SB-W




Satin Brass/Black
ISS2 SB-B



Antique Brass/Black
ISS2 AB-B



Black Nickel/Black
ISS2 BK-B



White/White
ISS2 WH-W



Black/Black
ISS2 BL-B

GRID-IT Modules

Key Switches

Pack Quantity: 5
 Minimum Wall Depth: 35mm
 British Standard: EN60669-2-1

20AX
2 Way
Key Switch
Module



20AX
Double Pole
Key Switch
Module



20AX 2 Way
Key switch
EMG LTG TEST
Module



Key Switches - Spare Key

Spare Key For
Key Switch

Pack Quantity: 5



1KEY

Spare Screws

Screws From Apertured Plate to Grid,
Dome-Headed Slotted M3 x 5mm

Box Quantity: 50 Size: M3 x 5mm	White	Polished Brass	Satin Brass	Bright Chrome	Black Nickel	Antique Brass
	PS GR WH	PS GR PB	PS GR SB	PS GR BC	PS GR BK	PS GR AB

Box Quantity: 50
Size: M3.5 x 25mm

Screws From Grid To Back Box,
Slotted Countersunk
M3.5 x 25mm

SG BOX25

Box Quantity: 50
Size: M3.5 x 50mm

Screws From Grid To Back Box,
Slotted Countersunk
M3.5 x 50mm

SG BOX50

Screws From Socket Apertured Plate to Grid,
Countersunk Slotted M3 x 5mm

Box Quantity: 50 Size: M3 x 5mm	White	Polished Brass	Satin Brass	Bright Chrome	Black Nickel	Antique Brass
	PS GS WH	PS GS PB	PS GS SB	PS GS BC	PS GS BK	PS GS AB

Box Quantity: 50
Size: M2.5 x 25mm

Screws From Module Insert
to Grid, Countersunk Cross
Slotted M2.5 x 25mm

SG INS

GRID-IT Modules

Spare Fixing Grids

For Sheer, Hartland and Cheriton Front Plates



1 gang Insert Grid	2 gang Insert Grid	3 gang Insert Grid	4 gang Insert Grid
1G-GRID	2G-GRID	3G-GRID	4G-GRID

Pack Quantity: 5