



CORE



recycled into our core, not the earth's.

**Industry's 1st
and only BBA
approved
recycled roofline
from Homeline.**

Virgin PVC-U Skin


To guarantee a match, we use the same process as our non-recycled fascias. This means once installed – it's impossible to tell the difference!

100% Recycled Core

We use recycled PVC-U windows, rooflines and doors that are re-extruded into our inner core, which meet and exceed the most stringent recycling and sustainability criteria.



CORE

Square Fascia (16mm)			
	DESCRIPTION	CODE	W
	150mm x 5m	ESF150	✓
	175mm x 5m	ESF175	✓
	200mm x 5m	ESF200	✓
	225mm x 5m	ESF225	✓
	250mm x 5m	ESF250	✓
	300mm x 5m	ESF300	✓
	405mm x 5m	ESF405	✓
Square Cap Over (9mm)			
	DESCRIPTION	CODE	W
	100mm x 5m	ERC095	✓
	150mm x 5m	ERC150	✓
	175mm x 5m	ERC175	✓
	200mm x 5m	ERC200	✓
	225mm x 5m	ERC225	✓
	250mm x 5m	ERC250	✓
	300mm x 5m	ERC300	✓
	400mm x 5m	ERC400	✓
605mm x 5m	ERC605	✓	
Solid Soffit (9mm)			
	DESCRIPTION	CODE	W
	100mm x 5m	EMB100	✓
	150mm x 5m	EMB150	✓
	175mm x 5m	EMB175	✓
	200mm x 5m	EMB200	✓
	225mm x 5m	EMB225	✓
	250mm x 5m	EMB250	✓
	300mm x 5m	EMB300	✓
	405mm x 5m	EMB405	✓
	450mm x 5m	EMB450	✓
	500mm x 5m	EMB500	✓
	605mm x 5m	EMB605	✓
	Shiplap Cladding		
	DESCRIPTION	CODE	W
	150mm x 5m	ESL150	✓



15
YEAR
GUARANTEE

COLOUR FOR CORE

W
White

FASCIAS





Square (16mm)																		
 	DESCRIPTION	CODE	W	BL	AG	DG	SG	AGAE	R	IO	LO	CR	WR	RB	RG	CG	FW	
	150mm x 5m	GSF150	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓						
	175mm x 5m	GSF175	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	200mm x 5m	GSF200	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓						
	225mm x 5m	GSF225	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	250mm x 5m	GSF250	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓						
	300mm x 5m	GSF300	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓						
	405mm x 5m	GSF405	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Flat (16mm)																		
 	100mm x 5m	GFF100	✓															
	150mm x 5m	GFF150	✓															
	175mm x 5m	GFF175	✓															
	200mm x 5m	GFF200	✓															
	225mm x 5m	GFF225	✓															
	250mm x 5m	GFF250	✓															
	405mm x 5m	GFF405	✓															
Bullnose (16mm)																		
 	150mm x 5m	GFB150	✓															
	175mm x 5m	GFB175	✓															
	200mm x 5m	GFB200	✓															
	225mm x 5m	GFB225	✓															
	250mm x 5m	GFB250	✓															
	405mm x 5m	GFB405	✓															
Ogee (16mm)																		
 	150mm x 5m	GOF150	✓															
	175mm x 5m	GOF175	✓	✓					✓	✓								
	200mm x 5m	GOF200	✓															
	225mm x 5m	GOF225	✓	✓					✓	✓								
	250mm x 5m	GOF250	✓															
	405mm x 5m	GOF405	✓	✓					✓	✓								

GAP only stock A4 (316) marine grade stainless steel. See page 29 for details.





Boxend board available in Square and Ogee.



FASCIAS

Square (22mm)			W	BL	AG	DG	SG	AGATE	R	IO	LO	CR	WR	RB	RG	CG	FW
 	DESCRIPTION	CODE															
	150mm x 5m	GJF150	✓														
	175mm x 5m	GJF175	✓														
	200mm x 5m	GJF200	✓														
	225mm x 5m	GJF225	✓														
	250mm x 5m	GJF250	✓														
	405mm x 5m	GJF405	✓														
Bullnose (22mm)			W	BL	AG	DG	SG	AGATE	R	IO	LO	CR	WR	RB	RG	CG	FW
 	DESCRIPTION	CODE															
	150mm x 5m	GBJ150	✓														
	175mm x 5m	GBJ175	✓														
	200mm x 5m	GBJ200	✓														
	225mm x 5m	GBJ225	✓														
	250mm x 5m	GBJ250	✓														
	405mm x 5m	GBJ405	✓														

CAP OVERS

Ogee Cap Over (9mm)			W	BL	AG	DG	SG	AGATE	R	IO	LO	CR	WR	RB	RG	CG	FW	
 	DESCRIPTION	CODE																
	150mm x 5m	GGF150	✓															
	175mm x 5m	GGF175	✓															
	200mm x 5m	GGF200	✓															
	225mm x 5m	GGF225	✓															
	250mm x 5m	GGF250	✓															
	300mm x 5m	GGF405	✓															
Square Cap Over (9mm)			W	BL	AG	DG	SG	AGATE	R	IO	LO	CR	WR	RB	RG	CG	FW	
 	DESCRIPTION	CODE																
	100mm x 5m	GRC095	✓															
	125mm x 5m	GRC125	✓															
	150mm x 5m	GRC150	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	175mm x 5m	GRC175	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	200mm x 5m	GRC200	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	225mm x 5m	GRC225	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	250mm x 5m	GRC250	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	300mm x 5m	GRC300	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	400mm x 5m	GRC400	✓															
	405mm x 5m	GRC405	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	450mm x 5m	GRC450	✓															
	605mm x 5m	GRC605	✓															

DECORATIVE FASCIAS

Convex (16mm)

DESCRIPTION	CODE
200mm x 5m	GDFW

Only available in White

Concave (16mm)

DESCRIPTION	CODE
200mm x 5m	GDFCW

Only available in White

Solid Soffit

DESCRIPTION	CODE	Color Selection														
		W	BL	AG	DG	SG	AGATE	R	IO	LO	CR	WR	RB	RG	CG	FW
100mm x 5m	GMB100	✓	✓	✓	✓	✓		✓	✓							
125mm x 5m	GMB125	✓														
150mm x 5m	GMB150	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
175mm x 5m	GMB175	✓	✓	✓	✓	✓		✓	✓	✓						
200mm x 5m	GMB200	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
225mm x 5m	GMB225	✓	✓	✓	✓	✓		✓	✓	✓						
250mm x 5m	GMB250	✓	✓	✓	✓	✓		✓	✓	✓						
300mm x 5m	GMB300	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
330mm x 5m	GMB330	✓														
350mm x 5m	GMB350	✓														
400mm x 5m	GMB400		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
405mm x 5m	GMB405	✓														
450mm x 5m	GMB450	✓														
500mm x 5m	GMB500	✓														
605mm x 5m	GMB605	✓														

Vented Soffit (9mm) (10mm continuous air flow)


DESCRIPTION	CODE	Color Selection														
		W	BL	AG	DG	SG	AGATE	R	IO	LO	CR	WR	RB	RG	CG	FW
100mm x 5m	GVB100	✓														
150mm x 5m	GVB150	✓	✓	✓	✓			✓	✓							
175mm x 5m	GVB175	✓														
200mm x 5m	GVB200	✓	✓	✓	✓			✓	✓							
225mm x 5m	GVB225	✓														
250mm x 5m	GVB250	✓														
300mm x 5m	GVB300	✓	✓	✓	✓			✓	✓							
330mm x 5m	GVB330	✓														
405mm x 5m	GVB405	✓	✓	✓	✓			✓	✓							
450mm x 5m	GVB450	✓														
500mm x 5m	GVB500	✓														
605mm x 5m	GVB605	✓														


Double Vented Soffit Board available on request

Hollow Soffit


DESCRIPTION	CODE	Color Selection														
300mm x 5m	GHC300	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓


SOFFITS


J TRIM (For Hollow Soffit)			W	BL	AG	DG	SG	AGATE	R	IO	LO	CR	WR	RB	RG	CG	FW
	DESCRIPTION	CODE	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	5m	GJT	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

H TRIM (For Hollow Soffit)			W	BL	AG	DG	SG	AGATE	R	IO	LO	CR	WR	RB	RG	CG	FW
	DESCRIPTION	CODE	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	5m	GHS	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

JOINTS, CORNERS & FINISHING TOUCHES

Double Ended Fascia Corner			W	BL	AG	DG	SG	AGATE	R	IO	LO	CR	WR	RB	RG	CG	FW		
	(Ext) Square 500mm	GSC500	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
	(Ext) Square 500mm	GFC600	✓	✓					✓	✓									
	(Ext) Bullnose 500mm	GBC500	✓																
	(Ext) Ogee 500mm (Ogee cap over)	GOC500	✓																
	(Ext) Ogee 500mm (Full replacement fascia)	GOF500	✓																
	(Ext) Square 300mm (135°)	G135RC	✓	✓	✓	✓	✓	✓	✓	✓	✓								
	(Ext) Ogee 300mm Fascia Corner (135°)	G135FC	✓																
	(Int) Square 500mm	GISC500	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓						✓	
	(Int) Bullnose 500mm	GIBC500	✓																
	(Int) Ogee 500mm	GIOFC500	✓																
	(Int) Ogee 300mm (Ogee cap over)	GIOC300	✓																
	(Int) Square 300mm (135°)	G1135RC	✓	✓															

Double Ended Fascia Joint			W	BL	AG	DG	SG	AGATE	R	IO	LO	CR	WR	RB	RG	CG	FW	
	Square 500mm	GSJ500	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	Square 500mm	GFJ600	✓	✓					✓	✓								
	Bullnose 500mm	GBJ500	✓															
	Ogee 500mm (Ogee cap over)	GOJ500	✓															
	Ogee 500mm (Full replacement fascia)	GOFJ500	✓															

Single Ended Fascia Corner			W	BL	AG	DG	SG	AGATE	R	IO	LO	CR	WR	RB	RG	CG	FW
	Square 300mm	GRC	✓	✓					✓	✓							
	Ogee 300mm (Ogee cap over)	GOC	✓														
	Ogee 300mm (Full replacement fascia)	GOF500	✓	✓					✓	✓							

JOINTS, CORNERS & FINISHING TOUCHES

Single Ended Fascia Joint			W	BL	AG	DG	SG	AGATE	R	IO	LO	CR	WR	RB	RG	CG	FW
	DESCRIPTION	CODE															
	Square 300mm	GRJ	✓	✓					✓	✓							
	Ogee 300mm (Ogee cap over)	GOJ	✓														
	Ogee 300mm (full replacement fascia)	GOFJ	✓	✓					✓	✓							
Felt Roof Edge Trim																	
	5m	GFRE	✓														
3D Spire / Flat Back Spire																	
	910mm (3D)	G3DS	✓	✓					✓	✓							
	910mm (Flat)	GFBS	✓	✓					✓	✓							
																	(Plain not foiled)
Gable Finial																	
	350mm	GFIN	✓	✓	✓	✓	✓	✓	✓	✓							
Fascia End Cap																	
	Square 300mm	GREC	✓														
	Square 300mm	GFEC	✓	✓	✓	✓	✓	✓	✓	✓							

COLOURS FOR FASCIAS, SOFFITS, JOINTS, CORNERS & FINISHING TOUCHES

W White	BL Black	AG Anthracite Grey	DG Dark Grey	SG Slate Grey	AGATE Agate Grey	R Rosewood	
IO Irish Oak	LO Light Oak	CR Cream	WR Wine Red	RB Royal Blue	RG Rustic Green	CG Chartwell Green	FW Foiled White

SOFFIT VENTS & ACCESSORIES

Circular Vent

DESCRIPTION	CODE	W	BL	DG	B	T
70mm	GCV	✓	✓	✓	✓	✓

Soffit Vent Strip (25mm continuous air flow)

DESCRIPTION	CODE	W	BL	DG	B	T
5m	GSV	✓	✓	✓	✓	✓

Soffit / Decking Lights

DESCRIPTION	CODE
White 5 pc kit	LED0401
Blue 5 pc kit	LED0402

COLOURS FOR SOFFIT VENTS & ACCESSORIES



VENTILATION

Jumbo Vent (10mm continuous air flow)

DESCRIPTION	CODE
1m	C401

Jumbo Vent Combed (10mm continuous air flow)

DESCRIPTION	CODE
1m	C402

Over Fascia Protection Eaves Protector

DESCRIPTION	CODE
1.5m	C400








Over Fascia Ventilator

DESCRIPTION	CODE
1m - (10mm air flow)	G1200N
1m - (25mm air flow)	G2500N

Bird Comb Filler

DESCRIPTION	CODE
1m	BC

CLADDING

Shiplap Cladding			W	BL	AG	DG	SG	AGRE	R	IO	LO	CR	WR	RB	RG	CG	FW
	DESCRIPTION	CODE	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	150mm x 5m	GSL150															
Open V Groove Cladding			W	BL	AG	DG	SG	AGRE	R	IO	LO	CR	WR	RB	RG	CG	FW
	DESCRIPTION	CODE	✓	✓	✓			✓	✓	✓							
	100mm x 5m	GOV100															
U Channel			W	BL	AG	DG	SG	AGRE	R	IO	LO	CR	WR	RB	RG	CG	FW
	DESCRIPTION	CODE	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	5m	GUC															
2 Part Universal Trim			W	BL	AG	DG	SG	AGRE	R	IO	LO	CR	WR	RB	RG	CG	FW
	DESCRIPTION	CODE	✓														
	5m	G2UC															
2 Part External Corner			W	BL	AG	DG	SG	AGRE	R	IO	LO	CR	WR	RB	RG	CG	FW
	DESCRIPTION	CODE	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	5m	G2EC															
	DESCRIPTION	CODE															✓
	5m	G2ECCHG															
Centre Joint Trim			W	BL	AG	DG	SG	AGRE	R	IO	LO	CR	WR	RB	RG	CG	FW
	DESCRIPTION	CODE	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	5m	GCJ															
Individual Cladding Joint Covers			W	BL	AG	DG	SG	AGRE	R	IO	LO	CR	WR	RB	RG	CG	FW
	DESCRIPTION	CODE	✓	✓	✓	✓	✓	✓	✓	✓							
	150mm Shiplap	GSJ150															
	DESCRIPTION	CODE	✓	✓	✓			✓	✓	✓							
	100mm V Groove	GVJ100															

COLOURS FOR CLADDING

W White	BL Black	AG Anthracite Grey	DG Dark Grey	SG Slate Grey	AGATE Agate Grey	R Rosewood	IO Irish Oak
	LO Light Oak	CR Cream	WR Wine Red	RB Royal Blue	RG Rustic Green	CG Chartwell Green	FW Foiled White

CLADDING

Universal Starter Trim			
	DESCRIPTION	CODE	W
	5m	GUS	✓

COLOURS FOR UNIVERSAL STARTER TRIM

W White

ANTHRACITE GREY

AVAILABLE IN

- ✓ OGEE
- ✓ HI-CAP
- ✓ SQUARE
- ✓ ROUND



See page **30**.

TUDOR BOARD



FEATURES


- Made of PVC-U.
- Easy to install.
- Foiled on 3 edges.
- Perfect replacement to timber beams.

(A) Tudor Board 2 Foiled Edges (20mm)		BL	R	LO	DG	AG	SG
DESCRIPTION	CODE	BL	R	LO	DG	AG	SG
150mm x 5m	GTB150	✓	✓	✓	✓	✓	✓

(B) Tudor Backing Board (Matt White)		FW	BG
DESCRIPTION	CODE	FW	BG
2440 x 1220 x 3mm	24/12/3	✓	✓
2440 x 1220 x 4mm	24/12/4	✓	
2440 x 1220 x 5mm	24/12/5	✓	
2440 x 1220 x 6mm	24/12/6	✓	
2440 x 1220 x 10mm	24/12/10	✓	

- Cut using a PVC handsaw.
- Use FixALL to apply and suitable screws to face fix. Use cover caps where applicable.
- Seal all edges using a clear silicone to avoid moisture ingress.

COLOURS FOR FOILED EDGES



COLOURS FOR BACKING BOARD



DON'T FORGET YOUR INSTALLATION ESSENTIALS

- ✓ Silicones
- ✓ Cleaners
- ✓ Tools

See page 106.