

HIGH PERFORMANCE ENTRANCE MATTING

# INTRAform

A heavy duty aluminium plank system, offering excellent performance and longevity in high traffic areas and versatile installation to all entrance designs.



STRENGTH RATING - EXTREME



ZONAL OPTION - 1 AND 2



WIDE RANGE OF DESIGN OPTIONS




WARRANTY - 10 YEARS



### SPECIFICATION

Product Reference	INTRAform Entrance Matting
Strength Rating	Extreme - suitable for areas with heavy foot and wheeled traffic
Zonal Location	Use Zone 1 inserts for external areas Use Zone 2 inserts for internal areas Combination Zone 1 & 2 inserts can be specified for dual performance
Construction	100% recycled aluminium construction. Closed construction Interlocking Plank system.
Typical Application	High Traffic locations such as Shopping Centres, Commercial Offices etc
Design Options	Bespoke anodised to special order
Weight	13.1kg/m2
Matwell Framing	INT019
Slip Rating	Will vary with insert, in excess of PTV 38
Warranty	10 years
Sustainability	100% recycled aluminum. All inserts recyclable/re-usable 100% Econyl Fibre (Premier and Elite)

### PROFILE



1

- Α 19mm В 16.5mm
- С 33mm Profile
- D 132.8mm Plank size
- Finished Floor surface
- 2 Recessed matwell frame
- Levelling latex to matwell base 3
- Screed sub-floor
- Screw fixings

# INSERTS - Zone 1









Ribbed Rubber

Rubber

Multidirectional

Brush

Fine Brush

#### INSERTS - Zone 2

#### Elite Polyamide



607 Anthracite



606 Grey







602 Blue 605 Brown



610 Turquoise





601 Red

Premier Polyamide





130 Black

138 Slate Grey

#### Select Polyamide



50 Black



73 Grey



# Linear Polypropylene




443 Anthracite




451 Grey

# PROFILE COLOUR OPTIONS











# INTRAform

	2	3
1	5	4

- 1. 199 Bishopsgate
   2. Brent Civic Centre
   3. 123 Victoria Street
   4. 123 Victoria Street
   5. Silverburn Shopping Centre



