


Sheer CFX[®]

Concealed Fixing Accessories
on Stylish Flat Plates




View range online

Sheer CFX® are simple and elegant, flat-plate switches and sockets. The range features Hamilton's patented CFX® 4 point face plate clipping system allowing concealed fixing for a clean and contemporary finish that looks stylish in any environment. Sheer CFX® also benefits from an integral gasket that forms part of the mounting frame, this is ideal for use on walls that are not perfectly flat.



Hamilton Sheer CFX® Concealed Fixing



Sheer CFX[®] Range

SHEER CFX RANGE



81C DPN PB W

84C TCM W

89C SS1 AB B

87C DTRID B

Plate finishes available in this range



Antique Brass



Black Nickel



Bright Chrome




Connaught
Bronze




Copper
Bronze




Etrium
Bronze



Gloss
White



Polished Nickel



Primed
White



Matt
Black




Polished Brass



Richmond
Bronze



Satin
Brass



Satin
Stainless

Sheer CFX[®]

Rocker Switches



8CBC R21 BL-B








8CBC R22 BL-B



8CBC R23 BL-B



8CBC R24 BL-B

Plate Colour	Insert Finish/ Surround Colour					
		1 gang 10AX 2 Way Rocker	2 gang 10AX 2 Way Rocker	3 gang 10AX 2 Way Rocker	4 gang 10AX 2 Way Rocker	6 gang 10AX 2 Way Rocker
Antique Brass	Antique Brass/Black	89C R21 AB-B	89C R22 AB-B	89C R23 AB-B	89C R24 AB-B	89C R26 AB-B
Black Nickel	Black Nickel/Black	88C R21 BK-B	88C R22 BK-B	88C R23 BK-B	88C R24 BK-B	88C R26 BK-B
Bright Chrome	Bright Chrome/Black	87C R21 BC-B	87C R22 BC-B	87C R23 BC-B	87C R24 BC-B	87C R26 BC-B
Bright Chrome	Bright Chrome/White	87C R21 BC-W	87C R22 BC-W	87C R23 BC-W	87C R24 BC-W	87C R26 BC-W
Connaught Bronze	Black/Black	8HBC R21 BL-B	8HBC R22 BL-B	8HBC R23 BL-B	8HBC R24 BL-B	8HBC R26 BL-B
Copper Bronze	Black/Black	8CBC R21 BL-B	8CBC R22 BL-B	8CBC R23 BL-B	8CBC R24 BL-B	8CBC R26 BL-B
Etrium Bronze	Black/Black	8EBC R21 BL-B	8EBC R22 BL-B	8EBC R23 BL-B	8EBC R24 BL-B	8EBC R26 BL-B
Gloss White	White/White	80C R21 WH-W	80C R22 WH-W	80C R23 WH-W	80C R24 WH-W	80C R26 WH-W
Polished Brass	Polished Brass/Black	81C R21 PB-B	81C R22 PB-B	81C R23 PB-B	81C R24 PB-B	81C R26 PB-B
Polished Brass	Polished Brass/White	81C R21 PB-W	81C R22 PB-W	81C R23 PB-W	81C R24 PB-W	81C R26 PB-W
Polished Nickel	Bright Chrome/Black	8PNC R21 BC-B	8PNC R22 BC-B	8PNC R23 BC-B	-	-
Polished Nickel	Bright Chrome/White	8PNC R21 BC-W	8PNC R22 BC-W	8PNC R23 BC-W	-	-
Primed White	Black/Black	8WPC R21 BL-B	8WPC R22 BL-B	8WPC R23 BL-B	8WPC R24 BL-B	8WPC R26 BL-B
Primed White	White/White	8WPC R21 WH-W	8WPC R22 WH-W	8WPC R23 WH-W	8WPC R24 WH-W	8WPC R26 WH-W
Richmond Bronze	Black/Black	8RBC R21 BL-B	8RBC R22 BL-B	8RBC R23 BL-B	8RBC R24 BL-B	8RBC R26 BL-B
Satin Brass	Satin Brass/Black	82C R21 SB-B	82C R22 SB-B	82C R23 SB-B	82C R24 SB-B	82C R26 SB-B
Satin Brass	Satin Brass/White	82C R21 SB-W	82C R22 SB-W	82C R23 SB-W	82C R24 SB-W	82C R26 SB-W
Satin Steel	Satin Steel/Black	84C R21 SS-B	84C R22 SS-B	84C R23 SS-B	84C R24 SS-B	84C R26 SS-B
Satin Steel	Satin Steel/White	84C R21 SS-W	84C R22 SS-W	84C R23 SS-W	84C R24 SS-W	84C R26 SS-W
Nominal Size:		86.0mm x 86.0mm	86.0mm x 86.0mm	86.0mm x 86.0mm	145.0mm x 86.0mm	145.0mm x 86.0mm
Minimum Wall Box Depth:		25mm	25mm	25mm	25mm	25mm

Insert Surround Colour Key: (-B) Black, (-W) White

Sheer CFX[®]

Rocker Switches



84C R31 SS-W



89C R32 AB-B



87C TP WH-W



82C TP BL-B



1 gang 10AX
Intermediate Rocker



2 gang 10AX
Intermediate Rocker



1 gang 10AX
Push To Make/
Push to Break
Retractive Rocker



1 gang 10A
Triple Pole Rocker

Plate Colour	Insert Finish/ Surround Colour	1 gang 10AX Intermediate Rocker	2 gang 10AX Intermediate Rocker	1 gang 10AX Push To Make/ Push to Break Retractive Rocker	1 gang 10A Triple Pole Rocker
Antique Brass	Antique Brass/Black	89C R31 AB-B	89C R32 AB-B	89C RRT AB-B	-
Antique Brass	Black/Black	-	-	-	89C TP BL-B
Black Nickel	Black/Black	-	-	-	88C TP BL-B
Black Nickel	Black Nickel/Black	88C R31 BK-B	88C R32 BK-B	88C RRT BK-B	-
Bright Chrome	Black/Black	-	-	-	87C TP BL-B
Bright Chrome	Bright Chrome/Black	87C R31 BC-B	87C R32 BC-B	87C RRT BC-B	-
Bright Chrome	Bright Chrome/White	87C R31 BC-W	87C R32 BC-W	87C RRT BC-W	-
Bright Chrome	White/White	-	-	-	87C TP WH-W
Connaught Bronze	Black/Black	8HBC R31 BL-B	8HBC R32 BL-B	8HBC RRT BL-B	8HBC TP BL-B
Copper Bronze	Black/Black	8CBC R31 BL-B	8CBC R32 BL-B	8CBC RRT BL-B	8CBC TP BL-B
Etrium Bronze	Black/Black	8EBC R31 BL-B	8EBC R32 BL-B	8EBC RRT BL-B	8EBC TP BL-B
Gloss White	White/White	80C R31 WH-W	80C R32 WH-W	80C RRT WH-W	80C TP WH-W
Polished Brass	Black/Black	-	-	-	81C TP BL-B
Polished Brass	Polished Brass/Black	81C R31 PB-B	81C R32 PB-B	81C RRT PB-B	-
Polished Brass	Polished Brass/White	81C R31 PB-W	81C R32 PB-W	81C RRT PB-W	-
Polished Brass	White/White	-	-	-	81C TP WH-W
Polished Nickel	Black/Black	-	-	-	8PNC TP BL-B
Polished Nickel	Bright Chrome/Black	8PNC R31 BC-B	-	-	-
Polished Nickel	Bright Chrome/White	8PNC R31 BC-W	-	-	-
Polished Nickel	White/White	-	-	-	8PNC TP WH-W
Primed White	Black/Black	8WPC R31 BL-B	8WPC R32 BL-B	8WPC RRT BL-B	8WPC TP BL-B
Primed White	White/White	8WPC R31 WH-W	8WPC R32 WH-W	8WPC RRT WH-W	8WPC TP WH-W
Richmond Bronze	Black/Black	8RBC R31 BL-B	8RBC R32 BL-B	8RBC RRT BL-B	8RBC TP BL-B
Satin Brass	Black/Black	-	-	-	82C TP BL-B
Satin Brass	Satin Brass/Black	82C R31 SB-B	82C R32 SB-B	82C RRT SB-B	-
Satin Brass	Satin Brass/White	82C R31 SB-W	82C R32 SB-W	82C RRT SB-W	-
Satin Brass	White/White	-	-	-	82C TP WH-W
Satin Steel	Black/Black	-	-	-	84C TP BL-B
Satin Steel	Satin Steel/Black	84C R31 SS-B	84C R32 SS-B	84C RRT SS-B	-
Satin Steel	Satin Steel/White	84C R31 SS-W	84C R32 SS-W	84C RRT SS-W	-
Satin Steel	White/White	-	-	-	84C TP WH-W
Nominal Size:		86.0mm x 86.0mm	86.0mm x 86.0mm	86.0mm x 86.0mm	86.0mm x 86.0mm
Minimum Wall Box Depth:		25mm	25mm	25mm	25mm

Insert Surround Colour Key: (-B) Black, (-W) White

Sheer CFX®

Rocker Switches



84C R212 SS-W









81C R222 PB-B



87C R222 BC-W



89C R242 AB-B

Plate Colour	Insert Finish/ Surround Colour						
		1 gang 20AX 2 Way Rocker	2 gang 20AX 2 Way Rocker	3 gang 20AX 2 Way Rocker	4 gang 20AX 2 Way Rocker	1 gang 20AX Intermediate Rocker	2 gang 20AX Intermediate Rocker
Antique Brass	Antique Brass/Black	89C R212 AB-B	89C R222 AB-B	89C R232 AB-B	89C R242 AB-B	89C R312 AB-B	89C R322 AB-B
Black Nickel	Black Nickel/Black	88C R212 BK-B	88C R222 BK-B	88C R232 BK-B	88C R242 BK-B	88C R312 BK-B	88C R322 BK-B
Bright Chrome	Bright Chrome/Black	87C R212 BC-B	87C R222 BC-B	87C R232 BC-B	87C R242 BC-B	87C R312 BC-B	87C R322 BC-B
Bright Chrome	Bright Chrome/White	87C R212 BC-W	87C R222 BC-W	87C R232 BC-W	87C R242 BC-W	87C R312 BC-W	87C R322 BC-W
Connaught Bronze	Black/Black	8HBC R212 BL-B	8HBC R222 BL-B	8HBC R232 BL-B	8HBC R242 BL-B	8HBC R312 BL-B	8HBC R322 BL-B
Copper Bronze	Black/Black	8CBC R212 BL-B	8CBC R222 BL-B	8CBC R232 BL-B	8CBC R242 BL-B	8CBC R312 BL-B	8CBC R322 BL-B
Etrium Bronze	Black/Black	8EBC R212 BL-B	8EBC R222 BL-B	8EBC R232 BL-B	8EBC R242 BL-B	8EBC R312 BL-B	8EBC R322 BL-B
Gloss White	White/White	80C R212 WH-W	80C R222 WH-W	80C R232 WH-W	80C R242 WH-W	80C R312 WH-W	80C R322 WH-W
Polished Brass	Polished Brass/Black	81C R212 PB-B	81C R222 PB-B	81C R232 PB-B	81C R242 PB-B	81C R312 PB-B	81C R322 PB-B
Polished Brass	Polished Brass/White	81C R212 PB-W	81C R222 PB-W	81C R232 PB-W	81C R242 PB-W	81C R312 PB-W	81C R322 PB-W
Polished Nickel	-	-	-	-	-	-	-
Primed White	Black/Black	8WPC R212 BL-B	8WPC R222 BL-B	8WPC R232 BL-B	8WPC R242 BL-B	8WPC R312 BL-B	8WPC R322 BL-B
Primed White	White/White	8WPC R212 WH-W	8WPC R222 WH-W	8WPC R232 WH-W	8WPC R242 WH-W	8WPC R312 WH-W	8WPC R322 WH-W
Richmond Bronze	Black/Black	8RBC R212 BL-B	8RBC R222 BL-B	8RBC R232 BL-B	8RBC R242 BL-B	8RBC R312 BL-B	8RBC R322 BL-B
Satin Brass	Satin Brass/Black	82C R212 SB-B	82C R222 SB-B	82C R232 SB-B	82C R242 SB-B	82C R312 SB-B	82C R322 SB-B
Satin Brass	Satin Brass/White	82C R212 SB-W	82C R222 SB-W	82C R232 SB-W	82C R242 SB-W	82C R312 SB-W	82C R322 SB-W
Satin Steel	Satin Steel/Black	84C R212 SS-B	84C R222 SS-B	84C R232 SS-B	84C R242 SS-B	84C R312 SS-B	84C R322 SS-B
Satin Steel	Satin Steel/White	84C R212 SS-W	84C R222 SS-W	84C R232 SS-W	84C R242 SS-W	84C R312 SS-W	84C R322 SS-W
Nominal Size:		86.0mm x 86.0mm	86.0mm x 86.0mm	145.0mm x 86.0mm	145.0mm x 86.0mm	86.0mm x 86.0mm	86.0mm x 86.0mm
Minimum Wall Box Depth:		25mm	25mm	25mm	25mm	25mm	25mm

Insert Surround Colour Key: (-B) Black, (-W) White

Sheer CFX[®]

Wide Rockers




84C WR22 SS B



87C WR23 BC B



88C W10DP BK-B



89C WR21 AB-B



1 gang 10AX
2 Way Rocker



2 gang 10AX
2 Way Rocker



3 gang 10AX
2 Way Rocker



1 gang 10AX
Intermediate
Rocker



1 gang 10AX
Push To Make/
Push to Break
Retractive
Rocker



1 gang 10AX
Double Pole

Plate Finish	Insert Finish/ Surround Colour	1 gang 10AX 2 Way Rocker	2 gang 10AX 2 Way Rocker	3 gang 10AX 2 Way Rocker	1 gang 10AX Intermediate Rocker	1 gang 10AX Push To Make/ Push to Break Retractive Rocker	1 gang 10AX Double Pole
Antique Brass	Antique Brass/Black	89CW R21 AB-B	89CW R22 AB-B	89CW R23 AB-B	89CW R31 AB-B	89CW RRT AB-B	89CW 10DP AB-B
Black Nickel	Black Nickel/Black	88CW R21 BK-B	88CW R22 BK-B	88CW R23 BK-B	88CW R31 BK-B	88CW RRT BK-B	88CW 10DP BK-B
Bright Chrome	Bright Chrome/Black	87CW R21 BC-B	87CW R22 BC-B	87CW R23 BC-B	87CW R31 BC-B	87CW RRT BC-B	87CW 10DP BC-B
Bright Chrome	Bright Chrome/White	87CW R21 BC-W	87CW R22 BC-W	87CW R23 BC-W	87CW R31 BC-W	87CW RRT BC-W	87CW 10DP BC-W
Etrium Bronze	Etrium Bronze/Black	8EBCW R21 BL-B	8EBCW R22 BL-B	8EBCW R23 BL-B	8EBCW R31 BL-B	8EBCW RRT BL-B	8EBCW 10DP BL-B
Gloss White	White/White	80CW R21 WH-W	80CW R22 WH-W	80CW R23 WH-W	80CW R31 WH-W	80CW RRT WH-W	80CW 10DP WH-W
Polished Brass	Polished Brass/Black	81CW R21 PB-B	81CW R22 PB-B	81CW R23 PB-B	81CW R31 PB-B	81CW RRT PB-B	81CW 10DP PB-B
Polished Brass	Polished Brass/White	81CW R21 PB-W	81CW R22 PB-W	81CW R23 PB-W	81CW R31 PB-W	81CW RRT PB-W	81CW 10DP PB-W
Richmond Bronze	Richmond/Black	8RBCW R21 BL-B	8RBCW R22 BL-B	8RBCW R23 BL-B	8RBCW R31 BL-B	8RBCW RRT BL-B	8RBCW 10DP BL-B
Satin Brass	Satin Brass/Black	82CW R21 SB-B	82CW R22 SB-B	82CW R23 SB-B	82CW R31 SB-B	82CW RRT SB-B	82CW 10DP SB-B
Satin Brass	Satin Brass/White	82CW R21 SB-W	82CW R22 SB-W	82CW R23 SB-W	82CW R31 SB-W	82CW RRT SB-W	82CW 10DP SB-W
Satin Steel	Satin Steel/Black	84CW R21 SS-B	84CW R22 SS-B	84CW R23 SS-B	84CW R31 SS-B	84CW RRT SS-B	84CW 10DP SS-B
Satin Steel	Satin Steel/White	84CW R21 SS-W	84CW R22 SS-W	84CW R23 SS-W	84CW R31 SS-W	84CW RRT SS-W	84CW 10DP SS-W
Nominal Size:		86.0mm x 86.0mm	86.0mm x 86.0mm	86.0mm x 86.0mm	86.0mm x 86.0mm	86.0mm x 86.0mm	86.0mm x 86.0mm
Minimum Wall Box Depth:		25mm	25mm	25mm	25mm	25mm	25mm

Insert Surround Colour Key: (-B) Black, (-W) White

Sheer CFX[®]

Toggle Switches



89C T21








81C T22



87C T23



84C T24

Plate Finish	Insert Finish	 1 gang 20AX 2 Way Toggle	 2 gang 20AX 2 Way Toggle	 3 gang 20AX 2 Way Toggle	 4 gang 20AX 2 Way Toggle	 1 gang 20AX Intermediate Toggle
Antique Brass	Antique Brass	89C T21	89C T22	89C T23	89C T24	89C T31
Black Nickel	Black Nickel	88C T21	88C T22	88C T23	88C T24	88C T31
Bright Chrome	Bright Chrome	87C T21	87C T22	87C T23	87C T24	87C T31
Connaught Bronze	Antique Brass	8HBC T21	8HBC T22	8HBC T23	8HBC T24	8HBC T31
Copper Bronze	Black Nickel	8CBC T21	8CBC T22	8CBC T23	8CBC T24	8CBC T31
Etrium Bronze	Black Nickel	8EBC T21	8EBC T22	8EBC T23	8EBC T24	8EBC T31
Gloss White	-	-	-	-	-	-
Polished Brass	Polished Brass	81C T21	81C T22	81C T23	81C T24	81C T31
Polished Nickel	-	-	-	-	-	-
Primed White	-	-	-	-	-	-
Richmond Bronze	Richmond Bronze	8RBC T21	8RBC T22	8RBC T23	8RBC T24	8RBC T31
Satin Brass	Satin Brass	82C T21	82C T22	82C T23	82C T24	82C T31
Satin Steel	Satin Chrome	84C T21	84C T22	84C T23	84C T24	84C T31
	Nominal Size:	86.0mm x 86.0mm	86.0mm x 86.0mm	145.0mm x 86.0mm	145.0mm x 86.0mm	86.0mm x 86.0mm
	Minimum Wall Box Depth:	35mm	35mm	35mm	35mm	35mm

Sheer CFX[®]

Power Sockets



89C SS1 AB-B










84C SS2 SS-W



87C US5 W



8RB SHS B

Plate Colour	Insert Finish/ Surround Colour							
		1 gang 13A Double Pole Switched Socket	2 gang 13A Double Pole Switched Socket	1 gang 2A Unswitched Socket	1 gang 5A Unswitched Socket	1 gang 13A Unswitched Socket	2 gang 13A Unswitched Socket	Shaver Dual Voltage Unswitched Socket (Vertically Mounted)
Antique Brass	Antique Brass/Black	89C SS1 AB-B	89C SS2 AB-B	-	-	-	-	-
Antique Brass	Black/Black	-	-	89C US2 B	89C US5 B	89C US13 B	89C US99 B	89C SHS B
Black Nickel	Black Nickel/Black	88C SS1 BK-B	88C SS2 BK-B	-	-	-	-	-
Black Nickel	Black/Black	-	-	88C US2 B	88C US5 B	88C US13 B	88C US99 B	88C SHS B
Bright Chrome	Black/Black	-	-	87C US2 B	87C US5 B	87C US13 B	87C US99 B	87C SHS B
Bright Chrome	Bright Chrome/Black	87C SS1 BC-B	87C SS2 BC-B	-	-	-	-	-
Bright Chrome	Bright Chrome/White	87C SS1 BC-W	87C SS2 BC-W	-	-	-	-	-
Bright Chrome	White/White	-	-	87C US2 W	87C US5 W	87C US13 W	87C US99 W	87C SHS W
Connaught Bronze	Black/Black	8HBC SS1 BL-B	8HBC SS2 BL-B	8HBC US2 B	8HBC US5 B	8HBC US13 B	8HBC US99 B	8HBC SHS B
Copper Bronze	Black/Black	8CBC SS1 BL-B	8CBC SS2 BL-B	8CBC US2 B	8CBC US5 B	8CBC US13 B	8CBC US99 B	8CBC SHS B
Etrium Bronze	Black/Black	8EBC SS1 BL-B	8EBC SS2 BL-B	8EBC US2 B	8EBC US5 B	8EBC US13 B	8EBC US99 B	8EBC SHS B
Gloss White	White/White	80C SS1 WH-W	80C SS2 WH-W	80C US2 W	80C US5 W	80C US13 W	80C US99 W	80C SHS W
Polished Brass	Black/Black	-	-	81C US2 B	81C US5 B	81C US13 B	81C US99 B	81C SHS B
Polished Brass	Polished Brass/Black	81C SS1 PB-B	81C SS2 PB-B	-	-	-	-	-
Polished Brass	Polished Brass/White	81C SS1 PB-W	81C SS2 PB-W	-	-	-	-	-
Polished Brass	White/White	-	-	81C US2 W	81C US5 W	81C US13 W	81C US99 W	81C SHS W
Polished Nickel	Black/Black	-	-	-	8PNC US5 B	-	-	8PNC SHS B
Polished Nickel	Bright Chrome/Black	8PNC SS1 BC-B	8PNC SS2 BC-B	-	-	-	-	-
Polished Nickel	Bright Chrome/White	8PNC SS1 BC-W	8PNC SS2 BC-W	-	-	-	-	-
Polished Nickel	White/White	-	-	-	8PNC US5 W	-	-	8PNC SHS W
Primed White	Black/Black	8WPC SS1 BL-B	8WPC SS2 BL-B	8WPC US2 B	8WPC US5 B	8WPC US13 B	8WPC US99 B	8WPC SHS B
Primed White	White/White	8WPC SS1 WH-W	8WPC SS2 WH-W	8WPC US2 W	8WPC US5 W	8WPC US13 W	8WPC US99 W	8WPC SHS W
Richmond Bronze	Black/Black	8RBC SS1 BL-B	8RBC SS2 BL-B	8RBC US2 B	8RBC US5 B	8RBC US13 B	8RBC US99 B	8RBC SHS B
Satin Brass	Black/Black	-	-	82C US2 B	82C US5 B	82C US13 B	82C US99 B	82C SHS B
Satin Brass	Satin Brass/Black	82C SS1 SB-B	82C SS2 SB-B	-	-	-	-	-
Satin Brass	Satin Brass/White	82C SS1 SB-W	82C SS2 SB-W	-	-	-	-	-
Satin Brass	White/White	-	-	82C US2 W	82C US5 W	82C US13 W	82C US99 W	82C SHS W
Satin Steel	Black/Black	-	-	84C US2 B	84C US5 B	84C US13 B	84C US99 B	84C SHS B
Satin Steel	Satin Steel/Black	84C SS1 SS-B	84C SS2 SS-B	-	-	-	-	-
Satin Steel	Satin Steel/White	84C SS1 SS-W	84C SS2 SS-W	-	-	-	-	-
Satin Steel	White/White	-	-	84C US2 W	84C US5 W	84C US13 W	84C US99 W	84C SHS W
Nominal Size:		86.0mm x 86.0mm	145.0mm x 86.0mm	86.0mm x 86.0mm	86.0mm x 86.0mm	86.0mm x 86.0mm	145.0mm x 86.0mm	86.0mm x 145.0mm
Minimum Wall Box Depth:		35mm	35mm	35mm	35mm	35mm	35mm	47mm

Insert Surround Colour Key: (-B) Black, (-W) White

Sheer CFX®

USB Power Sockets




87C SS1USB BC-B




89C SS2USBULT AB-B



1 gang 13A Single Pole Switched Socket with 1 USB Outlet 1x2.1A



2 gang 13A Double Pole Switched Socket with 2 USB Outlet 2x2.4A (4.8 Total)



2 gang 13A Double Pole Switched Socket with 1 USB Outlet + 1 USB Type C Outlet 2x2.4A (4.8A Total)

Plate Colour	Insert Finish/ Surround Colour			
Antique Brass	Antique Brass/Black	89C SS1USB AB-B	89C SS2USBULT AB-B	89C SS2USBC AB-B
Black Nickel	Black Nickel/Black	88C SS1USB BK-B	88C SS2USBULT BK-B	88C SS2USBC BK-B
Bright Chrome	Bright Chrome/Black	87C SS1USB BC-B	87C SS2USBULT BC-B	87C SS2USBC BC-B
Bright Chrome	Bright Chrome/White	87C SS1USB BC-W	87C SS2USBULT BC-W	87C SS2USBC BC-W
Connaught Bronze	Black/Black	8HBC SS1USB BL-B	8HBC SS2USBULT BL-B	8HBC SS2USBC BL-B
Copper Bronze	Black/Black	8CBC SS1USB BL-B	8CBC SS2USBULT BL-B	8CBC SS2USBC BL-B
Etrium Bronze	Black/Black	8EBC SS1USB BL-B	8EBC SS2USBULT BL-B	8EBC SS2USBC BL-B
Gloss White	White/White	80C SS1USB WH-W	80C SS2USBULT WH-W	80C SS2USBC WH-W
Polished Brass	Polished Brass/Black	81C SS1USB PB-B	81C SS2USBULT PB-B	81C SS2USBC PB-B
Polished Brass	Polished Brass/White	81C SS1USB PB-W	81C SS2USBULT PB-W	81C SS2USBC PB-W
Polished Nickel	Bright Chrome/Black	8PNC SS1USB BC-B	8PNC SS2USBULT BC-B	8PNC SS2USBC BC-B
Polished Nickel	Bright Chrome/White	8PNC SS1USB BC-W	8PNC SS2USBULT BC-W	8PNC SS2USBC BC-W
Primed White	Black/Black	8WPC SS1USB BL-B	8WPC SS2USBULT BL-B	8WPC SS2USBC BL-B
Primed White	White/White	8WPC SS1USB WH-W	8WPC SS2USBULT WH-W	8WPC SS2USBC WH-W
Richmond Bronze	Black/Black	8RBC SS1USB BL-B	8RBC SS2USBULT BL-B	8RBC SS2USBC BL-B
Satin Brass	Satin Brass/Black	82C SS1USB SB-B	82C SS2USBULT SB-B	82C SS2USBC SB-B
Satin Brass	Satin Brass/White	82C SS1USB SB-W	82C SS2USBULT SB-W	82C SS2USBC SB-W
Satin Steel	Satin Steel/Black	84C SS1USB SS-B	84C SS2USBULT SS-B	84C SS2USBC SS-B
Satin Steel	Satin Steel/White	84C SS1USB SS-W	84C SS2USBULT SS-W	84C SS2USBC SS-W
Nominal Size:		86.0mm x 86.0mm	145.0mm x 86.0mm	144.5mm x 88.0mm
Minimum Wall Box Depth:		35mm	35mm	35mm

Insert Surround Colour Key: (-B) Black, (-W) White



8EBC KEL B



89C C11 AB-B



87C C11 BC-B




Plate Colour	Insert Colour		
		1 gang 20AX 2 Way Key Switch	1 gang 20AX 2 Way Key switch EMG LTG TEST
Antique Brass	Black	89C K21 B	89C KEL B
Black Nickel	Black	88C K21 B	88C KEL B
Bright Chrome	Black	87C K21 B	87C KEL B
Bright Chrome	White	87C K21 W	87C KEL W
Connaught Bronze	Black	8HBC K21 B	8HBC KEL B
Copper Bronze	Black	8CBC K21 B	8CBC KEL B
Etrium Bronze	Black	8EBC K21 B	8EBC KEL B
Gloss White	White	80C K21 W	80C KEL W
Polished Brass	Black	81C K21 B	81C KEL B
Polished Brass	White	81C K21 W	81C KEL W
Primed White	Black	8WPC K21 B	8WPC KEL B
Primed White	White	8WPC K21 W	8WPC KEL W
Richmond Bronze	Black	8RBC K21 B	8RBC KEL B
Satin Brass	Black	82C K21 B	82C KEL B
Satin Brass	White	82C K21 W	82C KEL W
Satin Steel	Black	84C K21 B	84C KEL B
Satin Steel	White	84C K21 W	84C KEL W
Nominal Size:		86.0mm x 86.0mm	86.0mm x 86.0mm
Minimum Wall Box Depth:		25mm	25mm

Plate Colour	Insert Finish/ Surround Colour	
		1 gang 10A (6AX) Card Switch On/Off with Blue LED Locator
Antique Brass	Antique Brass/Black	89C C11 AB-B
Black Nickel	Black Nickel/Black	88C C11 BK-B
Bright Chrome	Bright Chrome/Black	87C C11 BC-B
Bright Chrome	Bright Chrome/White	87C C11 BC-W
Connaught Bronze	Black/Black	8HBC C11 BL-B
Copper Bronze	Black/Black	8CBC C11 BL-B
Etrium Bronze	Black/Black	8EBC C11 BL-B
Gloss White	White/White	80C C11 WH-W
Polished Brass	Polished Brass/Black	81C C11 PB-B
Polished Brass	Polished Brass/White	81C C11 PB-W
Primed White	Black/Black	8WPC C11 BL-B
Primed White	White/White	8WPC C11 WH-W
Richmond Bronze	Black/Black	8RBC C11 BL-B
Satin Brass	Satin Brass/Black	82C C11 SB-B
Satin Brass	Satin Brass/White	82C C11 SB-W
Satin Steel	Satin Steel/Black	84C C11 SS-B
Satin Steel	Satin Steel/White	84C C11 SS-W
Nominal Size:		86.0mm x 86.0mm
Minimum Wall Box Depth:		35mm

Insert Surround Colour Key: (-B) Black, (-W) White

Television Coaxial Sockets



89C TV B



82C TVFM W



87C TVSAT B



84C TV W

Plate Colour	Insert Colour						
		1 gang Non-Isolated TV 1in/1out	Isolated TV/FM Diplexer 1in/2out	1 gang Isolated TV 1in/1out	2 gang Non-Isolated TV+Satellite 2in/2out	1 gang Non-Isolated Satellite	1 gang Isolated Satellite
Antique Brass	Black	89C TV B	89C TVFM B	89C TVI B	89C TVSAT B	89C SATN B	89C SATI B
Black Nickel	Black	88C TV B	88C TVFM B	88C TVI B	88C TVSAT B	88C SATN B	88C SATI B
Bright Chrome	Black	87C TV B	87C TVFM B	87C TVI B	87C TVSAT B	87C SATN B	87C SATI B
Bright Chrome	White	87C TV W	87C TVFM W	87C TVI W	87C TVSAT W	87C SATN W	87C SATI W
Connaught Bronze	Black	8HBC TV B	8HBC TVFM B	8HBC TVI B	8HBC TVSAT B	8HBC SATN B	8HBC SATI B
Copper Bronze	Black	8CBC TV B	8CBC TVFM B	8CBC TVI B	8CBC TVSAT B	8CBC SATN B	8CBC SATI B
Etrium Bronze	Black	8EBC TV B	8EBC TVFM B	8EBC TVI B	8EBC TVSAT B	8EBC SATN B	8EBC SATI B
Gloss White	White	80C TV W	80C TVFM W	80C TVI W	80C TVSAT W	80C SATN W	80C SATI W
Polished Brass	Black	81C TV B	81C TVFM B	81C TVI B	81C TVSAT B	81C SATN B	81C SATI B
Polished Brass	White	81C TV W	81C TVFM W	81C TVI W	81C TVSAT W	81C SATN W	81C SATI W
Polished Nickel	Black	8PNC TV B	-	-	-	-	-
Polished Nickel	White	8PNC TV W	-	-	-	-	-
Primed White	Black	8WPC TV B	8WPC TVFM B	8WPC TVI B	8WPC TVSAT B	8WPC SATN B	8WPC SATI B
Primed White	White	8WPC TV W	8WPC TVFM W	8WPC TVI W	8WPC TVSAT W	8WPC SATN W	8WPC SATI W
Richmond Bronze	Black	8RBC TV B	8RBC TVFM B	8RBC TVI B	8RBC TVSAT B	8RBC SATN B	8RBC SATI B
Satin Brass	Black	82C TV B	82C TVFM B	82C TVI B	82C TVSAT B	82C SATN B	82C SATI B
Satin Brass	White	82C TV W	82C TVFM W	82C TVI W	82C TVSAT W	82C SATN W	82C SATI W
Satin Steel	Black	84C TV B	84C TVFM B	84C TVI B	84C TVSAT B	84C SATN B	84C SATI B
Satin Steel	White	84C TV W	84C TVFM W	84C TVI W	84C TVSAT W	84C SATN W	84C SATI W
Nominal Size:		86.0mm x 86.0mm	86.0mm x 86.0mm	86.0mm x 86.0mm	86.0mm x 86.0mm	86.0mm x 86.0mm	86.0mm x 86.0mm
Minimum Wall Box Depth:		25mm	25mm	25mm	35mm	35mm	35mm

Insert Surround Colour Key: (-B) Black, (-W) White

Sheer CFX[®]

Digital Television Sockets

- Screened Non-Isolated / DAB Compatible



84C DTRID W



88C DTRID B



81C DENT B



Non-Isolated
TV+FM+SAT
Triplexer 1in/3out
(DAB Compatible)



1 gang
Non-Isolated TV
(Female)
(DAB Compatible)




1 gang
Non-Isolated TV
(Male)
(DAB Compatible)



1 gang
Non-Isolated
Satellite
(DAB Compatible)



Non-Isolated
TV+FM+SAT1+SAT2
Quadplexer 2in/4out
(DAB Compatible)



Non-Isolated
TV+FM+SAT1+SAT2
Quadplexer 2in/4out
+TVF+TCS (DAB
Compatible)

Plate Finish	Insert Colour	Non-Isolated TV+FM+SAT Triplexer 1in/3out (DAB Compatible)	1 gang Non-Isolated TV (Female) (DAB Compatible)	1 gang Non-Isolated TV (Male) (DAB Compatible)	1 gang Non-Isolated Satellite (DAB Compatible)	Non-Isolated TV+FM+SAT1+SAT2 Quadplexer 2in/4out (DAB Compatible)	Non-Isolated TV+FM+SAT1+SAT2 Quadplexer 2in/4out +TVF+TCS (DAB Compatible)
Antique Brass	Black	89C DTRID B	89C DTVF B	89C DTVM B	89C DSAT B	89C DENT B	89C DSAT+ B
Black Nickel	Black	88C DTRID B	88C DTVF B	88C DTVM B	88C DSAT B	88C DENT B	88C DSAT+ B
Bright Chrome	Black	87C DTRID B	87C DTVF B	87C DTVM B	87C DSAT B	87C DENT B	87C DSAT+ B
Bright Chrome	White	87C DTRID W	87C DTVF W	87C DTVM W	87C DSAT W	87C DENT W	87C DSAT+ W
Connaught Bronze	Black	8HBC DTRID B	8HBC DTVF B	8HBC DTVM B	8HBC DSAT B	8HBC DENT B	8HBC DSAT+ B
Copper Bronze	Black	8CBC DTRID B	8CBC DTVF B	8CBC DTVM B	8CBC DSAT B	8CBC DENT B	8CBC DSAT+ B
Etrium Bronze	Black	8EBC DTRID B	8EBC DTVF B	8EBC DTVM B	8EBC DSAT B	8EBC DENT B	8EBC DSAT+ B
Gloss White	White	80C DTRID W	80C DTVF W	80C DTVM W	80C DSAT W	80C DENT W	80C DSAT+ W
Polished Brass	Black	81C DTRID B	81C DTVF B	81C DTVM B	81C DSAT B	81C DENT B	81C DSAT+ B
Polished Brass	White	81C DTRID W	81C DTVF W	81C DTVM W	81C DSAT W	81C DENT W	81C DSAT+ W
Polished Nickel	-	-	-	-	-	-	-
Primed White	Black	8WPC DTRID B	8WPC DTVF B	8WPC DTVM B	8WPC DSAT B	8WPC DENT B	8WPC DSAT+ B
Primed White	White	8WPC DTRID W	8WPC DTVF W	8WPC DTVM W	8WPC DSAT W	8WPC DENT W	8WPC DSAT+ W
Richmond Bronze	Black	8RBC DTRID B	8RBC DTVF B	8RBC DTVM B	8RBC DSAT B	8RBC DENT B	8RBC DSAT+ B
Satin Brass	Black	82C DTRID B	82C DTVF B	82C DTVM B	82C DSAT B	82C DENT B	82C DSAT+ B
Satin Brass	White	82C DTRID W	82C DTVF W	82C DTVM W	82C DSAT W	82C DENT W	82C DSAT+ W
Satin Steel	Black	84C DTRID B	84C DTVF B	84C DTVM B	84C DSAT B	84C DENT B	84C DSAT+ B
Satin Steel	White	84C DTRID W	84C DTVF W	84C DTVM W	84C DSAT W	84C DENT W	84C DSAT+ W
Nominal Size:		86.0mm x 86.0mm	86.0mm x 86.0mm	86.0mm x 86.0mm	86.0mm x 86.0mm	86.0mm x 86.0mm	145.0mm x 86.0mm
Minimum Wall Box Depth:		35mm	35mm	35mm	35mm	35mm	35mm

Insert Surround Colour Key: (-B) Black, (-W) White

Telephone and Data Outlets



89C TCM B









81C J12 W



87C 2J12 B



84C J45 W

Plate Colour	Insert Colour						
		1 gang Telephone Master	1 gang Telephone Slave	1 gang RJ12 Outlet - Unshielded	2 gang RJ12 Outlet - Unshielded	1 gang RJ45 CAT 5E Outlet - Unshielded	2 gang RJ45 CAT 5E Outlet - Unshielded
Antique Brass	Black	89C TCM B	89C TCS B	89C J12 B	89C 2J12 B	89C J45 B	89C 2J45 B
Black Nickel	Black	88C TCM B	88C TCS B	88C J12 B	88C 2J12 B	88C J45 B	88C 2J45 B
Bright Chrome	Black	87C TCM B	87C TCS B	87C J12 B	87C 2J12 B	87C J45 B	87C 2J45 B
Bright Chrome	White	87C TCM W	87C TCS W	87C J12 W	87C 2J12 W	87C J45 W	87C 2J45 W
Connaught Bronze	Black	8HBC TCM B	8HBC TCS B	8HBC J12 B	8HBC 2J12 B	8HBC J45 B	8HBC 2J45 B
Copper Bronze	Black	8CBC TCM B	8CBC TCS B	8CBC J12 B	8CBC 2J12 B	8CBC J45 B	8CBC 2J45 B
Etrium Bronze	Black	8EBC TCM B	8EBC TCS B	8EBC J12 B	8EBC 2J12 B	8EBC J45 B	8EBC 2J45 B
Gloss White	White	80C TCM W	80C TCS W	80C J12 W	80C 2J12 W	80C J45 W	80C 2J45 W
Polished Brass	Black	81C TCM B	81C TCS B	81C J12 B	81C 2J12 B	81C J45 B	81C 2J45 B
Polished Brass	White	81C TCM W	81C TCS W	81C J12 W	81C 2J12 W	81C J45 W	81C 2J45 W
Polished Nickel	Black	8PNC TCM B	8PNC TCS B	-	-	-	-
Polished Nickel	White	8PNC TCM W	8PNC TCS W	-	-	-	-
Primed White	Black	8WPC TCM B	8WPC TCS B	8WPC J12 B	8WPC 2J12 B	8WPC J45 B	8WPC 2J45 B
Primed White	White	8WPC TCM W	8WPC TCS W	8WPC J12 W	8WPC 2J12 W	8WPC J45 W	8WPC 2J45 W
Richmond Bronze	Black	8RBC TCM B	8RBC TCS B	8RBC J12 B	8RBC 2J12 B	8RBC J45 B	8RBC 2J45 B
Satin Brass	Black	82C TCM B	82C TCS B	82C J12 B	82C 2J12 B	82C J45 B	82C 2J45 B
Satin Brass	White	82C TCM W	82C TCS W	82C J12 W	82C 2J12 W	82C J45 W	82C 2J45 W
Satin Steel	Black	84C TCM B	84C TCS B	84C J12 B	84C 2J12 B	84C J45 B	84C 2J45 B
Satin Steel	White	84C TCM W	84C TCS W	84C J12 W	84C 2J12 W	84C J45 W	84C 2J45 W
Nominal Size:		86.0mm x 86.0mm	86.0mm x 86.0mm	86.0mm x 86.0mm	86.0mm x 86.0mm	86.0mm x 86.0mm	86.0mm x 86.0mm
Minimum Wall Box Depth:		25mm	25mm	35mm	35mm	35mm	35mm

Insert Surround Colour Key: (-B) Black, (-W) White

Sheer CFX®

Double Pole Switches



81C DPN PB-W




87C 45N B



89C 45SS1 AB-B



84C 45SS1 SS-W

Plate Colour	Insert Finish/ Surround Colour	 1 gang 20AX Double Pole Rocker + Neon	 1 gang 45A Double Pole Red Rocker + Neon	 45A Double Pole Red Rocker + Neon + 13A Switched Socket
Antique Brass	Antique Brass/Black	89C DPN AB-B	-	89C 45SS1 AB-B
Antique Brass	Black/Black	-	89C 45N B	-
Black Nickel	Black/Black	-	88C 45N B	-
Black Nickel	Black Nickel/Black	88C DPN BK-B	-	88C 45SS1 BK-B
Bright Chrome	Black/Black	-	87C 45N B	-
Bright Chrome	Bright Chrome/Black	87C DPN BC-B	-	87C 45SS1 BC-B
Bright Chrome	Bright Chrome/White	87C DPN BC-W	-	87C 45SS1 BC-W
Bright Chrome	White/White	-	87C 45N W	-
Connought Bronze	Black/Black	8HBC DPN BL-B	8HBC 45N B	8HBC 45SS1 BL-B
Copper Bronze	Black/Black	8CBC DPN BL-B	8CBC 45N B	8CBC 45SS1 BL-B
Etrium Bronze	Black/Black	8EBC DPN BL-B	8EBC 45N B	8EBC 45SS1 BL-B
Gloss White	White/White	80C DPN WH-W	80C 45N W	80C 45SS1 WH-W
Polished Brass	Black/Black	-	81C 45N B	-
Polished Brass	Polished Brass/Black	81C DPN PB-B	-	81C 45SS1 PB-B
Polished Brass	Polished Brass/White	81C DPN PB-W	-	81C 45SS1 PB-W
Polished Brass	White/White	-	81C 45N W	-
Polished Nickel	-	-	-	-
Primed White	Black/Black	8WPC DPN WH-B	8WPC 45N B	8WPC 45SS1 WH-B
Primed White	White/White	8WPC DPN WH-W	8WPC 45N W	8WPC 45SS1 WH-W
Richmond Bronze	Black/Black	8RBC DPN BL-B	-	8RBC 45SS1 BL-B
Satin Brass	Black/Black	-	82C 45N B	-
Satin Brass	Satin Brass/Black	82C DPN SB-B	-	82C 45SS1 SB-B
Satin Brass	Satin Brass/White	82C DPN SB-W	-	82C 45SS1 SB-W
Satin Brass	White/White	-	82C 45N W	-
Satin Steel	Black/Black	-	84C 45N B	-
Satin Steel	Satin Steel/Black	84C DPN SS-B	-	84C 45SS1 SS-B
Satin Steel	Satin Steel/White	84C DPN SS-W	-	84C 45SS1 SS-W
Satin Steel	White/White	-	84C 45N W	-
Nominal Size:		86.0mm x 86.0mm	86.0mm x 86.0mm	145.0mm x 86.0mm
Minimum Wall Box Depth:		25mm	35mm	35mm

Insert Surround Colour Key: (-B) Black, (-W) White

Sheer CFX®

Connection Units



84C SPN SS-W



1 gang 13A
Double Pole
Fused Spur +
Neon



1 gang 13A
Fuse with
Red Neon Halo

Plate Colour	Insert Finish/ Surround Colour		
Antique Brass	Antique Brass/Black	89C SPN AB-B	89C FN AB-R
Black Nickel	Black Nickel/Black	88C SPN BK-B	88C FN BK-R
Bright Chrome	Bright Chrome/Black	87C SPN BC-B	87C FN BC-R
Bright Chrome	Bright Chrome/White	87C SPN BC-W	-
Connaught Bronze	Black/Black	8HBC SPN BL-B	8HBC FN BL-R
Copper Bronze	Black/Black	8CBC SPN BL-B	8CBC FN BL-R
Etrium Bronze	Black/Black	8EBC SPN BL-B	8EBC FN BL-R
Gloss White	White/White	80C SPN WH-W	80C FN WH-R
Polished Brass	Polished Brass/Black	81C SPN PB-B	81C FN PB-R
Polished Brass	Polished Brass/White	81C SPN PB-W	-
Polished Nickel	Bright Chrome/Black	8PNC SPN BC-B	-
Polished Nickel	Bright Chrome/White	8PNC SPN BC-W	-
Primed White	Black/Black	8WPC SPN BL-B	8WPC FN BL-R
Primed White	White/White	8WPC SPN WH-W	8WPC FN WH-R
Richmond Bronze	Black/Black	8RBC SPN BL-B	8RBC FN BL-R
Satin Brass	Satin Brass/Black	82C SPN SB-B	82C FN SB-R
Satin Brass	Satin Brass/White	82C SPN SB-W	-
Satin Steel	Satin Steel/Black	84C SPN SS-B	84C FN SS-R
Satin Steel	Satin Steel/White	84C SPN SS-W	-
Nominal Size:		86.0mm x 86.0mm	86.0mm x 86.0mm
Minimum Wall Box Depth:		35mm	35mm

Insert Surround Colour Key: (-B) Black, (-W) White





250W 2-Way Dimmers







84C 1XLEDITB250



87C 2XLEDITB250

					
		1 gang 250W 2-Way Dimmer	1 gang 250W 2-Way Dimmer	1 gang 250W 2-Way Dimmer	1 gang 250W 2-Way Dimmer
Plate Finish	Insert Finish				
Antique Brass	Antique Brass	89C 1XLEDITB250	89C 2XLEDITB250	89C 3XLEDITB250	89C 4XLEDITB250
Black Nickel	Black Nickel	88C 1XLEDITB250	88C 2XLEDITB250	88C 3XLEDITB250	88C 4XLEDITB250
Bright Chrome	Bright Chrome	87C 1XLEDITB250	87C 2XLEDITB250	87C 3XLEDITB250	87C 4XLEDITB250
Connaught Bronze	Connaught Bronze	8HBC 1XLEDITB250	8HBC 2XLEDITB250	8HBC 3XLEDITB250	8HBC 4XLEDITB250
Copper Bronze	Copper Bronze	8CBC 1XLEDITB250	8CBC 2XLEDITB250	8CBC 3XLEDITB250	8CBC 4XLEDITB250
Gloss White	Gloss White	80C 1XLEDITB250	80C 2XLEDITB250	80C 3XLEDITB250	80C 4XLEDITB250
Etrium Bronze	Etrium Bronze	8EBC 1XLEDITB250	8EBC 2XLEDITB250	8EBC 3XLEDITB250	8EBC 4XLEDITB250
Matt Black	Matt Black	8MBC 1XLEDITB250	8MBC 2XLEDITB250	8MBC 3XLEDITB250	8MBC 4XLEDITB250
Polished Brass	Polished Brass	81C 1XLEDITB250	81C 2XLEDITB250	81C 3XLEDITB250	81C 4XLEDITB250
Primed White	White	8WPC 1XLEDITB250	8WPC 2XLEDITB250	8WPC 3XLEDITB250	8WPC 4XLEDITB250
Richmond Bronze	Richmond Bronze	8RBC 1XLEDITB250	8RBC 2XLEDITB250	8RBC 3XLEDITB250	8RBC 4XLEDITB250
Satin Brass	Satin Brass	82C 1XLEDITB250	82C 2XLEDITB250	82C 3XLEDITB250	82C 4XLEDITB250
Satin Steel	Satin Steel	84C 1XLEDITB250	84C 2XLEDITB250	84C 3XLEDITB250	84C 4XLEDITB250
Nominal Size:		86.0mm x 86.0mm	86.0mm x 86.0mm	146.0mm x 86.0mm	146.0mm x 86.0mm
Minimum Wall Box Depth:		35mm	35mm	35mm	35mm

LED Trailing/Leading Edge Push On/Off Rotary 2 Way Switching Dimmers

					
		1 gang 100W LED Trailing/Leading Edge Push On/Off Rotary 2 Way Switching Dimmer	2 gang 100W LED Trailing/Leading Edge Push On/Off Rotary 2 Way Switching Dimmer	3 gang 100W LED Trailing/Leading Edge Push On/Off Rotary 2 Way Switching Dimmer	4 gang 100W LED Trailing/Leading Edge Push On/Off Rotary 2 Way Switching Dimmer
Plate Finish	Insert Finish				
Antique Brass	Antique Brass	89C 1XLEDITB100	89C 2XLEDITB100	89C 3XLEDITB100	89C 4XLEDITB100
Black Nickel	Black Nickel	88C 1XLEDITB100	88C 2XLEDITB100	88C 3XLEDITB100	88C 4XLEDITB100
Bright Chrome	Bright Chrome	87C 1XLEDITB100	87C 2XLEDITB100	87C 3XLEDITB100	87C 4XLEDITB100
Connaught Bronze	Connaught Bronze	8HBC 1XLEDITB100	8HBC 2XLEDITB100	8HBC 3XLEDITB100	8HBC 4XLEDITB100
Copper Bronze	Copper Bronze	8CBC 1XLEDITB100	8CBC 2XLEDITB100	8CBC 3XLEDITB100	8CBC 4XLEDITB100
Etrium Bronze	Etrium Bronze	8EBC 1XLEDITB100	8EBC 2XLEDITB100	8EBC 3XLEDITB100	8EBC 4XLEDITB100
Gloss White	Gloss White	80C 1XLEDITB100	80C 2XLEDITB100	80C 3XLEDITB100	80C 4XLEDITB100
Polished Brass	Polished Brass	81C 1XLEDITB100	81C 2XLEDITB100	81C 3XLEDITB100	81C 4XLEDITB100
Polished Nickel	-	-	-	-	-
Primed White	White	8WPC 1XLEDITB100	8WPC 2XLEDITB100	8WPC 3XLEDITB100	8WPC 4XLEDITB100
Richmond Bronze	Richmond Bronze	8RBC 1XLEDITB100	8RBC 2XLEDITB100	8RBC 3XLEDITB100	8RBC 4XLEDITB100
Satin Brass	Satin Brass	82C 1XLEDITB100	82C 2XLEDITB100	82C 3XLEDITB100	82C 4XLEDITB100
Satin Steel	Satin Steel	84C 1XLEDITB100	84C 2XLEDITB100	84C 3XLEDITB100	84C 4XLEDITB100
Nominal Size:		86.0mm x 86.0mm	86.0mm x 86.0mm	145.0mm x 86.0mm	145.0mm x 86.0mm
Minimum Wall Box Depth:		35mm	35mm	35mm	35mm

NOTE: Tungsten filament GU10 lamps must be branded and with a fused base.

NOTE: Please refer to the Dimmer Technical Section for the max Wattage.

NOTE: Please contact our Technical Department for compatibility.

Sheer CFX[®]

Resistive Leading Edge Push On/Off Rotary 2 Way Switching Dimmers



8CBC 1X40



89C 2X40




1 gang 400W Resistive Leading Edge Push On/Off Rotary 2 Way Switching Dimmer



2 gang 400W Resistive Leading Edge Push On/Off Rotary 2 Way Switching Dimmer



3 gang 400W Resistive Leading Edge Push On/Off Rotary 2 Way Switching Dimmer



4 gang 400W Resistive Leading Edge Push On/Off Rotary 2 Way Switching Dimmer

Plate Finish	Insert Finish	1 gang 400W Resistive Leading Edge Push On/Off Rotary 2 Way Switching Dimmer	2 gang 400W Resistive Leading Edge Push On/Off Rotary 2 Way Switching Dimmer	3 gang 400W Resistive Leading Edge Push On/Off Rotary 2 Way Switching Dimmer	4 gang 400W Resistive Leading Edge Push On/Off Rotary 2 Way Switching Dimmer
Antique Brass	Antique Brass	89C 1X40	89C 2X40	89C 3X40	89C 4X40
Black Nickel	Black Nickel	88C 1X40	88C 2X40	88C 3X40	88C 4X40
Bright Chrome	Bright Chrome	87C 1X40	87C 2X40	87C 3X40	87C 4X40
Connaught Bronze	Connaught Bronze	8HBC 1X40	8HBC 2X40	8HBC 3X40	8HBC 4X40
Copper Bronze	Copper Bronze	8CBC 1X40	8CBC 2X40	8CBC 3X40	8CBC 4X40
Etrium Bronze	Etrium Bronze	8EBC 1X40	8EBC 2X40	8EBC 3X40	8EBC 4X40
Gloss White	Gloss White	80C 1X40	80C 2X40	80C 3X40	80C 4X40
Polished Brass	Polished Brass	81C 1X40	81C 2X40	81C 3X40	81C 4X40
Polished Nickel	-	-	-	-	-
Primed White	Primed White	8WPC 1X40	8WPC 2X40	8WPC 3X40	8WPC 4X40
Richmond Bronze	Richmond Bronze	8RBC 1X40	8RBC 2X40	8RBC 3X40	8RBC 4X40
Satin Brass	Satin Brass	82C 1X40	82C 2X40	82C 3X40	82C 4X40
Satin Steel	Satin Steel	84C 1X40	84C 2X40	84C 3X40	84C 4X40
	Nominal Size:	86.0mm x 86.0mm	86.0mm x 86.0mm	145.0mm x 86.0mm	145.0mm x 86.0mm
	Minimum Wall Box Depth:	35mm	35mm	35mm	35mm

NOTE: Tungsten filament GU10 lamps must be branded and with a fused base
 NOTE: When using mains voltage halogen lamps – dimmers should be re-rated by 25%
 NOTE: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.
 NOTE: Please refer to the Dimmer Technical Section for the max wattage

Sheer CFX[®]

Inductive Leading Edge Push On/Off Rotary 2 Way Switching Dimmers



8WPC 1X2V



1 gang 200VA
Inductive Leading Edge
Push On/Off Rotary
2 Way Switching
Dimmer

Plate Finish	Insert Finish	
Antique Brass	Antique Brass	89C 1X2V
Black Nickel	Black Nickel	88C 1X2V
Bright Chrome	Bright Chrome	87C 1X2V
Connaught Bronze	Connaught Bronze	8HBC 1X2V
Copper Bronze	Copper Bronze	8CBC 1X2V
Etrium Bronze	Etrium Bronze	8EBC 1X2V
Gloss White	Gloss White	80C 1X2V
Polished Brass	Polished Brass	81C 1X2V
Polished Nickel	-	-
Primed White	Primed White	8WPC 1X2V
Richmond Bronze	Richmond Bronze	8RBC 1X2V
Satin Brass	Satin Brass	82C 1X2V
Satin Steel	Satin Steel	84C 1X2V
Nominal Size:		86.0mm x 86.0mm
Minimum Wall Box Depth:		35mm

NOTE: Tungsten filament GU10 lamps must be branded and with a fused base

NOTE: When using mains voltage halogen lamps – dimmers should be re-rated by 25%

NOTE: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.

NOTE: Please refer to the Dimmer Technical Section for the max wattage

Sheer CFX®





Resistive/Inductive Trailing Edge Push On/Off Rotary Multi-Way Dimmers



8WPC 1XTE



89C 2XTE

Plate Finish	Insert Finish	 1 gang 250W/210VA Resistive/Inductive Trailing Edge Push On/Off Rotary Multi-Way Dimmer	 2 gang 250W/210VA Resistive/Inductive Trailing Edge Push On/Off Rotary Multi-Way Dimmer	 3 gang 250W/210VA Resistive/Inductive Trailing Edge Push On/Off Rotary Multi-Way Dimmer	 4 gang 250W/210VA Resistive/Inductive Trailing Edge Push On/Off Rotary Multi-Way Dimmer
Antique Brass	Antique Brass	89C 1XTE	89C 2XTE	89C 3XTE	89C 4XTE
Black Nickel	Black Nickel	88C 1XTE	88C 2XTE	88C 3XTE	88C 4XTE
Bright Chrome	Bright Chrome	87C 1XTE	87C 2XTE	87C 3XTE	87C 4XTE
Connaught Bronze	Connaught Bronze	8HBC 1XTE	8HBC 2XTE	8HBC 3XTE	8HBC 4XTE
Copper Bronze	Copper Bronze	8CBC 1XTE	8CBC 2XTE	8CBC 3XTE	8CBC 4XTE
Etrium Bronze	Etrium Bronze	8EBC 1XTE	8EBC 2XTE	8EBC 3XTE	8EBC 4XTE
Gloss White	Gloss White	80C 1XTE	80C 2XTE	80C 3XTE	80C 4XTE
Polished Brass	Polished Brass	81C 1XTE	81C 2XTE	81C 3XTE	81C 4XTE
Polished Nickel	-	-	-	-	-
Primed White	Primed White	8WPC 1XTE	8WPC 2XTE	8WPC 3XTE	8WPC 4XTE
Richmond Bronze	Richmond Bronze	8RBC 1XTE	8RBC 2XTE	8RBC 3XTE	8RBC 4XTE
Satin Brass	Satin Brass	82C 1XTE	82C 2XTE	82C 3XTE	82C 4XTE
Satin Steel	Satin Steel	84C 1XTE	84C 2XTE	84C 3XTE	84C 4XTE
	Nominal Size:	86.0mm x 86.0mm	86.0mm x 86.0mm	145.0mm x 86.0mm	145.0mm x 86.0mm
	Minimum Wall Box Depth:	35mm	35mm	35mm	35mm

NOTE: Tungsten filament GU10 lamps must be branded and with a fused base
 NOTE: When using mains voltage halogen lamps – dimmers should be re-rated by 25%
 NOTE: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.
 NOTE: Please refer to the Dimmer Technical Section for the max wattage

Sheer CFX®

Resistive/Inductive Trailing Edge Touch Master Multi-Way Dimmers



82C 1XTM SB-B



87C 2XTM BC-B



88C 3XTM BK-B

Plate Finish	Insert Finish/ Surround Colour	1 gang 250W/210VA Resistive/Inductive Trailing Edge Touch Master Multi-Way Dimmer	2 gang 250W/210VA Resistive/Inductive Trailing Edge Touch Master Multi-Way Dimmer	3 gang 250W/210VA Resistive/Inductive Trailing Edge Touch Master Multi-Way Dimmer	4 gang 250W/210VA Resistive/Inductive Trailing Edge Touch Master Multi-Way Dimmer
Antique Brass	Antique Brass/Black	89C 1XTM AB-B	89C 2XTM AB-B	89C 3XTM AB-B	89C 4XTM AB-B
Black Nickel	Black Nickel/Black	88C 1XTM BK-B	88C 2XTM BK-B	88C 3XTM BK-B	88C 4XTM BK-B
Bright Chrome	Bright Chrome/Black	87C 1XTM BC-B	87C 2XTM BC-B	87C 3XTM BC-B	87C 4XTM BC-B
Bright Chrome	Bright Chrome/White	87C 1XTM BC-W	87C 2XTM BC-W	87C 3XTM BC-W	87C 4XTM BC-W
Connaught Bronze	Antique Brass/Black	8HBC 1XTM AB-B	8HBC 2XTM AB-B	8HBC 3XTM AB-B	8HBC 4XTM AB-B
Copper Bronze	Black Nickel/Black	8CBC 1XTM BK-B	8CBC 2XTM BK-B	8CBC 3XTM BK-B	8CBC 4XTM BK-B
Etrium Bronze	Black Nickel/Black	8EBC 1XTM BK-B	8EBC 2XTM BK-B	8EBC 3XTM BK-B	8EBC 4XTM BK-B
Gloss White	-	-	-	-	-
Polished Brass	Polished Brass/Black	81C 1XTM PB-B	81C 2XTM PB-B	81C 3XTM PB-B	81C 4XTM PB-B
Polished Brass	Polished Brass/White	81C 1XTM PB-W	81C 2XTM PB-W	81C 3XTM PB-W	81C 4XTM PB-W
Polished Nickel	-	-	-	-	-
Primed White	-	-	-	-	-
Richmond Bronze	Black Nickel/Black	8RBC 1XTM BK-B	8RBC 2XTM BK-B	8RBC 3XTM BK-B	8RBC 4XTM BK-B
Satin Brass	Satin Brass/Black	82C 1XTM SB-B	82C 2XTM SB-B	82C 3XTM SB-B	82C 4XTM SB-B
Satin Brass	Satin Brass/White	82C 1XTM SB-W	82C 2XTM SB-W	82C 3XTM SB-W	82C 4XTM SB-W
Satin Steel	Satin Steel/Black	84C 1XTM SS-B	84C 2XTM SS-B	84C 3XTM SS-B	84C 4XTM SS-B
Satin Steel	Satin Steel/White	84C 1XTM SS-W	84C 2XTM SS-W	84C 3XTM SS-W	84C 4XTM SS-W
Nominal Size:		86.0mm x 86.0mm	86.0mm x 86.0mm	145.0mm x 86.0mm	145.0mm x 86.0mm
Minimum Wall Box Depth:		35mm	35mm	35mm	35mm

NOTE: Tungsten filament GU10 lamps must be branded and with a fused base

NOTE: When using mains voltage halogen lamps – dimmers should be re-rated by 25%

NOTE: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.

NOTE: Please refer to the Dimmer Technical Section for the max wattage

Insert Surround Colour Key: (-B) Black, (-W) White

Sheer CFX®


Multi-Way Touch Slave Controllers



82C 1XTS SB-W



87C 2XTS BC-W



88C 4XTS BK-B

Plate Finish	Insert Finish/ Surround Colour				
		1 gang Multi-Way Touch Slave Controller	2 gang Multi-Way Touch Slave Controller	3 gang Multi-Way Touch Slave Controller	4 gang Multi-Way Touch Slave Controller
Antique Brass	Antique Brass/Black	89C 1XTS AB-B	89C 2XTS AB-B	89C 3XTS AB-B	89C 4XTS AB-B
Black Nickel	Black Nickel/Black	88C 1XTS BK-B	88C 2XTS BK-B	88C 3XTS BK-B	88C 4XTS BK-B
Bright Chrome	Bright Chrome/Black	87C 1XTS BC-B	87C 2XTS BC-B	87C 3XTS BC-B	87C 4XTS BC-B
Bright Chrome	Bright Chrome/White	87C 1XTS BC-W	87C 2XTS BC-W	87C 3XTS BC-W	87C 4XTS BC-W
Connaught Bronze	Antique Brass/Black	8HBC 1XTS AB-B	8HBC 2XTS AB-B	8HBC 3XTS AB-B	8HBC 4XTS AB-B
Copper Bronze	Black Nickel/Black	8CBC 1XTS BK-B	8CBC 2XTS BK-B	8CBC 3XTS BK-B	8CBC 4XTS BK-B
Etrium Bronze	Black Nickel/Black	8EBC 1XTS BK-B	8EBC 2XTS BK-B	8EBC 3XTS BK-B	8EBC 4XTS BK-B
Gloss White	-	-	-	-	-
Polished Brass	Polished Brass/Black	81C 1XTS PB-B	81C 2XTS PB-B	81C 3XTS PB-B	81C 4XTS PB-B
Polished Brass	Polished Brass/White	81C 1XTS PB-W	81C 2XTS PB-W	81C 3XTS PB-W	81C 4XTS PB-W
Polished Nickel	-	-	-	-	-
Primed White	-	-	-	-	-
Richmond Bronze	Black Nickel/Black	8RBC 1XTS BK-B	8RBC 2XTS BK-B	8RBC 3XTS BK-B	8RBC 4XTS BK-B
Satin Brass	Satin Brass/Black	82C 1XTS SB-B	82C 2XTS SB-B	82C 3XTS SB-B	82C 4XTS SB-B
Satin Brass	Satin Brass/White	82C 1XTS SB-W	82C 2XTS SB-W	82C 3XTS SB-W	82C 4XTS SB-W
Satin Steel	Satin Steel/Black	84C 1XTS SS-B	84C 2XTS SS-B	84C 3XTS SS-B	84C 4XTS SS-B
Satin Steel	Satin Steel/White	84C 1XTS SS-W	84C 2XTS SS-W	84C 3XTS SS-W	84C 4XTS SS-W
Nominal Size:		86.0mm x 86.0mm	86.0mm x 86.0mm	145.0mm x 86.0mm	145.0mm x 86.0mm
Minimum Wall Box Depth:		35mm	35mm	35mm	35mm

NOTE: To only be used with Touch Masters

Insert Surround Colour Key: (-B) Black, (-W) White

Sheer CFX®

Blank Plates

SHEER CFX RANGE



81CBPS



88CBPD



Single Blank Plate



Double Blank Plate

Plate Finish	Single Blank Plate	Double Blank Plate
Antique Brass	89C BPS	89C BPD
Black Nickel	88C BPS	88C BPD
Bright Chrome	87C BPS	87C BPD
Connaught Bronze	8HBC BPS	8HBC BPD
Copper Bronze	8CBC BPS	8CBC BPD
Etrium Bronze	8EBC BPS	8EBC BPD
Gloss White	80C BPS	80C BPD
Polished Brass	81C BPS	81C BPD
Polished Nickel	-	-
Primed White	8WPC BPS	8WPC BPD
Richmond Bronze	8RBC BPS	8RBC BPD
Satin Brass	82C BPS	82C BPD
Satin Steel	84C BPS	84C BPD
Nominal Size:	86.0mm x 86.0mm	145.0mm x 86.0mm
Minimum Wall Box Depth:	Any Box	Any Box

Sheer CFX®


GRID-IT Grid Fix Plates complete with Fixing Grid



89C 1GP



81C 2GP




87C 3GP

Plate Finish	1 gang Grid Fix Apertured Plate with Grid	2 gang Grid Fix Apertured Plate with Grid	3 gang Grid Fix Apertured Plate with Grid	4 gang Grid Fix Apertured Plate with Grid
Antique Brass	89C 1GP	89C 2GP	89C 3GP	89C 4GP
Black Nickel	88C 1GP	88C 2GP	88C 3GP	88C 4GP
Bright Chrome	87C 1GP	87C 2GP	87C 3GP	87C 4GP
Connaught Bronze	8HBC 1GP	8HBC 2GP	8HBC 3GP	8HBC 4GP
Copper Bronze	8CBC 1GP	8CBC 2GP	8CBC 3GP	8CBC 4GP
Etrium Bronze	8EBC 1GP	8EBC 2GP	8EBC 3GP	8EBC 4GP
Gloss White	80C 1GP	80C 2GP	80C 3GP	80C 4GP
Polished Brass	81C 1GP	81C 2GP	81C 3GP	81C 4GP
Polished Nickel	8PNC 1GP	8PNC 2GP	8PNC 3GP	8PNC 4GP
Primed White	8WPC 1GP	8WPC 2GP	8WPC 3GP	8WPC 4GP
Richmond Bronze	8RBC 1GP	8RBC 2GP	8RBC 3GP	8RBC 4GP
Satin Brass	82C 1GP	82C 2GP	82C 3GP	82C 4GP
Satin Steel	84C 1GP	84C 2GP	84C 3GP	84C 4GP
Nominal Size:	86.0mm x 86.0mm	86.0mm x 86.0mm	145.0mm x 86.0mm	145.0mm x 86.0mm
Minimum Wall Box Depth:	As Per Insert	As Per Inserts	As Per Inserts	As Per Inserts


Spare Fixing Grid



8C 1G



8C 2G



8C 3G



8C 4G

Plate Finish	1 gang Insert Grid complete with Gasket	2 gang Insert Grid complete with Gasket	3 gang Insert Grid complete with Gasket	4 gang Insert Grid complete with Gasket
No Plate Colour	8C1G	8C2G	8C3G	8C4G
Nominal Size:	86.0mm x 86.0mm	86.0mm x 86.0mm	145.0mm x 86.0mm	145.0mm x 86.0mm
Minimum Wall Box Depth:	86.0mm x 86.0mm	86.0mm x 86.0mm	145.0mm x 86.0mm	145.0mm x 86.0mm

Note: Minimum Wall Box depth is dependant on the Grid Fix insert fitted, please see the GRID-IT section for the complete range of inserts.

Sheer CFX®





EuroFix Plates complete with Fixing Grid



89CEURO2



87CEURO4

Plate Finish	 1 Module EuroFix 25x50mm Apertured Plate with Grid	 2 Module EuroFix 50x50mm Apertured Plate with Grid	 3 Module EuroFix 75x50mm Apertured Plate with Grid	 4 Module EuroFix 100x50mm Apertured Plate with Grid
Antique Brass	89C EURO1	89C EURO2	89C EURO3	89C EURO4
Black Nickel	88C EURO1	88C EURO2	88C EURO3	88C EURO4
Bright Chrome	87C EURO1	87C EURO2	87C EURO3	87C EURO4
Copper Bronze	8CBC EURO1	8CBC EURO2	8CBC EURO3	8CBC EURO4
Connaught Bronze	8HBC EURO1	8HBC EURO2	8EBC EURO3	8HBC EURO4
Etrium Bronze	8EBC EURO1	8EBC EURO2	8HBC EURO3	8EBC EURO4
Gloss White	80C EURO1	80C EURO2	80C EURO3	80C EURO4
Primed White	8WPC EURO1	8WPC EURO2	8WPC EURO3	8WPC EURO4
Richmond Bronze	8RBC EURO1	8RBC EURO2	8RBC EURO3	8RBC EURO4
Polished Brass	81C EURO1	81C EURO2	81C EURO3	81C EURO4
Polished Nickel	-	8PNC EURO2	-	8PNC EURO4
Satin Brass	82C EURO1	82C EURO2	82C EURO3	82C EURO4
Satin Steel	84C EURO1	84C EURO2	84C EURO3	84C EURO4
Nominal Size:	86.0mm x 86.0mm	86.0mm x 86.0mm	145.0mm x 86.0mm	145.0mm x 86.0mm
Minimum Wall Box Depth:	As Per Insert	As Per Inserts	As Per Inserts	As Per Inserts

Note: Minimum Wall Box depth is dependant on the EuroFix insert fitted, please see the EuroFix section for our complete range of inserts.