


# Stannah Midilift CLS

Safe, stylish, and reliable:  
cabin platform lifts with automatic  
sliding doors



**Stannah**



“Stannah is an established UK company with a lengthy track record – just the reassurance needed that we would get the best lift solution for the job.”

**Project Client**



## A high-class cabin platform lift

Our Midilift CLS range of low-speed lifts combines the benefits of a platform lift with the features of a conventional passenger lift, and as such includes a full lift car, centre and side opening sliding landing doors and automatic controls.

Stannah has successfully installed over 11,000 platform lifts across Great Britain since 1993. And now, we are embarking on a new era of safe, efficient, and environmentally friendly lifts for home and commercial use.

There is no better lift to fit your needs.

### CONTENTS

About Midilift CLS	4
Specifications	6
Finishes & options	8
Lift car & shaft dimensions	12
Example configurations	16
Order & installation process	18



## An elegant lift – tailored to your environment

With a comprehensive range of lift cars, finishes, structure and materials – as well as indoor and outdoor options – Midilift CLS has the versatility to suit all kinds of public and residential environments.

It can be installed within a traditional masonry-built shaft anywhere on the property. Alternatively it can operate within its own modular structure, available in a wide variety of colours and finishes, including glazed panels.

This means you can enjoy the convenience of a cabin lift with automatic sliding doors in even the tightest of spaces – adding a sophisticated touch to its surroundings.

### Top marks for environmental friendliness and energy-efficiency

Our Midilift CLS cabin platform lifts are built to consume as little energy as possible, with variable voltage variable frequency (VVVF) hydraulic drive and a microprocessor control system ensuring a smooth and quiet ride every time.



The CLS lift requires less power than a conventional lift and operates on 220 volts, single phase supply and is rated Class A\* in energy efficiency – the highest rating available in this field.

### Safely constructed and installed

We take safety seriously, so we ensure all our lifts adhere to strict industry regulations. This includes compliance with 2010 Equality Act, Part M Building Regulations (England and Wales), and Section 4.2 of the Building Regulations Technical Handbook (Scotland).

We work to ISO 9001, ISO 14001, ISO 45001 certifications. We're also an active member of the Lift and Escalator Industry Association (LEIA) – an advisory body helping drive best practice across the industry.

Our Midilift CLS range complies with the following:

- EN81-41:2010 – Vertical lifting platforms intended for use by persons with impaired mobility
- UKCA marking – All of our lifts are UKCA marked and comply with the Supply of Machinery (Safety) Regulations 2008 (2008 No. 1597)

For added safety, all our Midilift CLS platform lifts include a full-height safety light ray on the car doors, lift car safety gears, safety locks, motor protection and mechanical safety stops.

\* according to VDI 4707 Part 1 and ISO 25745-2:2015

A Stannah cabin platform lift is shown in a home setting. The lift is a glass-enclosed cabin on a platform, positioned on a wooden floor. The background shows a living room with a patterned rug, a dark leather sofa, and two floor lamps with warm-toned shades. To the left, there is a white side table with drawers and a framed picture of a building on the wall. The overall lighting is warm and ambient.

**And remember, it's from Stannah**

When you choose a platform lift from Stannah, you join thousands of customers who rely on us to help ensure their project or building is fully accessible and enable a lifetime of reliable lift use, day in, day out.

From your initial enquiry to installation and beyond, our friendly experts will support you every step to deliver your ideal cabin platform lift. It's the kind of assistance that can only be provided by a family-run business with five generations of lift experience.

If you're a private homeowner looking to future-proof your building, or add a little extra luxury, we can work alongside your contractor to make your vision a reality. Likewise, commercial customers can deliver stylish, compliant accessibility that satisfies the Equality Act.



## A lift that offers the best of both worlds

The CLS range delivers the simplicity and accessibility of a platform lift with everything you've come to expect from conventional passenger lifts, including sliding doors and one-touch controls. You can also choose from a wide range of options including finishes, integrated communication devices and more.

### Key facts

Lift description	Fully enclosed cabin platform lift with sliding doors
Max. no of stops	5 stops
Max. travel (m)	12m
Speed (m/s)	0.15 m/s
Load (kg)	250kg, 325kg, 400kg (depending on car size)
Application	Indoor or outdoor
Drive type	Hydraulic drive with separate control cabinet 962mm (w) x 511 mm (d) x 2162mm (h)
Entrance configuration	Single / adjacent / through car/ three sides
Fixing	Structure supported / Wall mounted into shaft by others
Guide mounting	Side mounted / Rear mounted
Headroom	2500mm (For adjacent entry headroom is 2600mm)
Car height	2100mm standard - other car heights are available on request
Pit Depth	120/140 mm dependent on floor finish or ramp option
Control type	Automatic
Landing and lift car doors	Automatic sliding doors
Power	Single-phase supply, (25A Type C MCB), power from 1.4 up to 4kW depending on the model selected
Noise	Between 57-63 dB(A)


## Technical features (standard & optional)

	Standard	Optional
Lift structure	<ul style="list-style-type: none"> <li>• Wall-mounted into shaft by others</li> </ul>	<ul style="list-style-type: none"> <li>• Painted steel shaft structure in RAL 9016 (traffic white) finish with infills to match</li> <li>• Structure and infills painted in a different colour (RAL)</li> <li>• Clear glass infills</li> </ul>
Controls	<ul style="list-style-type: none"> <li>• Automatic car and landing controls using standard round button with halo</li> </ul>	<ul style="list-style-type: none"> <li>• Upgraded round button with halo and braille</li> </ul>
Doors & operation	<ul style="list-style-type: none"> <li>• 2 hour fire rated automatic (side-opening or centre-opening) stainless steel landing and car doors</li> <li>• Flush-mounted stainless steel landing operating panel in door frame</li> </ul>	<ul style="list-style-type: none"> <li>• Doors available in natural and gold stainless steel, as well as other decorative finishes</li> <li>• Landing operating panel with digital display</li> <li>• Landing operating panel flush mounted remotely</li> </ul>
Lift car	<ul style="list-style-type: none"> <li>• Vinyl skin plate lift car with half-height mirror and stainless steel handrail</li> <li>• LED energy efficient ceiling light with switch off mode when not in use</li> </ul>	<ul style="list-style-type: none"> <li>• Choice of car finishes and options (see pages 8-11)</li> <li>• Panoramic glass lift car</li> <li>• 4 hour emergency lighting in lift car ceiling</li> </ul>
Car operating panel	<ul style="list-style-type: none"> <li>• Car emergency lighting on car operating panel</li> <li>• Door open push button</li> <li>• Overload device</li> <li>• Acoustic alarm push button</li> <li>• Voice announcer</li> </ul>	<ul style="list-style-type: none"> <li>• Key switch</li> <li>• Card reader</li> <li>• Keypad</li> <li>• Volt free contacts for integration with customer control system</li> </ul>
Communication & display	<ul style="list-style-type: none"> <li>• Intercom</li> <li>• 3" digital car position indicator in lift car</li> </ul>	<ul style="list-style-type: none"> <li>• Digital and LCD lift car displays</li> <li>• Autodialler with GSM with options for induction loop and Stannah Managed SIM service</li> </ul>
Safety & security	<ul style="list-style-type: none"> <li>• 2D full-height safety light ray on doors</li> <li>• Emergency lighting</li> <li>• Passenger release using a manually operated pump for raising and lowering lift car</li> </ul>	<ul style="list-style-type: none"> <li>• Key switch, card reader and/or keypad on car or landing operating panel</li> <li>• Automatic emergency rescue device</li> <li>• Battery back-up to allow lift to travel in case of power outage</li> </ul>
Warranty	<ul style="list-style-type: none"> <li>• 2 year service warranty cover with 4 service visits per year</li> </ul>	<ul style="list-style-type: none"> <li>• 24/7 service cover</li> </ul>

# Lift finishes & options – match the look to your project

We offer an ample choice of elegant lift cars which are both comfortable and hard-wearing. They can satisfy the most demanding tastes and needs, effortlessly blending in with the design setting.

## 1 Structure & infills




Traffic White  
RAL 9016  
LRV 87




Light Grey Finish  
RAL 7035  
LRV 57




Grey Aluminium  
RAL 9007  
LRV N/A



Anthracite Grey  
RAL 7016  
LRV 5




Jet Black  
RAL 9005  
LRV 0




Glasses  
Natural Standard  
INFILLS ONLY

## 2 Car floor

### Rubber




Light grey circles  
S42 GG  
LRV 21,3



Black rubber circles  
S45 GN  
LRV 4




Dark Grey  
S52 GN  
LRV 13



Sand  
S62 GG  
LRV 55

### Granite



Pearl Grey




Clear Labrador



Dark Labrador

### Marble




Italian White




Portuguese Brown

140mm pit depth required on marble and granite floors. Floor by others available on request.

### Metal



5-bar Aluminium  
Chequer Plate  
S3AL



Stainless Steel Tread  
Chequer Plate  
S2\_I



Stainless Steel Diamond  
Chequer Plate  
S35\_I

Please note:

Costs may vary and are dependent on the choice of finishes selected. The colours and designs reproduced in this document have been matched as closely as the scanning and printing process will allow. We recommend that you obtain samples prior to final specification. We are continually developing and improving our range of products and finishes and we therefore reserve the right to alter or amend the specification without prior notice.

#### KEY

- Denotes standard option
- LRV = Light Reflecting Value



### Looking for something different?

Do you want your lift car specially made to fit to a certain dimension? Or blend in perfectly with the design of the building or home? Then simply speak to us and we can work with you to make your vision a reality.

## 3 Car walls

### Skinplate




Warm White  
P280  
LRV 75




Beige  
P222  
LRV 61




Blue  
P412  
LRV 20



Grey  
P422  
LRV 47



Light Grey  
P432  
LRV 39




Cream  
PB55  
LRV 61




Red  
P204  
LRV 9




Green  
P205  
LRV 15




Orange  
P 209  
LRV 37




Light wood effect  
PB65  
LRV 36




Medium wood effect  
PB70  
LRV 14



Dark wood effect  
PB75  
LRV 7



Platinum  
PB80  
LRV 36




Grey leather  
PB60  
LRV 25


### Formica



Birch  
P301  
LRV 39



White  
P302  
LRV 74



Beige  
P303  
LRV 56




Deep Blue  
P304  
LRV 8




Deep Red  
P305  
LRV 7



Grey  
P306  
LRV 26




Red  
P307  
LRV 15



Orange  
P308  
LRV 42




Yellow  
P309  
LRV 41




Light Green  
P310  
LRV 41




Green  
P311  
LRV 17




Sky Blue  
P312  
LRV 61




Turquoise  
P313  
LRV 21




Grey  
P314  
LRV 9




Black  
P315  
LRV 4



Light Oak  
P316  
LRV 28-36



Dark Oak  
P317  
LRV 13



Dark Walnut  
P318  
LRV 9




Grey Timber  
P319  
LRV 13-21

# Lift finishes & options – match the look to your project

## 3 Car walls


### Stainless steel



Brushed silver  
LRV 66




Elephant Skin  
LRV 76,6




Linen  
LRV 79


### Timber




Oak 7101 with gold  
stainless steel



Oak 7101 with brushed  
silver stainless steel




Chestnut with gold  
stainless steel




Chestnut with brushed  
silver stainless steel

## 4 Mirrors & handrails

### Mirrors



1/2 height  
mounted on rear wall




Full height  
(1/3 of car wall width)

### Handrails




PS12  
Single round stainless steel  
(35mm diameter)




PS14  
Double round stainless steel  
(35mm diameter)

## 5 Ceilings



Spot LED  
Direct lighting using 2 x LED spots in silver  
surround on painted metal  
(RAL9016 traffic white)



I LED  
Direct lighting using 2 x LED spots in gold  
surround on painted metal  
(RAL9016 traffic white)




L350  
Suspended white ceilings with indirect lighting

## 6 Operating panels, displays and buttons

### Car operating panels


All car operating panels are supplied as brushed stainless steel.



BCE1  
Short  
1320mm  
length



BCE2  
Partial height  
vertical surface  
mounted  
(variable  
height between  
1600-  
1800mm)



BCCE  
Full height  
vertical flush  
mounted



BCH-RL  
Horizontal surface mounted

### Car push-buttons & key switches



PCEB



PCMT



PCENK



PCSTK

### Car displays



DCEPH  
3" digital car  
floor and level  
indicator




7" full-colour  
car floor level  
and direction  
indicator

### Landing operating indicators and panels




HLE0  
LCD display with  
landing designation



HLE6  
LCD display with  
landing designation



BEE3



BEE4



BEE5

#### KEY

● Denotes standard option  
LRV = Light Reflecting Value




# Lift car & shaft dimensions

## Single entrance (side mounted), side opening

### 250kg, 2 panels side opening doors

Car (inside) A × B	Shaft (inside) C × D	Clear opening E
1100 × 900	1450 × 1215	800
1000 × 1000	1350 × 1315	700
900 × 1100	1250 × 1415	700
800 × 1250	1250 × 1565	700
800 × 1250	1150 × 1565	600
750* × 785*	1100* × 1100*	600*



### 325kg, 2 panels side opening doors

Car (inside) A × B	Shaft (inside) C × D	Clear opening E
1100 × 1125	1450 × 1440	800
1000 × 1250	1400 × 1565	800
1000 × 1250	1350 × 1565	700
900 × 1400 ‡	1400 × 1715	800
900 × 1400	1250 × 1715	700

### 400kg, 2 panels side opening doors

Car (inside) A × B	Shaft (inside) C × D	Clear opening E
1100 × 1400	1450 × 1715	800
1100 × 1400 #	1550 × 1715	900
1100 × 1200	1100 × 1515	800
1100 × 1200	1550 × 1515	900
1000 × 1300	1400 × 1615	800
1000 × 1300	1550 × 1615	900


## Single entrance (side mounted), centre opening

### 250kg, 4 panels centre opening doors

Car (inside) A × B	Shaft (inside) C × D	Clear opening E
1000 × 1000	1350 × 1315	800

### 325kg, 4 panels centre opening doors

Car (inside) A × B	Shaft (inside) C × D	Clear opening E
1100 × 1125	1500 × 1440	900
1000 × 1250	1350 × 1565	800
900 × 1400 ‡	1350 × 1715	800



### 400kg, 4 panels centre opening doors

Car (inside) A × B	Shaft (inside) C × D	Clear opening E
1100 × 1400 #	1500 × 1715	900
1100 × 1200	1500 × 1515	900
1000 × 1300	1500 × 1615	900
1000 × 1300	1350 × 1615	800

#### NOTES:

\* Smaller lift car available

‡ Part M (England and Wales) compliant.

# Part M (England and Wales) and Section 4.2 (Scotland) compliant.

All dimensions are in mm.


Shaft dimensions are for wall-mounted configuration please contact us for structure dimensions.

We have a wealth of materials and resources to aid with the selection and specification of your lift, including finishes and options, technical datasheets, CAD resources and NBS Specifications. Please call us on 01264 339090 or visit [stannahlifts.co.uk](http://stannahlifts.co.uk) for more information and technical advice.

### Through entrance (side mounted), side opening

#### 250kg, 2 panels side opening doors

Car (inside) A × B	Shaft (inside) C × D	Clear opening E
1100 × 900	1450 × 1420	800
1000 × 1000	1350 × 1520	700
900 × 1100	1250 × 1620	700
800 × 1250	1250 × 1770	700
800 × 1250	1150 × 1770	600
750* × 860*	1100* × 1380*	600*



#### 325kg, 2 panels side opening doors

Car (inside) A × B	Shaft (inside) C × D	Clear opening E
1100 × 1125	1450 × 1645	800
1000 × 1250	1400 × 1770	800
1000 × 1250	1350 × 1770	700
900 × 1400 ‡	1400 × 1920	800
900 × 1400	1250 × 1920	700

#### 400kg, 2 panels side opening doors

Car (inside) A × B	Shaft (inside) C × D	Clear opening E
1000 × 1300	1550 × 1820	900
1000 × 1300	1400 × 1820	800
1100 × 1200	1550 × 1720	900
1100 × 1200	1450 × 1720	800
1100 × 1400 #	1550 × 1920	900
1100 × 1400	1450 × 1920	900


### Through entrance (side mounted), centre opening

#### 250kg, 4 panels centre opening doors

Car (inside) A × B	Shaft (inside) C × D	Clear opening E
1000 × 1000	1350 × 1520	800

#### 325kg, 4 panels centre opening doors

Car (inside) A × B	Shaft (inside) C × D	Clear opening E
1100 × 1125	1500 × 1645	900
1000 × 1250	1350 × 1770	800
900 × 1400 ‡	1350 × 1920	800



#### 400kg, 4 panels centre opening doors


Car (inside) A × B	Shaft (inside) C × D	Clear opening E
1100 × 1400 #	1500 × 1920	900
1000 × 1300	1350 × 1820	800
1000 × 1300	1500 × 1820	900
1000 × 1200	1500 × 1720	900

# Lift car & shaft dimensions

## Adjacent entrance (side mounted), side opening

### 250kg, 2 panels side opening doors

Car (inside) A × B	Shaft (inside) C × D	Clear opening E
1100 × 900	1660 × 1250	700
1000 × 1000	1560 × 1315	700
900 × 1100	1460 × 1415	700
800 × 1250	1400 × 1565	700
740* × 885*	1300* × 1200*	600*



### 325kg, 2 panels side opening doors

Car (inside) A × B	Shaft (inside) C × D	Clear opening E
1100 × 1125	1660 × 1450	800
1000 × 1250	1560 × 1590	800
900 × 1400 ‡	1560 × 1715	800
900 × 1400	1460 × 1715	700

### 400kg, 2 panels side opening doors

Car (inside) A × B	Shaft (inside) C × D	Clear opening E
1100 × 1400	1660 × 1715	800
1100 × 1400 #	1750 × 1715	900
1100 × 1250	1660 × 1565	800
1100 × 1250	1810 × 1565	900
1000 × 1300	1600 × 1616	800

## Adjacent entrance (side mounted), centre opening

### 250kg, 4 panels centre opening doors


Car (inside) A × B	Shaft (inside) C × D	Clear opening E
1000 × 1000	1560 × 1415	800
800 × 1250	1400 × 1565	800

### 325kg, 4 panels centre opening doors

Car (inside) A × B	Shaft (inside) C × D	Clear opening E
920 × 1400 ‡	1500 × 1715	900
900 × 1400 ‡	1460 × 1715	800

### 400kg, 4 panels centre opening doors

Car (inside) A × B	Shaft (inside) C × D	Clear opening E
1100 × 1400 #	1660 × 1715	900
1000 × 1300	1560 × 1615	800



#### NOTES:

‡ Part M (England and Wales) compliant.

# Part M (England and Wales) and Section 4.2 (Scotland) compliant.

All dimensions are in mm.

Shaft dimensions are for wall-mounted configuration please contact us for structure dimensions.



### Single entrance (rear mounted), centre opening

#### 250kg, 4 panels centre opening doors


Car (inside) A × B	Shaft (inside) C × D	Clear opening E
1200 × 800	1350 × 1360	800
1100 × 900	1250 × 1460	700
960* × 540*	1100* × 1100*	600*

#### 325kg, 4 panels centre opening doors

Car (inside) A × B	Shaft (inside) C × D	Clear opening E
1400 × 900	1550 × 1460	900
1200 × 1000	1350 × 1560	800
1100 × 1100	1250 × 1660	700

#### 400kg, 4 panels centre opening doors

Car (inside) A × B	Shaft (inside) C × D	Clear opening E
1400 × 1100	1550 × 1660	900
1200 × 1100	1350 × 1660	800



### Three entrances (side mounted), centre opening

#### 250kg, 4 panels centre opening doors


Car (inside) A × B	Shaft (inside) C × D	Clear opening E
800 × 1250	1400 × 1770	700

#### 325kg, 2 panels side opening doors

Car (inside) A × B	Shaft (inside) C × D	Clear opening E
900 × 1400 ‡	1560 × 1920	800

#### 400kg, 2 panels side opening doors

Car (inside) A × B	Shaft (inside) C × D	Clear opening E
1100 × 1400 #	1750 × 1920	900



# Example configurations



**Lift car walls finished in wood and natural stainless steel**

Specification:  
Oak 7101 with natural stainless steel,  
Italian white marble, full height cop and LED spots



**Lift car finished in vinyl skinplate**

Specification:  
Cloud white skinplate, black rubber floor, partial  
height cop and LED spots



**Lift car panels are fitted onto a metal frame and finished in a hard-wearing formica laminate**

Specification:  
Blue walls, grey rubber floor, full height cop and grid  
style ceiling spots



**Lift car walls finished in a hard-wearing formica laminate, combined with screen printed glazed panelling**

Specification:  
Lime green wallboards with custom panel, grey rubber  
floor, full height cop and suspended ceiling





## The nation's lift specialist – for more than 150 years

The Stannah family has been installing and servicing lifts across Great Britain since 1867. That heritage brings some important benefits.

Naturally, we want you to get the perfect lift experience. But we understand that goes beyond just delivering a product. It also means being there when it matters most.

Whether you're a homeowner or a professional, you'll enjoy a tailored service, including on-site planning, a dedicated project engineer and technical and maintenance support post installation.



In fact, we make the same four commitments to every customer:

- ✓ A company you can rely on
- ✓ Costs that make sense
- ✓ Superior service and ongoing care
- ✓ Quality guaranteed

## Six steps to your ideal lift



### You make contact

You can contact us via email or phone to get started on your Stannah journey, sending any photos, project details, building drawings or required specification you may have.



### We'll provide a free no-obligation quote

Based on your information we can either supply a free no-obligation quote or if needed we'll get in touch to visit your home or commercial location to discuss your options.



### Confirm your interest

Once you've decided to proceed, and you're happy with the quote, just give us a quick call and we'll begin finalising contracts and getting to work on your builder's work drawings and requirements to enable you to get the site ready for lift installation.



### Getting site ready

Working to our product delivery timescales and any project deadlines, as the project progresses your dedicated project engineer will visit. They'll run through the lift specification with you and complete any dimensional checks we need before installation.



### Installation begins

Two of our NVQ-qualified installers will fit your lift quickly and safely, working to the highest standards. Once ready for the final stages of lift install we'll provide a detailed handover to ensure you are confident using your lift.



### Ongoing support from a leading service company

Every one of our latest Midilift CLS products comes with the added reassurance of ongoing servicing through one of our 11 service branches. Our branch network takes care of all makes and models of lifts and our exemplary service levels, breadth of coverage, and 100,000-strong service portfolio set us apart from the competition.



An independent  
family business  
since 1867





The Stannah Promise  
**Always true  
to our word**

## Meet the family




Stairlifts



Home lifts



Platform lifts



Passenger lifts



Service and goods lifts



Bespoke lifts



Escalators and moving walkways



Lift refurbishments, service and repair

## Stannah Lifts

Stannah Lifts  
Watt Close, East Portway, Andover SP10 3SD  
contact@stannah.co.uk  
Telephone: 01264 339090

[www.stannahlifts.co.uk](http://www.stannahlifts.co.uk)

# Stannah