



Oplia Triangle

Oplia Triangle is an exciting addition to the Oplia product family. These suspended ceiling tiles are cut into triangles and are available in 35 exciting colours, allowing you to create acoustic ceilings that make a real design statement.


Key Features

Oplia Triangle is a unique decorative ceiling tile that doesn't compromise on technical performance.

- With Class C sound absorption and excellent sound attenuation, it's a striking addition to any interior
- The triangular shape makes this ceiling tile particularly useful for wayfinding and zoning when used in combination with coloured tiles
- Compatible with Zentia's Gridline 24 suspended ceiling grid using a standard main runner, a unique cross tee and an innovative angled nodal bracket
- 30 Year System Guarantee



Edge Detail Board



Thickness (mm) 17

Modules (mm) 1200 x 1200 x 1200 BPTT2802M

Suspension Systems Gridline 24 Butt Cut / Joggled
Prelude 24 Sixty²

Sustainability

80

A+

EN 13964 / E1

Acoustics Results based on Global White tiles

	 <small>EN ISO 354 & EN ISO 11654</small>			 <small>EN ISO 10848-2 & EN ISO 717-1</small>			 <small>EN ISO 140-3 & EN ISO 717-1</small>			<small>Hz α_p</small>				
	α_w	D_{nfw}	R_w	Class	NRC	125	250	500	1000	2000	4000			
Triangle	0.65(H)	37 dB	20 dB	C	0.65	0.55	0.50	0.55	0.75	0.85	0.85			

Fire Reaction Results based on Global White and Colour options

Euroclass A2-s1, d0
EN 13501-1

Performances & Features Results based on Global White tile

	86%		95% RH				
	4.6 Kg/m ²		ISO 5				
			ISO 14644-1				

Colour

Global White and colour options

Colours

To specify a colour, simply add the appropriate suffix from the provided colour palette to the item code.

Example: BPTT2802M Oplia Triangle (White), BPTT2802MOR1 Oplia Triangle (RAL2009/Orange)

 GY1 RAL 000 85 00	 BL5 RAL 260 90 05	 GR5 RAL 130 90 10	 YE3 RAL 080 90 10	 OR3 RAL 050 90 10	 RE5 RAL 010 90 10	 PU5 RAL 340 90 05	 BR4 RAL 050 70 10
 GY2 RAL 000 65 00	 BL4 RAL 260 80 15	 GR4 RAL 130 80 30	 YE2 RAL 075 80 40	 OR2 RAL 050 80 30	 RE4 RAL 020 80 20	 PU4 RAL 340 80 20	 BR3 RAL 050 70 20
 GY3 RAL 000 30 00	 BL3 RAL 260 50 25	 GR3 RAL 140 50 30	 YE1 RAL 1003	 OR1 RAL 2009	 RE3 RAL 020 60 40	 PU3 RAL 340 60 35	 BR2 RAL 040 30 30
 BK1 RAL 9005	 BL2 RAL 260 30 20	 GR2 RAL 140 30 20			 RE2 RAL 020 30 40	 PU2 RAL 340 30 30	 BR1 RAL 8004
	 BL1 RAL 5015	 GR1 RAL 6037			 RE1 RAL 3020	 PU1 RAL 4006	

We recommend ordering a full colour sample prior to specification and ordering. If you would like to order a sample or have any queries about this product please contact our Technical Sales Team on **0800 371 849** or email enquiries@zentia.com.

Please note that even though great care has been taken to ensure correct colour match, colours can only be as accurate as the printing process allows.

Every monitor or mobile display has a different capability to display colours, and every individual may see these colours differently.



Order a sample

If you would like to order a sample or have any queries about this product please contact our Technical Sales Team on **0800 371 849** or email enquiries@zentia.com

TDS 178.3.02.24