

Vanity Systems



Our vanity systems enhance any washroom, providing stylish and practical solutions to hand wash areas. With impervious Solid Grade Laminate under panels and a variety of material options for the tops these units will survive whatever the splash.

For optimum aesthetics, durability and user experience our offering includes versatile hand wash troughs fabricated from Solid Surface materials.

designers and manufacturers of exemplary washroom systems

call 01603 424855 fax 01603 413336 email info@dunhamsofnorwich.co.uk
Dunhams Washroom Systems The Granary School Road Neatishead Norwich NR12 8BU

www.dunhamsofnorwich.co.uk

VAT Registration No. 105 2240 29

Partners BH Dunham MH Dunham JN Dunham SG Dunham TJ Percival

Specification

Trough Construction

Style: Solid surface wash trough

Trough Detail: 200mm upstand / 200mm downstand / 400 or 350mm depth

Waste Detail : Slight falls to waste, standard waste is included

Core/Face: Corian mounted on ply substrate

Colours: Ref to Dunhams Corian range

SGL Top Construction

Style: Square butt jointed 200mm downstand and 100mm upstand with thumbnail radius exposed edges

Depth: 300mm/350mm for semi-recessed basins / 600mm for inset basins

Core/Face: 13mm solid grade laminate

Colours: Ref to Dunhams colour selector

Cut-Outs: Bowl cut-outs are not included unless mentioned separately

HPL Top Construction

Style: 18mm thick, 200mm post-formed front apron and 100mm high coved rear upstand

Depth: 300mm/350mm for semi-recessed basins / 600mm for inset basins

Core/Face: High pressure laminate on 18mm MR MDF

Colours: Ref to Dunhams colour selector

Cut-Outs: Bowl cut-outs are not included unless mentioned separately.

Unit Construction

Frame: Factory constructed WBP ply sub-frame pre-fitted with lift off access panels and 100mm integral factory laminated plinth

SGL Core/Face: 13mm solid grade laminate

SGL Edge: Profile radiused and polished

Colour: Refer to Dunhams colour selector

Options

Height: Low height options available

Trough: Custom design troughs available

Colour: Grafix range of patterns/designs to access panels available as an extra.

Unit Style: Unit construction options available: Factory assembled 18mm MFC carcass with shelves and hinged doors / Factory assembled ply sub-frame with sloped under panels for access / Factory assembled ply sub-frame with panels supplied pre-hung on sprung cabinet hinges with key operated cam lock

designers and manufacturers of exemplary washroom systems

call 01603 424855 fax 01603 413336 email info@dunhamsofnorwich.co.uk

Dunhams Washroom Systems The Granary School Road Neatishead Norwich NR12 8BU


www.dunhamsofnorwich.co.uk

VAT Registration No. 105 2240 29


Partners BH Dunham MH Dunham JN Dunham SG Dunham TJ Percival

Technical Drawings


Fully Recessed HPL




Tap Deck Trough




Semi-Recessed HPL




Splash Back Trough




Fully Recessed SGL



Semi-Recessed SGL




Unit Options



Hinged and Lockable Door

Door Construction - HPL or SGL panels supplied pre-hung on sprung cabinet hinges with key operated cam lock.




Sloped Under-panel

Unit Construction - Factory assembled ply subframe with sloped under panels for access.

Options

- › Low height options available



Carcass with Shelves

Unit Construction - 18mm MFC carcass, cam and dowelled construction, supplied fully assembled with hinged doors.

Options

- › Low height options available
- › Lockable doors

designers and manufacturers of exemplary washroom systems

call 01603 424855 fax 01603 413336 email info@dunhamsofnorwich.co.uk
Dunhams Washroom Systems The Granary School Road Neatishead Norwich NR12 8BU

www.dunhamsofnorwich.co.uk

VAT Registration No. 105 2240 29

Partners BH Dunham MH Dunham JN Dunham SG Dunham TJ Percival